



Your Community Energy Partner

June 30, 2017

VIA ELECTRONIC FILING

Kimberly D. Bose, Secretary
Nathaniel J. Davis, Sr., Deputy Secretary
Federal Energy Regulatory Commission
888 First Street NE
Washington, DC 20426

**Re: Jackson Hydroelectric Project, FERC No. 2157
Water Quality Monitoring Plan – 2016 Annual Report
License Article 401 (b)**

Dear Secretary Bose:

Enclosed is Public Utility District No. 1 of Snohomish County's Water Quality Monitoring Plan Annual Report for 2016 pursuant to License Article 401 (b) for the Jackson Hydroelectric Project. The draft report was provided to the Aquatic Resources Committee for a 30-day review and comment period; no comments were received. Consultation documentation is included in the report's appendices.

If you have any questions on the Water Quality Monitoring Plan Annual Report for 2016, please contact Keith Binkley, Natural Resources Manager, at (425) 783-1769 or KMBinkley@snopud.com.

Sincerely,

/s/ Tom DeBoer

Tom DeBoer
Assistant General Manager of Generation, Power, Rates and Transmission Management
TADeBoer@snopud.com
(425) 783-1825

Enclosed: Water Quality Monitoring Plan Annual Report for 2016

cc: ARC Members
Monika Kannadaguli, Ecology Northwest Regional Office Water Quality Program

Henry M. Jackson Hydroelectric Project (FERC No. 2157)



License Article 401: Water Quality Monitoring Plan – 2016 Annual Report



Everett, WA

June 2017

Final – This document has been prepared for the District. It has been peer-reviewed by the District for accuracy and formatting based on information known at the time of its preparation and with that understanding is considered complete by the District. The document may be cited as:

District. 2017. Water Quality Monitoring Plan 2016 Annual Report, License Article 401, for the Henry M. Jackson Hydroelectric Project, FERC No. 2157. June 2017.

Table of Contents

1. INTRODUCTION	1
2. RESERVOIR MONITORING.....	3
2.1. Climatic Conditions.....	3
2.1.1. Rainfall Data	3
2.1.2. Snow Survey Measurements.....	4
2.1.3. Reservoir Inflow	5
2.2. Reservoir Operations.....	6
2.2.1 Project Outflow	6
2.2.2. Reservoir Elevation.....	7
2.3. Water Quality	8
2.3.1. Temperature	8
2.3.2. pH.....	8
2.3.3. Dissolved Oxygen.....	8
2.3.4. Turbidity	8
2.3.5. Secchi Transparency	9
2.3.6. Nutrients.....	9
2.3.7. Phytoplankton	9
2.3.8. Zooplankton	9
3. RIVER MONITORING.....	10
3.1. Background	10
3.2. Continuous Temperature Monitoring.....	12
3.3. Synoptic Measurements of Water Quality	14
4. DATA QUALITY AND COMPLIANCE	14
5. REFERENCES	15

List of Appendices

Appendix A	Monthly Reservoir Water Quality Sampling
Appendix B	Continuous Water Temperature Monitoring - Figures
Appendix C	Continuous Daily Water Temperature Data in Tabular Format
Appendix D	Seven-Day Average of the Daily Maximum (7-DAD Max) Water Temperature in Tabular Format
Appendix E	Consultation Documentation Regarding Draft Report

List of Figures

Figure 2-1.	Snow survey data, Stickney Ridge (elev. 3,600 ft), Sultan Watershed, 1986-2016.	4
Figure 2-2.	Hydrograph for the South Fork Sultan River, USGS Station No. 12137290, 2016 calendar year.....	5
Figure 2-3.	Daily plant generation, Jackson Hydroelectric Project, 2016.....	6
Figure 2-4.	Daily water surface elevation, Spada Lake Reservoir, 2016.	7
Figure 3-1.	Schematic of water conveyance system, Jackson Hydroelectric Project.....	11
Figure 3-2.	Locations of water temperature monitoring, Jackson Hydroelectric Project.....	13

List of Tables

Table 1-1.	Parameters to be monitored, locations, and sampling frequency.....	2
Table 2-1.	Monthly rainfall, Culmback Dam Weather Station, 2016.	3
Table 2-2.	Secchi transparency, Spada Lake Reservoir, 2016.	9
Table 3-1.	Settings for selective withdrawal panels, Spada Lake Reservoir, 2016.	12
Table 3-2.	Synoptic monthly measurements of water quality, Sultan River, 2016.....	14

List of Acronyms and Abbreviations

7-DAD Max	seven-day average of the daily maximum
ARC	Aquatic Resource Committee
District	Public Utility District No. 1 of Snohomish County
Ecology	Washington Department of Ecology
FERC	Federal Energy Regulatory Commission
Project	Henry M. Jackson Hydroelectric Project, FERC No 2157
RM	river mile
USGS	U.S. Geological Survey
WQMP	Water Quality Monitoring Plan

1. INTRODUCTION

Public Utility District No. 1 of Snohomish County (the District) received a license on September 2, 2011 (License), from the Federal Energy Regulatory Commission (FERC) for the Henry M. Jackson Hydroelectric Project (Project). The FERC approved the Water Quality Monitoring Plan (WQMP) on March 30, 2012, pursuant to License Article 401(a). The District is to file a report with the FERC by June 30 of each year detailing the monitoring efforts of the previous calendar year, pursuant to License Article 401(b).

This WQMP Annual Report covers activities conducted in calendar year 2016. Monthly measurements of reservoir water quality are presented in Appendix A. Appendices B, C, and D present the data from continuous monitoring of water temperature in the river and tributary systems. Appendix B shows graphical data, Appendix C shows tabular data, and Appendix D shows seven-day average of the daily maximum water temperature in tabular format. This WQMP Annual Report was provided to the Aquatic Resources Committee (ARC) [consisting of the City of Everett, City of Sultan, Snohomish County, Washington Department of Ecology (Ecology), Washington Department of Fish and Wildlife, Tulalip Tribes, U.S. Forest Service, National Marine Fisheries Service, U.S. Fish and Wildlife Service and American Whitewater] for a 30-day review and comment period. No comments were submitted. Consultation documentation regarding the draft report will be included in Appendix E.

The annual report fulfills monitoring and reporting requirements as stipulated in Ecology's 401 Water Quality Certification Order (Order No. 7918, October 18, 2010). As described in the 401 Certification Order (Section 9.0, Monitoring and Reporting Requirements), the report includes summaries of the water quality data, and includes sample dates, times, locations, and results. Compliance with state water quality standards is discussed, as well. The report will be submitted to the hydropower certification manager at Ecology's Water Quality Program Northwest Regional Office, and the FERC.

The WQMP requires the District to collect water quality data in and around Spada Lake Reservoir, Sultan River between river mile (RM) 16.2 and RM 0.2, and Skykomish River at RM 14.1 and RM 13.2 (Table 1-1).

Table 1-1. Parameters to be monitored, locations, and sampling frequency.

Parameter	South Fork Sultan River	Spada Lake Reservoir (near log boom)	RM 16.1	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	Skyko. RM 14.1	Skyko. RM 13.2	Frequency
Water temperature	•	•	•	•	•	•	•	•	•	•	Year-round (hourly) in stream reaches. Monthly between May 1 and October 31 for lake profile.
Dissolved oxygen	•	•		•			•				May 1 to October 31. Monthly in stream reaches. Monthly for lake profile.
Turbidity	•	•		•			•				May 1 to October 31. Monthly in stream reaches. Monthly for lake profile.
pH	•	•		•			•				May 1 to October 31. Monthly in stream reaches. Monthly for lake profile.
Secchi transparency		•									May 1 to October 31. Monthly.
Flow discharge	•		•	•	•	•	•				Year-round. Daily.
Reservoir elevation		•									Year-round. Daily.

The following sections of this report are organized and structured as water flows, beginning in the upper portion of the Sultan watershed.

2. RESERVOIR MONITORING

2.1. Climatic Conditions

2.1.1. Rainfall Data

During 2016, a total rainfall of 186.5 inches was recorded at the Culmback Dam Weather Station. The rainfall measured during 2016 was greater than the historical annual average of 159.06 inches. Monthly rainfall averaged 15.54 inches and ranged between a low of 2.52 inches in August and 30.30 inches in October (Table 2-1). During 2016, the highest recorded daily rainfall (7.4 inches) occurred on February 15, 2016.

Table 2-1. Monthly rainfall, Culmback Dam Weather Station, 2016.

Month	Rainfall (inches)
January	18.19
February	26.72
March	24.39
April	7.39
May	6.68
June	11.13
July	4.11
August	2.52
September	12.76
October	30.30
November	26.04
December	16.27

2.1.2. Snow Survey Measurements

Beginning in 1986, the District has conducted annual surveys of the snowpack during late March. Since inception, the annual mean snow and water depth at Stickney Ridge (elevation 3,600 feet) are 97.7 and 41.2 inches, respectively. During the 2016 survey, there were 86.8 inches of snow at the Stickney Ridge station (Figure 2-1). This depth of snow was 88 percent of historical mean. In terms of water content, the 32.8 inches recorded equated to 79 percent of the historic mean.




Figure 2-1. Snow survey data, Stickney Ridge (elev. 3,600 ft), Sultan Watershed, 1986-2016.

2.1.3. Reservoir Inflow

Three tributaries feed into Spada Lake Reservoir; the South Fork Sultan River, Williamson Creek, and the mainstem Sultan River, including Elk Creek. Historically, the U.S. Geological Survey (USGS) has operated gages at several locations within the basin. Currently, the South Fork Sultan River is the only tributary that is actively gaged. At this location, the USGS operates Station No. 12137290, South Fork Sultan River near Sultan, WA, which provides real time information for Project operations. Hydrologic modeling indicates that the South Fork Sultan River, on average, accounts for between 14 and 22 percent of total inflow into the reservoir, depending on conditions. The 2016 hydrograph for this station is presented in Figure 2-2. Instantaneous flow values ranged from 4.9 to 5,210 cfs. Mean daily flow during 2016 averaged 144 cfs and ranged between a low of 3.6 cfs and a high flow of 3,650 cfs. The average mean annual flow, based on the USGS Water Year, for this station is 150 cfs (Period of Record 1992-2016).




Figure 2-2. Hydrograph for the South Fork Sultan River, USGS Station No. 12137290, 2016 calendar year.

2.2. Reservoir Operations

2.2.1 Project Outflow

In the absence of reservoir spill, the vast majority of Project outflow occurs through the power tunnel, as indexed by daily plant generation. In 2016, the Project did not experience spill events. Daily plant generation during 2016 closely mimicked Project inflows (Figure 2-3). A total of 484,056 megawatt hours were produced during 2016 equating to 116 percent of the historic annual average of 415,066 megawatts.




Figure 2-3. Daily plant generation, Jackson Hydroelectric Project, 2016.

2.2.2. Reservoir Elevation

Water surface elevation in Spada Lake Reservoir is partitioned into five states, which define how the Project is to be operated through the year. States 1 and 2 require full generation to withdraw 1,300 cfs for spill/flood control. State 3 is a discretionary zone, which allows the District to operate in a range defined by the maximum of states 1 and 2 or minimum defined by State 4. State 4 requires minimum generation to maintain the instream flows for fish and habitat protection and water supply for the City of Everett. A fifth state (State 5) lies below reservoir elevation 1,380 feet msl. The Project does not operate in this state. During 2016, a modest spill event occurred from February 16 through February 20 peaking at a reservoir elevation of 1,450.84 feet. The remainder of the year Spada Lake Reservoir was drafted and filled in accordance with the rule curves established for the Project (Figure 2-4).




Figure 2-4. Daily water surface elevation, Spada Lake Reservoir, 2016.

2.3. Water Quality

Monthly sampling of water quality in Spada Lake Reservoir occurred on the following dates during 2016: March 24, April 22, May 19, June 16, July 21, August 16, September 15, and October 13. Sampling included profile measurements of conventional parameters including temperature, pH, dissolved oxygen, conductivity, and turbidity. Sampling was conducted cooperatively with the City of Everett during 2016, and included measurements of nutrients, phytoplankton, and zooplankton.

By summary, Spada Lake Reservoir was cold and thoroughly oxygenated during April and May. Temperature stratification was first evident during the April sampling session. Zooplankton, in particular *Holopedium*, had reached their summer maximum in July. The highest phytoplankton biovolume of the year was recorded in September. By August, the warmest water temperature was documented and the thermocline was set near 26 feet in depth. The effects of the thermocline on dissolved oxygen were apparent as dissolved oxygen levels below saturation persisted near the bottom of the reservoir during late summer / early fall. During the course of the year, most biological activity took place in the epi- and metalimnion. Additional water quality information is provided below, by parameter.

2.3.1. Temperature

Spada Lake Reservoir temperatures ranged from 4.6 to 20.9 °C depending on month and depth (Appendix A). Temperature stratification was first evident during the April sampling session. The middle of August had the warmest water temperatures. The thermocline was strongest in September. July and August also had a high resistance to mixing. The strongest point in the thermocline dropped from 26 to 49 feet over the course of the summer and early fall. The thermocline was still present, albeit weak, in October.

2.3.2. pH

The highest measured pH was 7.4 in June. The lowest pH of 5.9 was measured in October at a depth of 164 feet, and was likely due to increased bacterial degradation of organic matter.

2.3.3. Dissolved Oxygen

Dissolved oxygen ranged from a low of 7.3 mg/L in October to a high of 11.5 mg/L in April. By saturation values, the maximum of 101 percent in April was likely due to cold water temperatures and increasing primary production, and the minimum of 58 percent of saturation at depth in October was likely due to limited photosynthetic oxygen production and bacterial degradation of organic matter.

2.3.4. Turbidity

In April, May, June, July, August, and September, the surface was less turbid than at depth. Turbidities at the surface and at depth decreased through August. In September, there was a slight increase at depth. In October, turbidity increased throughout the water column, and through most of the season, the cut-off points between higher and lower turbidities can be traced to the thermal structure of the reservoir.

2.3.5. Secchi Transparency

Secchi transparency ranged from a high of 23.5 feet in July to low of 2.5 feet in March (Table 2-2).

Table 2-2. Secchi transparency, Spada Lake Reservoir, 2016.

Date	Result (feet)
3/24/2016	2.5
4/18/2016	7
5/19/2016	9.5
6/16/2016	7.5
7/21/2016	23.5
8/16/2016	18.5
9/15/2016	13
10/13/2016	5.5

2.3.6. Nutrients

Total phosphorus concentrations were between 3.5 and 6.2 µg/L for most the summer, both at the surface and at depth. An increase in total phosphorous concentration was noted during October sampling. Total nitrogen was also relatively constant between 60.3 to 134.1 µg/L for most of the summer with an increase noted in October. Nitrate showed variation over time and depth, with values ranging between 0.4 and 131.8 µg/L. Silica concentrations were similar throughout the water column, ranging from 1,234 to 2,126 µg/L.

2.3.7. Phytoplankton

The greatest total volume (µm³/mL) of phytoplankton occurred in the September sample. *Chrysophyta* was the predominant taxon by total volume for the entire summer (June, July, and August). By September, *Cyanophyta* (Colony/mL) increased exponentially coinciding with the decline in *Chrysophyta*. In situ chlorophyll and dissolved oxygen readings indicate that primary productivity took place predominantly between the surface and a depth of 30 feet, peaking in June (3.3 ug/L) and again in September (1.9 ug/L).

2.3.8. Zooplankton

Holopedium were the dominant zooplankter in all samples during March, April, May, and September. *Conochilus* (single) were most abundant during July, August, and October. In terms of peak density, *Holopedium* (7.64/L) and *Conochilus* (single) (73.27/L) peaked in July following the greatest density of phytoplankton in June. The largest diversity in zooplankton species occurred from July through September. The total number of zooplankton/L was less than seven on all sample dates except July (86.43/L) and August (35.92/L).

3. RIVER MONITORING

3.1. *Background*

Maintaining suitable water temperatures in the Sultan River is an important aspect of the Project operation. Water temperature influences fish behavior, especially anadromous fish during the freshwater phase of their life cycle. The Sultan River produces Chinook, coho, chum and pink salmon, and steelhead trout plus resident fish species.

The Project's water storage and conveyance system is a complex of conduits moving water between two reservoirs with discharge into the Sultan River occurring at three facilities – Culmback Dam, Diversion Dam, and Powerhouse (Figure 3-1). At Culmback Dam, a 10-inch cone valve is used to variably release an annual water budget of 20,362 acre feet into Reach 3 of the Sultan River, immediately downstream of the dam. Further downstream, the additional water necessary to meet instream flow requirements (at the Diversion Dam) is routed through the Francis turbine units at the powerhouse, then the Lake Chaplain pipeline to a former City Water diversion tunnel connected to another water line discharging into the river at the Diversion Dam. Except for infrequent spill at Culmback Dam, these releases, plus tributary flows to the river, provide the instream flow for fish species throughout eleven river miles upstream from the powerhouse. Pelton turbines, which discharge directly to the river at RM 4.5, provide additional water when needed to meet minimum instream flow requirements below the powerhouse.

Water temperatures in Reach 3, immediately downstream of Culmback Dam, are seasonally influenced to a variable extent by releases through an auxiliary line down the face of Culmback Dam. The releases are described in detail in the annual reporting for the Water Temperature Conditioning Plan for Reach 3 (District 2010). Downstream, water temperatures at the Diversion Dam are influenced by the amount and depth of release at Culmback Dam (whether through the intake structure, cone or Howell-Bunger valves, or by spill), by tributary flows, and by meteorological conditions. Moveable panels at the Spada Lake Reservoir intake structure control the level and, hence, the temperature at which water is withdrawn from the reservoir to the powerhouse intake when conditions allow. When isothermal conditions exist in the reservoir, no change in water temperature can be achieved through moving the panels on the intake structure. The degree of temperature control possible by panel manipulation varies seasonally with the degree of temperature stratification in the reservoir. Panel position settings during 2016 are presented in Table 3-1.




Figure 3-1. Schematic of water conveyance system, Jackson Hydroelectric Project.

Table 3-1. Settings for selective withdrawal panels, Spada Lake Reservoir, 2016.

Dates	Panel Setting	Upper Opening (elevation in feet msl)	Lower Opening (elevation in feet msl)
Beginning of year to 4/11/16	E	1,387.5 – 1,360	None
4/11/16 to 5/18/16	C	1,430 – 1,402	None
5/18/16 to 7/01/16	D	1,402.5 – 1,385	None
7/01/16 to 8/10/16	D-E	1,405 – 1,397.5	1,370
8/10/16 to end of year	E	1,380 – 1,360	None

3.2. Continuous Temperature Monitoring

The District continuously monitored water temperature at 11 locations within the Project area during 2016 (Figure 3-2). These locations, in order from upstream to downstream, include:

- South Fork Sultan River, upstream of Culmback Dam, near RM 18.2;
- Sultan River, within the bypass reach immediately downstream of Culmback Dam, at RM 15.8;
- Sultan River, within the bypass reach, near RM 14.3;
- Sultan River, within the bypass reach, near RM 11.3;
- Sultan River, within the bypass reach immediately upstream of the Diversion Dam, near RM 9.8;
- Sultan River, immediately downstream of the Diversion Dam, near RM 9.6;
- Sultan River, upstream of the Powerhouse, near RM 4.9;
- Sultan River, downstream of the Powerhouse, near RM 4.4,
- Sultan River, near the confluence with the Skykomish River, at RM 0.2;
- Skykomish River, upstream of the confluence with the Sultan River, at RM 14.1; and
- Skykomish River, downstream of the confluence with the Sultan River, at RM 13.2.

Water temperature monitoring at Sultan River RM 14.3 and 11.3, are part of the Water Temperature Conditioning Plan monitoring sites for Reach 3; the remaining 9 stations are those required for monitoring under the WQMP.

In general, water temperatures in the Sultan Basin during 2016 were much cooler than 2015 and were consistent with those collected during 2008 and 2009 by CH2M Hill and presented in the Water Quality Final Technical Report (CH2M Hill 2009). Figures depicting water temperatures during 2016 are presented in Appendix B. A tabulation of all mean daily temperature data for 2016 is presented in Appendix C. The seven-day average of the daily maximum temperature (7-DAD Max) is presented in Appendix D. Data gaps are attributed to malfunctioning equipment or equipment lost due to vandalism.




Figure 3-2. Locations of water temperature monitoring, Jackson Hydroelectric Project.

3.3. Synoptic Measurements of Water Quality

Synoptic measurements of water quality were collected during late spring, summer, and early fall 2016 at the South Fork Sultan River (tributary to Spada Lake Reservoir) and at two locations in the Sultan River downstream of Culmback Dam (Table 3-2).

Table 3-2. Synoptic monthly measurements of water quality, Sultan River, 2016.

Location	Date	Temp °C	pH Units	TurbSC NTU	LDO mg/l
South Fork Sultan River (SF)					
	4/22/16	6.1	6.5	0.3	11.3
	5/19/16	6.8	6.6	0.8	11.1
	6/16/16	7.9	6.2	0.02	11.3
	7/21/16	11.7	6.5	0.05	10.4
	8/16/16	14.3	6.6	0.38	9.8
	9/15/16	9.9	6.7	0.36	10.9
	10/13/16	8.1	6.0	1.5	11.3
Sultan River upstream of Diversion Dam (RM 9.8)					
	4/22/16	10.7	7.1	2.4	10.5
	5/19/16	10.2	6.8	5.2	10.8
	6/16/16	10.8	7.0	1.1	11.1
	7/21/16	14.7	7.2	1.2	10.3
	8/16/16	15.6	7.1	1.6	10.2
	9/15/16	8.1	6.9	6.5	12.0
	10/13/16	7.7	6.6	9.7	11.3
Sultan River downstream of Powerhouse (RM 4.4)					
	4/22/16	9.6	6.9	4.4	11.1
	5/19/16	9.5	6.7	6	11.1
	6/16/16	10.8	7.0	1.6	11.2
	7/21/16	12.6	7.0	1.9	10.7
	8/16/16	12.2	6.8	2.3	10.5
	9/15/16	12.9	7.0	4.1	10.6
	10/13/16	9.8	6.6	9.5	11.2

4. DATA QUALITY AND COMPLIANCE

Monitoring of water quality during 2016 adhered to the protocols and procedures outlined in the WQMP. All surveys locations and parameters of measurement were consistent with those outlined in the WQMP. All data were reviewed and accepted to accurately represent conditions

at the time of sampling. On August 17, 2016, water temperature exceeded the state water temperature criteria at the monitoring site on the South Fork Sultan River (RM 18.2). Additionally, state temperature criteria were exceeded at two sites on the Sultan River, downstream of the reservoir. These sites were, RM 11.3 (7 days) and RM 9.8 (11 days). These exceedances were attributable to the longitudinal warming associated with the reduction in minimum flow releases during construction of fish passage at the Diversion Dam. Both stations on the Skykomish River also exceeded the state water temperature criteria during summer 2016 (Appendix D). Project operations were conducted in accordance with License conditions throughout the sampling period.

5. REFERENCES

CH2M Hill. 2009. Water Quality Final Technical Report. Henry M. Jackson Hydroelectric Project (FERC No. 2157) Water Quality Parameter Study (RSP 1). Prepared for Public Utility District No. 1 of Snohomish County. August 2009.

District. 2010. Water Temperature Conditioning Plan for Reach 3. Henry M. Jackson Hydroelectric Project (FERC No. 2157). 2010.

FERC. 2011. Order Issuing New License, Project No. 2157-188. 136 FERC ¶ 62,188. September 2, 2011. Available at:
<http://www.snopud.com/Site/Content/Documents/relicensing/License/20110902LICENS E.pdf>

APPENDIX A

Monthly Reservoir Water Quality Sampling

Date	Depth	Depth	Elevation	Temperature	Conductivity	pH	Dissolved Oxygen	Chlorophyll	Turbidity
M/D/Y	meters	feet	feet	degrees C	mS/cm		mg/L	RFU	NTU
3/24/2016	0.5	1.5	1432.0	4.9	0.0	7.3	11.6	0.4	14.0
3/24/2016	1	3.4	1430.2	4.9	0.0	7.2	11.6	0.3	13.8
3/24/2016	2	6.6	1427.0	4.9	0.0	7.2	11.6	0.4	14.3
3/24/2016	3	9.8	1423.8	4.9	0.0	7.2	11.6	0.3	14.1
3/24/2016	4	13.1	1420.5	4.9	0.0	7.2	11.6	0.3	13.5
3/24/2016	5	16.5	1417.1	4.9	0.0	7.2	11.6	0.2	14.0
3/24/2016	6	19.7	1413.9	4.9	0.0	7.2	11.6	0.2	13.6
3/24/2016	7	23.0	1410.5	4.9	0.0	7.2	11.6	0.3	14.2
3/24/2016	8	26.2	1407.4	4.9	0.0	7.2	11.6	0.2	13.8
3/24/2016	9	29.4	1404.1	4.8	0.0	7.2	11.6	0.2	14.5
3/24/2016	10	33.0	1400.6	4.8	0.0	7.2	11.6	0.4	14.4
3/24/2016	11	36.0	1397.5	4.8	0.0	7.2	11.6	0.4	14.6
3/24/2016	12	39.5	1394.1	4.8	0.0	7.2	11.5	0.3	14.1
3/24/2016	13	42.7	1390.8	4.8	0.0	7.2	11.5	0.2	14.5
3/24/2016	14	45.9	1387.6	4.8	0.0	7.2	11.5	0.2	14.5
3/24/2016	15	49.3	1384.2	4.8	0.0	7.2	11.5	0.3	14.6
3/24/2016	17	55.8	1377.7	4.7	0.0	7.1	11.5	0.5	15.7
3/24/2016	19	62.3	1371.3	4.7	0.0	7.1	11.5	0.2	13.9
3/24/2016	21	68.9	1364.7	4.7	0.0	7.1	11.5	0.3	14.5
3/24/2016	23	75.5	1358.1	4.7	0.0	7.1	11.5	0.3	14.2
3/24/2016	25	82.0	1351.6	4.7	0.0	7.1	11.5	0.4	15.4
3/24/2016	27	88.6	1345.0	4.7	0.0	7.1	11.4	0.3	14.7
3/24/2016	29	95.1	1338.5	4.6	0.0	7.1	11.4	0.3	14.4
3/24/2016	31	101.8	1331.8	4.6	0.0	7.1	11.4	0.2	14.4
3/24/2016	34	111.6	1321.9	4.6	0.0	7.1	11.4	0.4	14.9
3/24/2016	37	121.5	1312.1	4.6	0.0	7.1	11.4	0.3	14.7
3/24/2016	40	131.2	1302.4	4.6	0.0	7.1	11.3	0.3	15.9
3/24/2016	43	141.0	1292.5	4.6	0.0	7.1	11.3	0.4	15.2
3/24/2016	46	150.8	1282.7	4.6	0.0	7.1	11.3	0.3	15.9
3/24/2016	49	160.8	1272.7	4.6	0.0	7.1	11.2	0.3	15.4
3/24/2016	54	177.2	1256.3	4.7	0.0	7.1	11.1	0.4	16.8

Date	Depth	Depth	Elevation	Temperature	Conductivity	pH	Dissolved Oxygen	Chlorophyll	Turbidity
M/D/Y	meters	feet	feet	degrees C	mS/cm		mg/L	RFU	NTU
4/18/2016	0.5	1.6	1429.1	10.7	0.0	7.1	11.2	0.2	3.7
4/18/2016	0.9	3.2	1427.5	10.7	0.0	7.1	11.2	0.3	3.7
4/18/2016	2.1	6.6	1424.1	10.7	0.0	7.1	11.2	0.3	3.7
4/18/2016	3.0	9.8	1421.0	10.7	0.0	7.2	11.1	0.3	3.7
4/18/2016	3.9	13.2	1417.6	10.7	0.0	7.2	11.1	0.4	3.7
4/18/2016	4.8	16.3	1414.4	10.7	0.0	7.2	11.1	0.4	3.6
4/18/2016	6.1	19.7	1411.0	10.6	0.0	7.2	11.1	0.4	3.7
4/18/2016	7.0	23.1	1407.7	10.5	0.0	7.2	11.1	0.4	3.8
4/18/2016	7.9	26.2	1404.6	10.5	0.0	7.2	11.1	0.4	3.8
4/18/2016	8.8	29.4	1401.3	10.5	0.0	7.2	11.1	0.4	3.7
4/18/2016	10.0	32.9	1397.9	10.4	0.0	7.2	11.1	0.5	3.7
4/18/2016	10.9	36.2	1394.5	10.3	0.0	7.2	11.1	0.4	3.6
4/18/2016	11.8	39.5	1391.3	6.9	0.0	7.2	11.3	0.3	4.3
4/18/2016	13.0	42.7	1388.1	5.9	0.0	7.0	11.4	0.2	6.0
4/18/2016	13.9	45.9	1384.8	5.6	0.0	6.9	11.5	0.3	6.1
4/18/2016	14.8	49.3	1381.4	5.4	0.0	6.8	11.5	0.3	6.9
4/18/2016	17.0	55.7	1375.0	5.1	0.0	6.8	11.5	0.3	7.6
4/18/2016	18.8	62.3	1368.5	4.9	0.0	6.8	11.5	0.3	7.7
4/18/2016	20.9	68.8	1361.9	4.8	0.0	6.8	11.5	0.2	8.3
4/18/2016	23.0	75.5	1355.2	4.8	0.0	6.8	11.5	0.2	8.8
4/18/2016	24.8	82.0	1348.8	4.7	0.0	6.9	11.5	0.2	8.9
4/18/2016	27.0	88.6	1342.1	4.7	0.0	6.9	11.4	0.2	9.0
4/18/2016	28.8	95.2	1335.6	4.7	0.0	6.9	11.4	0.3	8.8
4/18/2016	30.9	101.7	1329.0	4.7	0.0	6.9	11.3	0.4	8.5
4/18/2016	33.9	111.6	1319.1	4.7	0.0	6.9	11.1	0.2	9.3
4/18/2016	36.7	121.4	1309.4	4.7	0.0	6.9	11.1	0.2	9.9
4/18/2016	39.7	131.2	1299.5	4.7	0.0	6.9	11.0	0.3	10.8
4/18/2016	42.7	141.1	1289.6	4.7	0.0	6.9	10.9	0.3	11.8
4/18/2016	45.8	150.9	1279.8	4.7	0.0	6.9	10.8	0.3	12.4
4/18/2016	48.8	160.8	1269.9	4.7	0.0	6.9	10.7	0.3	14.2
4/18/2016	51.5	170.1	1260.6	4.7	0.0	6.8	10.6	0.4	17.2

Date	Depth	Depth	Elevation	Temperature	Conductivity	pH	Dissolved Oxygen	Chlorophyll	Turbidity
M/D/Y	meters	feet	feet	degrees C	mS/cm		mg/L	RFU	NTU
5/19/2016	0.5	1.6	1429.7	12.9	0.0	7.3	10.4	0.3	2.1
5/19/2016	0.9	3.4	1427.9	12.9	0.0	7.3	10.4	0.4	2.1
5/19/2016	2.1	6.7	1424.6	12.8	0.0	7.3	10.4	0.6	2.1
5/19/2016	3.0	9.8	1421.4	12.5	0.0	7.2	10.4	0.6	2.4
5/19/2016	3.9	13.1	1418.2	11.9	0.0	7.2	10.5	0.8	2.6
5/19/2016	4.8	16.5	1414.8	11.4	0.0	7.1	10.5	0.8	2.7
5/19/2016	6.1	19.7	1411.6	11.2	0.0	7.1	10.4	0.8	2.9
5/19/2016	7.0	23.1	1408.2	10.7	0.0	7.1	10.4	0.6	3.1
5/19/2016	7.9	26.2	1405.0	9.8	0.0	7.0	10.5	0.4	3.4
5/19/2016	8.8	29.4	1401.8	9.3	0.0	6.9	10.6	0.3	3.2
5/19/2016	10.0	32.6	1398.7	8.5	0.0	6.9	10.6	0.2	3.7
5/19/2016	10.9	36.1	1395.2	7.7	0.0	6.9	10.7	0.2	4.0
5/19/2016	11.8	39.5	1391.8	6.8	0.0	6.8	10.9	0.2	4.9
5/19/2016	13.0	42.8	1388.5	6.5	0.0	6.8	10.9	0.2	5.4
5/19/2016	13.9	45.9	1385.3	6.4	0.0	6.8	10.9	0.2	5.5
5/19/2016	14.8	49.2	1382.1	5.9	0.0	6.7	11.0	0.3	5.4
5/19/2016	17.0	55.7	1375.6	5.7	0.0	6.7	11.0	0.3	6.1
5/19/2016	18.8	62.4	1368.9	5.5	0.0	6.7	11.0	0.3	6.4
5/19/2016	20.9	68.7	1362.5	5.3	0.0	6.7	11.0	0.3	6.5
5/19/2016	23.0	75.6	1355.7	5.3	0.0	6.6	11.0	0.3	7.3
5/19/2016	24.8	82.0	1349.3	5.2	0.0	6.6	11.0	0.3	7.7
5/19/2016	27.0	88.7	1342.6	5.1	0.0	6.6	11.0	0.3	7.3
5/19/2016	28.8	95.2	1336.1	5.0	0.0	6.6	10.9	0.3	7.4
5/19/2016	30.9	101.8	1329.5	4.9	0.0	6.6	11.0	0.2	8.0
5/19/2016	33.9	111.7	1319.6	4.8	0.0	6.6	10.9	0.3	8.6
5/19/2016	36.7	121.3	1309.9	4.8	0.0	6.6	10.7	0.4	10.1
5/19/2016	39.7	131.2	1300.1	4.8	0.0	6.6	10.6	0.4	10.2
5/19/2016	42.7	141.2	1290.1	4.8	0.0	6.6	10.4	0.5	12.7
5/19/2016	45.8	150.9	1280.4	4.8	0.0	6.6	10.2	0.6	14.2
5/19/2016	48.8	160.7	1270.6	4.8	0.0	6.6	10.0	0.6	14.4
5/19/2016	51.5	170.2	1261.1	4.8	0.0	6.6	9.7	0.6	17.4

Date	Depth	Depth	Elevation	Temperature	Conductivity	pH	Dissolved Oxygen	Chlorophyll	Turbidity
M/D/Y	meters	feet	feet	degrees C	mS/cm		mg/L	RFU	NTU
6/16/2016	0.5	2.0	1436.3	15.2	0.0	7.3	9.9	0.4	1.5
6/16/2016	0.9	3.0	1434.7	15.2	0.0	7.3	9.8	0.3	1.5
6/16/2016	2.1	7.0	1431.2	15.1	0.0	7.3	9.8	0.4	1.5
6/16/2016	3.0	10.0	1428.2	15.1	0.0	7.3	9.8	0.6	1.5
6/16/2016	3.9	13.0	1424.7	15.1	0.0	7.3	9.8	0.5	1.6
6/16/2016	4.8	16.0	1421.4	15.0	0.0	7.3	9.8	0.5	1.6
6/16/2016	6.1	20.0	1418.1	13.7	0.0	7.4	10.2	0.6	1.2
6/16/2016	7.0	23.0	1414.8	12.9	0.0	7.3	10.7	0.7	1.0
6/16/2016	7.6	25.0	1412.7	12.5	0.0	7.2	10.8	0.8	0.9
6/16/2016	9.1	30.0	1408.3	11.8	0.0	7.1	10.8	1.0	1.2
6/16/2016	10.0	33.0	1405.0	11.4	0.0	7.1	10.6	0.9	1.0
6/16/2016	10.9	36.0	1401.7	11.0	0.0	7.0	10.5	1.1	1.2
6/16/2016	11.8	39.0	1398.4	10.7	0.0	7.0	10.4	1.1	1.1
6/16/2016	13.0	43.0	1395.1	10.2	0.0	7.0	10.3	0.8	1.4
6/16/2016	13.9	46.0	1391.9	9.5	0.0	6.9	10.2	0.4	1.9
6/16/2016	14.8	49.0	1388.5	8.5	0.0	6.8	10.1	0.3	2.4
6/16/2016	17.0	56.0	1382.0	6.6	0.0	6.8	10.4	0.2	3.9
6/16/2016	18.8	62.0	1375.4	6.2	0.0	6.6	10.5	0.3	4.9
6/16/2016	20.9	69.0	1368.8	5.9	0.0	6.6	10.4	0.2	6.1
6/16/2016	22.7	75.0	1362.5	5.7	0.0	6.5	10.4	0.3	6.7
6/16/2016	24.8	82.0	1355.8	5.6	0.0	6.5	10.4	0.3	6.9
6/16/2016	26.7	88.0	1349.4	5.4	0.0	6.5	10.5	0.2	6.7
6/16/2016	28.8	95.0	1342.6	5.3	0.0	6.5	10.6	0.4	6.9
6/16/2016	30.9	102.0	1336.1	5.3	0.0	6.5	10.6	0.3	6.6
6/16/2016	33.9	112.0	1326.3	5.2	0.0	6.5	10.6	0.3	7.8
6/16/2016	36.7	121.0	1316.4	5.1	0.0	6.6	10.6	0.4	8.5
6/16/2016	39.7	131.0	1306.7	5.0	0.0	6.6	10.5	0.5	9.8
6/16/2016	42.7	141.0	1296.7	4.9	0.0	6.6	10.3	0.4	11.0
6/16/2016	45.8	151.0	1286.8	4.9	0.0	6.6	10.1	0.5	12.7
6/16/2016	48.8	161.0	1277.0	4.8	0.0	6.7	9.8	0.4	13.6
6/16/2016	53.6	177.0	1260.6	4.8	0.0	6.6	9.7	0.4	13.1

Date	Depth	Depth	Elevation	Temperature	Conductivity	pH	Dissolved Oxygen	Chlorophyll	Turbidity
M/D/Y	meters	feet	feet	degrees C	mS/cm		mg/L	RFU	NTU
7/21/2016	0.5	1.5	1439.5	18.4	0.0	7.1	9.2	0.1	0.6
7/21/2016	0.9	3.4	1437.6	18.3	0.0	7.1	9.2	0.0	0.6
7/21/2016	2.1	6.5	1434.5	18.2	0.0	7.1	9.2	ND	0.7
7/21/2016	3.0	9.8	1431.3	18.2	0.0	7.1	9.2	0.2	0.6
7/21/2016	3.9	13.1	1427.9	18.2	0.0	7.1	9.2	0.2	0.6
7/21/2016	4.8	16.4	1424.6	18.1	0.0	7.1	9.2	0.3	0.6
7/21/2016	6.1	19.6	1421.4	18.0	0.0	7.1	9.2	0.2	0.7
7/21/2016	7.0	22.9	1418.1	17.3	0.0	7.1	9.3	0.3	0.6
7/21/2016	7.9	26.2	1414.9	15.6	0.0	7.1	9.8	0.3	0.7
7/21/2016	9.1	29.5	1411.5	14.6	0.0	7.0	10.0	0.2	0.8
7/21/2016	10.0	32.8	1408.2	14.2	0.0	6.9	10.2	0.3	0.8
7/21/2016	10.9	36.1	1404.9	13.6	0.0	6.9	10.2	0.4	0.8
7/21/2016	11.8	39.4	1401.7	12.9	0.0	6.9	10.1	0.3	0.9
7/21/2016	13.0	42.7	1398.3	12.0	0.0	6.8	9.8	0.4	1.0
7/21/2016	13.9	45.9	1395.1	11.4	0.0	6.8	9.7	0.3	1.0
7/21/2016	14.8	49.1	1391.9	10.7	0.0	6.7	9.5	0.1	0.9
7/21/2016	17.0	55.8	1385.2	8.7	0.0	6.6	9.4	0.3	1.6
7/21/2016	18.8	62.1	1378.9	7.0	0.0	6.6	9.6	0.2	2.9
7/21/2016	20.9	68.9	1372.1	6.5	0.0	6.5	9.6	0.2	4.0
7/21/2016	23.0	75.5	1365.5	6.2	0.0	6.5	9.7	0.2	4.5
7/21/2016	24.8	82.0	1359.0	6.1	0.0	6.4	9.7	0.3	4.8
7/21/2016	27.0	88.5	1352.5	6.0	0.0	6.4	9.7	0.1	5.2
7/21/2016	28.8	95.1	1345.9	5.9	0.0	6.4	9.8	0.2	5.3
7/21/2016	30.9	101.8	1339.2	5.8	0.0	6.4	9.9	0.2	5.3
7/21/2016	33.9	111.6	1329.4	5.7	0.0	6.4	10.0	0.3	5.5
7/21/2016	36.7	121.4	1319.6	5.5	0.0	6.4	10.1	0.2	5.6
7/21/2016	39.7	131.2	1309.8	5.3	0.0	6.4	10.1	0.2	6.1
7/21/2016	42.7	141.1	1299.9	5.2	0.0	6.4	10.0	0.2	6.8
7/21/2016	45.8	150.9	1290.1	5.1	0.0	6.3	9.9	0.3	7.0
7/21/2016	48.8	160.7	1280.3	5.0	0.0	6.3	9.8	0.2	7.5
7/21/2016	53.6	177.4	1263.6	5.0	0.0	6.3	9.7	ND	7.5
7/21/2016	54.2	179.4	1261.7	5.0	0.0	6.3	9.4	0.3	8.3

Date	Depth	Depth	Elevation	Temperature	Conductivity	pH	Dissolved Oxygen	Chlorophyll	Turbidity
M/D/Y	meters	feet	feet	degrees C	mS/cm		mg/L	RFU	NTU
8/16/2016	0.5	1.6	1429.9	20.9	0.0	7.0	8.6	ND	0.8
8/16/2016	0.9	3.3	1428.2	20.8	0.0	7.1	8.7	0.1	0.9
8/16/2016	2.1	6.6	1424.8	20.7	0.0	7.1	8.8	0.0	0.9
8/16/2016	3.0	9.8	1421.7	20.6	0.0	7.1	8.8	0.1	0.8
8/16/2016	3.9	13.0	1418.5	20.6	0.0	7.1	8.8	0.1	0.9
8/16/2016	5.0	16.4	1415.1	ND	ND	ND	ND	ND	ND
8/16/2016	6.1	19.7	1411.8	20.4	0.0	7.1	8.7	0.3	1.1
8/16/2016	7.0	23.0	1408.5	19.3	0.0	7.2	8.9	0.3	0.8
8/16/2016	7.9	26.2	1405.3	17.9	0.0	7.0	9.5	0.3	0.6
8/16/2016	9.1	29.6	1401.9	16.6	0.0	6.9	9.6	0.4	0.9
8/16/2016	10.0	32.9	1398.6	15.9	0.0	6.9	9.7	0.2	0.9
8/16/2016	10.9	36.1	1395.4	14.7	0.0	6.9	9.6	0.2	1.0
8/16/2016	11.8	39.5	1392.0	13.9	0.0	6.8	9.4	0.3	1.2
8/16/2016	13.0	42.7	1388.8	13.1	0.0	6.7	9.1	0.3	1.3
8/16/2016	13.9	45.9	1385.6	12.0	0.0	6.6	8.9	0.1	1.5
8/16/2016	14.8	49.3	1382.2	11.2	0.0	6.6	8.9	0.1	1.6
8/16/2016	17.0	55.9	1375.6	7.9	0.0	6.5	8.9	0.2	2.7
8/16/2016	18.8	62.3	1369.2	6.9	0.0	6.4	8.9	0.2	3.8
8/16/2016	20.9	68.8	1362.7	6.7	0.0	6.4	8.9	0.2	4.1
8/16/2016	23.0	75.5	1356.0	6.5	0.0	6.3	9.0	0.2	4.2
8/16/2016	24.8	82.1	1349.4	6.4	0.0	6.3	9.0	0.2	4.7
8/16/2016	27.0	88.7	1342.8	6.3	0.0	6.3	9.0	0.2	4.6
8/16/2016	28.8	95.1	1336.3	6.2	0.0	6.3	9.2	0.1	4.4
8/16/2016	30.9	101.7	1329.8	6.1	0.0	6.3	9.4	0.1	4.3
8/16/2016	33.9	111.6	1319.9	5.9	0.0	6.2	9.4	0.3	5.1
8/16/2016	37.0	121.5	1310.0	5.7	0.0	6.2	9.5	0.1	5.0
8/16/2016	39.7	131.2	1300.3	5.5	0.0	6.2	9.6	0.2	5.7
8/16/2016	42.7	141.2	1290.3	5.3	0.0	6.2	9.5	0.1	6.3
8/16/2016	45.8	151.0	1280.5	5.1	0.0	6.1	9.4	0.1	6.8
8/16/2016	48.8	160.7	1270.8	5.1	0.0	6.1	9.2	0.2	7.2
8/16/2016	51.5	169.8	1261.6	5.1	0.0	6.1	8.9	0.2	8.9

Date	Depth	Depth	Elevation	Temperature	Conductivity	pH	Dissolved Oxygen	Chlorophyll	Turbidity
M/D/Y	meters	feet	feet	degrees C	mS/cm		mg/L	RFU	NTU
9/15/2016	0.5	1.6	1415.3	17.5	0.0	6.9	9.2	0.1	1.3
9/15/2016	0.9	3.4	1413.5	17.5	0.0	6.9	9.2	0.0	1.4
9/15/2016	2.1	6.7	1410.2	17.4	0.0	6.9	9.2	0.2	1.4
9/15/2016	3.0	9.9	1407.0	17.4	0.0	6.9	9.1	0.1	1.4
9/15/2016	3.9	13.2	1403.7	17.4	0.0	6.8	9.1	0.3	1.4
9/15/2016	4.8	16.4	1400.4	17.4	0.0	6.8	9.1	0.2	1.4
9/15/2016	6.1	19.8	1397.1	17.4	0.0	6.8	9.1	0.1	1.4
9/15/2016	7.0	23.0	1393.9	17.4	0.0	6.8	9.1	0.2	1.3
9/15/2016	7.9	26.2	1390.6	17.4	0.0	6.8	9.1	0.2	1.3
9/15/2016	9.1	29.6	1387.2	17.3	0.0	6.8	9.0	0.2	1.5
9/15/2016	10.0	32.9	1384.0	16.6	0.0	6.7	8.6	0.1	1.8
9/15/2016	10.9	36.2	1380.7	15.9	0.0	6.5	8.1	0.1	2.0
9/15/2016	11.8	39.4	1377.5	15.6	0.0	6.5	8.0	0.0	2.3
9/15/2016	13.0	42.7	1374.2	14.9	0.0	6.4	7.9	0.0	2.1
9/15/2016	13.9	45.9	1370.9	13.1	0.0	6.3	7.7	0.0	1.7
9/15/2016	14.8	49.2	1367.6	10.1	0.0	6.2	7.8	0.0	2.7
9/15/2016	17.0	55.9	1361.0	7.3	0.0	6.2	8.2	0.2	3.6
9/15/2016	18.8	62.3	1354.6	6.8	0.0	6.1	8.4	0.1	3.9
9/15/2016	20.9	68.9	1347.9	6.6	0.0	6.1	8.5	0.1	4.0
9/15/2016	22.7	75.5	1341.4	6.4	0.0	6.1	8.7	0.1	4.0
9/15/2016	24.8	81.9	1335.0	6.3	0.0	6.1	8.8	0.1	4.2
9/15/2016	27.0	88.6	1328.2	6.1	0.0	6.1	8.9	0.1	4.0
9/15/2016	28.8	95.2	1321.7	6.0	0.0	6.1	9.0	0.2	4.2
9/15/2016	30.9	101.7	1315.2	5.9	0.0	6.1	9.1	0.2	4.5
9/15/2016	33.9	111.7	1305.2	5.6	0.0	6.1	9.1	0.3	4.8
9/15/2016	36.7	121.4	1295.5	5.5	0.0	6.1	9.1	0.1	5.1
9/15/2016	39.7	131.2	1285.7	5.4	0.0	6.0	9.0	0.1	5.9
9/15/2016	42.7	141.1	1275.7	5.4	0.0	6.0	8.7	0.0	6.2
9/15/2016	45.8	150.9	1266.0	5.4	0.0	6.0	8.6	0.7	8.9
9/15/2016	46.7	154.0	1262.9	5.3	0.0	5.9	8.1	0.7	16.3

Date	Depth	Depth	Elevation	Temperature	Conductivity	pH	Dissolved Oxygen	Chlorophyll	Turbidity
M/D/Y	meters	feet	feet	degrees C	mS/cm		mg/L	RFU	NTU
10/13/2016	0.5	1.6	1424.0	13.1	0.0	6.8	9.3	0.0	4.0
10/13/2016	0.9	3.3	1422.3	13.1	0.0	6.8	9.3	0.2	4.1
10/13/2016	2.1	6.6	1419.0	13.1	0.0	6.8	9.3	0.3	3.9
10/13/2016	3.0	9.9	1415.7	13.1	0.0	6.8	9.3	0.2	3.9
10/13/2016	3.9	13.1	1412.5	13.1	0.0	6.7	9.3	0.3	3.9
10/13/2016	4.8	16.4	1409.2	13.1	0.0	6.7	9.3	0.2	3.9
10/13/2016	6.1	19.8	1405.9	13.1	0.0	6.8	9.3	0.3	3.7
10/13/2016	7.0	23.1	1402.5	13.1	0.0	6.7	9.3	0.1	4.0
10/13/2016	7.9	26.2	1399.4	13.1	0.0	6.7	9.3	0.2	3.9
10/13/2016	8.8	29.5	1396.1	13.1	0.0	6.7	9.3	0.2	3.8
10/13/2016	10.0	32.9	1392.8	13.1	0.0	6.7	9.3	0.3	4.1
10/13/2016	10.9	36.2	1389.4	13.1	0.0	6.7	9.3	0.2	4.1
10/13/2016	11.8	39.3	1386.3	13.1	0.0	6.7	9.2	0.2	3.9
10/13/2016	13.0	42.7	1382.9	12.6	0.0	6.6	9.0	0.3	7.8
10/13/2016	13.9	45.8	1379.8	11.8	0.0	6.6	9.0	0.4	14.4
10/13/2016	14.8	49.2	1376.4	11.6	0.0	6.5	9.0	0.3	18.3
10/13/2016	17.0	55.8	1369.8	11.3	0.0	6.4	9.2	0.5	23.6
10/13/2016	18.8	62.3	1363.3	11.0	0.0	6.3	9.2	0.5	27.1
10/13/2016	20.9	69.0	1356.7	10.0	0.0	6.3	8.6	0.3	21.1
10/13/2016	23.0	75.6	1350.0	8.3	0.0	6.2	8.1	0.2	9.6
10/13/2016	24.8	82.0	1343.6	7.2	0.0	6.1	8.0	0.1	6.5
10/13/2016	27.0	88.5	1337.1	6.8	0.0	6.1	8.1	0.2	5.5
10/13/2016	28.8	95.1	1330.5	6.7	0.0	6.1	8.2	0.1	5.0
10/13/2016	30.9	101.7	1323.9	6.5	0.0	6.1	8.2	0.2	5.0
10/13/2016	33.9	111.6	1314.0	6.4	0.0	6.0	8.3	0.1	4.8
10/13/2016	36.7	121.4	1304.2	6.2	0.0	6.0	8.4	0.1	5.3
10/13/2016	39.7	131.2	1294.4	6.1	0.0	6.0	8.3	0.0	5.7
10/13/2016	42.7	141.1	1284.5	6.0	0.0	6.0	8.0	0.1	6.7
10/13/2016	45.8	150.9	1274.7	5.9	0.0	5.9	7.7	0.1	8.5
10/13/2016	48.8	160.7	1264.9	5.9	0.0	5.9	7.5	0.3	10.0
10/13/2016	49.7	164.4	1261.2	5.8	0.0	5.9	7.3	0.3	11.7

APPENDIX B

Continuous Water Temperature Monitoring – Figures

Figure B-1. Mean Daily Water Temperature in the South Fork (RM 18.2), and mainstem Sultan River (RM 15.8) during 2016



Figure B-2. Mean Daily Water Temperature in the Bypass Reach (Reach 3) of the Sultan River during 2016




Figure B-3. Longitudinal Depiction of Mean Daily Water Temperature, Sultan River downstream of Culmback Dam, 2016





Figure B-4. Mean Daily Water Temperature near confluence of Sultan and Skykomish rivers, 2016



APPENDIX C

Continuous Daily Water Temperature Data in Tabular Format

DATE	Sultan River										Skykomish River	
	RM 18.2 (SFK)	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	RM 14.1	RM 13.2
1/1	1.9	4.1			2.3	2.0	3.3	3.0	4.3	4.3	1.4	2.6
1/2	2.3	4.0			2.2	1.9	3.3	3.0	4.2	4.3	1.5	2.6
1/3	2.5	3.9			2.4	2.0	3.3	3.1	4.1	4.2	1.5	2.7
1/4	2.4	3.9			3.2	3.2	3.8	3.9	4.1	4.3	2.5	3.3
1/5	2.5	3.9			3.5	3.5	3.9	4.2	4.1	4.2	3.4	3.8
1/6	2.7	3.9			3.3	3.2	3.7	4.0	4.0	4.2	3.9	4.1
1/7	2.6	3.9			3.3	3.2	3.6	3.9	4.0	4.1	3.5	3.8
1/8	2.3	3.8			3.5					4.1	4.0	4.2
1/9	2.1	3.7			3.0					3.8	3.5	3.7
1/10	1.9	3.6			2.8					3.7	3.0	3.4
1/11	2.0	3.5			2.7					3.6	2.6	3.0
1/12	2.9	3.7			3.3					4.0	3.6	3.8
1/13	3.0	3.8			3.9					4.3	4.2	4.4
1/14	3.4	3.7			3.9					4.2	4.3	5.0
1/15	3.1	3.7			3.7					3.9	3.8	5.1
1/16	3.5	3.8			4.0					4.3	4.4	5.8
1/17	3.6	3.8			4.2					4.5	4.6	5.5
1/18	3.8	3.8			4.4					4.7	4.8	5.2
1/19	3.9	3.7			4.4					4.6	4.8	4.9
1/20	3.8	3.7			4.4				4.7	4.7	5.1	5.2
1/21	3.9	3.9			4.7				5.0	4.9	5.2	5.3
1/22	3.7	4.0			5.1				5.5	5.4	5.3	5.4
1/23	3.9	3.8			4.9				5.1	5.1	4.9	5.1
1/24	3.8	3.8			4.7				5.0	5.0	5.1	5.5
1/25	3.7	3.8			4.5				4.5	4.6	4.8	5.9
1/26	3.6	4.0			4.9				4.8	4.8	5.2	6.6
1/27	3.7	4.1			5.5				5.2	5.2	5.3	5.4
1/28	3.6	4.2			5.9				5.5	5.4	4.9	4.9
1/29	3.9	3.9			5.4				4.9	4.9	4.7	4.6
1/30	3.6	3.8			4.8				4.6	4.6	4.9	5.8
1/31	3.6	3.8			4.5				4.4	4.4	4.9	7.2

DATE	Sultan River										Skykomish River	
	RM 18.2 (SFK)	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	RM 14.1	RM 13.2
2/1	3.3	3.8			4.0				4.3	4.4	5.0	7.6
2/2	3.1	3.8			4.1				4.1	4.2	4.8	7.9
2/3	3.0	3.8			4.3				4.1	4.1	4.6	8.5
2/4	3.3	3.9			4.4				4.3	4.3	4.6	8.4
2/5	3.7	4.0			4.9				4.3	4.4	5.1	8.2
2/6	3.4	3.9			4.7				4.3	4.4	5.3	7.7
2/7	3.5	3.9			4.4				4.1	4.1	4.9	7.2
2/8	3.8	4.0			4.6				4.1	4.2	5.3	7.7
2/9	3.9	4.1			4.7				4.2	4.2	5.6	7.0
2/10	4.1	4.1			5.2				4.3	4.3	5.4	6.4
2/11	4.2	4.1			5.6				4.4	4.4	5.6	6.4
2/12	4.0	4.3			6.2				4.8	4.8	5.8	6.2
2/13	4.0	4.1		5.2	5.9				4.8	4.8	5.3	5.7
2/14	4.0	4.2		5.3	5.7				5.0	4.9	5.2	5.7
2/15	4.0	4.6		6.2	6.6				6.8	6.0	5.1	5.3
2/16	4.4	4.5		6.2	6.7				6.6	6.0	5.3	5.3
2/17	4.9	4.4		4.9	5.4				5.8	5.6	5.8	6.2
2/18	4.5	4.4		4.8	5.1				5.5	5.4	5.8	7.3
2/19	4.3	4.5		5.0	5.2				5.3	5.3	5.5	8.0
2/20	3.9	4.3		4.7	5.1				5.1	5.1	5.4	8.1
2/21	3.9	4.3		4.5	4.8				4.8	4.8	4.8	7.9
2/22	4.2	4.3		4.9	5.4				4.9	5.0	5.3	6.9
2/23	3.7	4.2		4.3	4.5				4.7	4.8	5.2	5.3
2/24	4.4	4.5		4.9	5.1	5.4	5.3		4.8	5.0	5.5	5.6
2/25	4.5	4.6		5.0	5.4	5.7	5.5		4.9	5.1	6.1	6.0
2/26	4.9	4.5		5.2	5.6	5.9	5.5		5.0	5.2	6.1	6.1
2/27	4.8	4.6		5.6	6.2	6.5	6.1		5.2	5.4	6.5	6.5
2/28	4.1	4.4		5.2	5.9	6.2	5.9		5.2	5.4	6.2	6.2
2/29	3.7	4.3		5.1	5.6	5.9	5.8		5.1	5.3	5.7	5.8

DATE	Sultan River										Skykomish River	
	RM 18.2 (SFK)	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	RM 14.1	RM 13.2
3/1	4.0	4.6		5.1	5.6	5.9	5.8		5.2	5.3	5.7	5.7
3/2	4.0	4.8		5.4	5.7	5.9	6.0		5.3	5.5	5.5	5.5
3/3	4.3	4.9		5.8	6.3	6.5	6.7		5.4	5.6	5.9	6.0
3/4	4.4	4.8		5.6	6.1	6.3	6.4		5.3	5.5	5.7	5.8
3/5	5.0	5.0		6.1	6.6	6.9	7.0		5.5	5.7	6.6	6.7
3/6	4.5	5.0		5.9	6.6	6.8	6.8		5.7	5.9	6.6	6.6
3/7	3.8	4.7		4.9	5.4	5.6	5.8		5.4	5.6	5.7	5.7
3/8	4.1	4.6		5.1	5.5	5.7	5.7		5.4	5.6	5.7	5.8
3/9	4.2	4.7		5.1	5.6	5.9	5.8		5.4	5.6	5.8	5.9
3/10	4.2	5.0		5.5	5.9	6.1	6.1		5.6	5.7	5.9	5.9
3/11	4.2	4.9		5.3	5.7	5.9	5.8		5.4	5.6	5.8	5.8
3/12	4.3	4.9		5.5	6.0	6.2	6.0		5.5	5.7	6.2	6.3
3/13	3.8	4.8		5.0	5.4	5.6	5.5		5.3	5.5	5.8	5.8
3/14	3.1	4.7		4.5	5.0	5.3	5.3		5.2	5.4	5.5	5.6
3/15	2.7	4.6		3.9	4.3	4.7	4.9		5.1	5.3	5.4	5.5
3/16	3.5	4.6		4.6	4.8	5.1	5.2		5.2	5.4	6.1	6.1
3/17	3.3	4.6		4.5	4.6	4.8	5.0		5.1	5.2	6.0	6.0
3/18	3.7	4.8		4.8	4.9	5.1	5.2		5.2	5.4	5.9	5.9
3/19	4.3	5.0		5.3	5.7	6.1	5.7		5.4	5.7	6.5	6.4
3/20	4.7	5.1		5.7	6.2	6.6	6.0		5.6	5.8	7.2	6.8
3/21	4.4	5.0		5.8	6.5	6.8	6.2		5.7	5.9	7.1	6.9
3/22	4.0	4.9		5.4	5.8	6.0	6.0		5.9	6.0	7.0	7.0
3/23	4.2	4.9		5.5	6.0	6.1	6.1		6.0	6.1	6.6	6.6
3/24	3.5	4.8		4.6	5.2	5.4	5.6		5.9	5.9	6.3	6.3
3/25	3.7	4.8		5.0	5.4	5.6	5.6		5.7	5.8	6.2	6.3
3/26	4.2	4.8		5.4	5.7	6.0	5.9		5.9	6.0	6.5	6.6
3/27	3.9	4.8		5.3	5.8	6.0	6.1		6.4	6.4	6.8	6.9
3/28	4.2	4.8		5.3	5.7	5.9	5.8		6.1	6.2	6.5	6.6
3/29	4.3	4.9		5.6	6.0	6.3	6.0		6.1	6.4	7.2	7.2
3/30	4.8	4.9		5.9	6.3	6.7	6.2		6.3	6.5	7.6	7.7
3/31	5.1	5.2		6.2	6.8	7.3	6.4		6.2	6.4	8.1	8.1

DATE	Sultan River										Skykomish River	
	RM 18.2 (SFK)	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	RM 14.1	RM 13.2
4/1	5.2	5.9		6.8	7.2	7.7	6.5		6.3	6.4	8.3	8.3
4/2	5.3	5.7		6.9	7.6	8.0	6.6		6.7	6.6	7.9	7.9
4/3	5.4	6.2		6.9	7.5	8.0	6.6		6.7	6.7	7.7	7.8
4/4	4.6	5.6		6.5	7.2	7.4	6.6		6.7	6.6	7.3	7.4
4/5	4.4	6.3		6.3	6.5	6.7	6.5		6.6	6.7	6.1	6.2
4/6	5.2	6.7		7.4	7.5	7.8	6.9		6.7	6.8	7.1	7.3
4/7	6.0	7.3		7.7	8.1	8.5	7.3		7.2	7.4	8.4	8.5
4/8	5.8	7.0		8.6	9.0	9.3	7.7		7.2	7.5	8.4	8.5
4/9	5.7	6.2		7.7	8.6	9.2	7.4		6.9	7.1	7.8	7.9
4/10	5.8	6.3		7.2	8.0	8.4	7.2		6.8	7.0	7.3	7.4
4/11	5.6	6.3		7.0	7.7	8.1	7.2		7.0	7.2	7.4	7.4
4/12	5.3	6.7		6.9	7.3	7.6	7.5		7.6	7.8	7.0	7.1
4/13	5.3	7.1		7.4	7.6	7.8	7.8		7.8	8.1	7.1	7.2
4/14	5.2	7.3		7.4	7.6	7.9	8.2		8.4	8.6	7.4	7.6
4/15	5.4	6.8		7.4	7.7	7.9	7.8		8.0	8.2	7.3	7.4
4/16	5.5	7.9		7.8	7.9	8.2	8.2		8.3	8.5	7.8	8.0
4/17	6.6	8.8		8.8	8.9	9.3	8.8		8.9	9.1	9.0	9.1
4/18	7.0	10.0		10.5	10.2	10.6	10.3		10.3	10.8	9.7	9.8
4/19	6.9	8.6		10.6	11.1	11.7	9.8		9.9	10.1	9.1	9.3
4/20	7.1	8.5		10.1	11.2	12.0	9.7		9.4	10.0	8.8	8.9
4/21	7.0	8.7		10.0	11.2	11.9	9.9		9.6	10.2	8.4	8.5
4/22	6.3	8.5		9.1	10.1	10.5	9.4	10.3	9.4	9.8	7.6	7.7
4/23	6.2	6.6		7.1	8.1	8.1	8.0	8.9	8.6	9.0	7.4	7.5
4/24	5.8	8.1		7.8	7.8	7.8	8.3	8.7	8.4	8.8	7.5	7.6
4/25	5.4	7.9		8.1	8.3	8.5	8.3	8.9	8.3	8.7	7.2	7.3
4/26	5.5	8.5		8.3	8.3	8.4	8.5	8.8	8.6	9.0	7.8	7.9
4/27	5.7	8.1		8.3	8.5	8.6	8.4	8.9	8.4	8.8	7.9	8.1
4/28	6.1	8.7		8.6	8.7	9.0	8.7	9.2	8.7	9.1	7.7	8.0
4/29	6.1	7.9		8.7	8.9	9.1	8.3	9.1	8.4	8.8	7.8	8.1
4/30	6.5	8.2		9.0	9.2	9.8	9.0	9.4	8.9	9.5	8.8	9.0

DATE	Sultan River										Skykomish River	
	RM 18.2 (SFK)	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	RM 14.1	RM 13.2
5/1	7.1	8.4		9.3	9.8	10.7	9.4	10.0	9.4	9.9	9.9	9.9
5/2	7.7	9.5		10.0	10.5	11.5	10.1	10.8	10.1	10.6	10.1	10.2
5/3	7.5	8.1		10.1	10.8	11.8	10.0	11.3	10.0	10.7	9.5	9.7
5/4	7.2	7.9		8.8	10.0	10.5	9.3	10.2	9.5	9.8	8.6	8.7
5/5	7.0	8.7		9.2	9.6	10.2	9.3	10.0	9.5	10.0	8.5	8.7
5/6	7.8	8.9		10.3	10.5	11.5	9.9	10.7	10.1	10.7	9.5	9.7
5/7	8.2	8.8		10.6	11.2	12.4	10.2	11.2	10.6	11.2	10.2	10.3
5/8	7.4	8.3		9.1	10.6	11.1	9.5	10.5	9.9	10.4	9.3	9.4
5/9	7.1	8.7		9.1	9.9	10.5	9.8	10.3	10.0	10.6	8.8	9.0
5/10	7.5	9.1		10.2	10.3	11.2	10.2	10.8	10.4	11.1	9.4	9.6
5/11	8.1	9.3		10.6	11.1	12.1	10.6	11.3	10.8	11.4	10.4	10.5
5/12	8.2	9.3		10.7	11.4	12.5	10.7	11.5	11.0	11.6	10.6	10.8
5/13	8.7	11.2		11.2	11.8	12.9	11.8	12.0	11.8	12.4	10.9	11.1
5/14	8.2	10.0		11.3	11.8	12.3	10.9	12.0	11.3	11.7	9.9	10.1
5/15	7.5	8.5		9.1	10.5	11.0	10.4	11.0	10.7	11.0	8.6	8.8
5/16	7.4	5.8		6.3	7.2	7.1	7.4	8.6	9.1	9.9	8.8	9.0
5/17	8.2	6.8		7.1	7.7	8.0	8.0	9.0	9.2	10.3	10.2	10.4
5/18	7.9	8.5		8.8	8.9	9.1	8.5	9.3	8.9	9.5	10.3	10.4
5/19	7.2	8.7		9.1	9.4	9.8	9.0	9.5	9.1	9.6	9.7	9.9
5/20	7.7	9.2		10.2	10.2	10.7	9.0	10.1	9.3	10.2	10.1	10.7
5/21	7.5	9.1		9.3	10.0	10.4	9.2	9.8	9.3	9.6	9.7	10.2
5/22	6.9	8.9		9.3	9.7	10.0	9.3	9.7	9.3	9.6	8.9	9.1
5/23	6.7	9.7		9.5	9.7	9.8	9.0	9.9	9.4	9.7	8.7	8.8
5/24	7.0	9.9		10.1	10.0	10.2	9.1	10.0	9.4	9.8	8.8	9.0
5/25	7.6	9.7		10.3	10.5	10.7	9.3	10.1	9.5	10.0	9.5	10.1
5/26	7.3	9.5		9.9	10.4	10.8	9.4	10.1	9.5	9.9	9.9	10.4
5/27	6.7	9.8		9.7	10.0	10.3	9.3	10.0	9.5	10.1	9.5	10.0
5/28	6.7	10.0		9.6	9.8	9.9	9.1	9.8	9.4	9.8	9.1	9.4
5/29	7.0	9.3		9.4	9.8	9.9	9.3	10.0	9.7	9.9	9.2	9.4
5/30	7.4	9.6		10.1	10.4	10.7	9.8	10.6	10.1	10.7	10.4	10.5
5/31	8.3	9.8		11.0	11.4	12.1	10.1	11.3	10.4	11.1	11.7	12.2

DATE	Sultan River										Skykomish River	
	RM 18.2 (SFK)	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	RM 14.1	RM 13.2
6/1	8.8	10.9		11.6	11.9	12.7	10.1	11.6	10.7	11.3	12.2	12.4
6/2	8.4	10.5		11.1	11.8	12.4	10.3	11.2	10.5	10.9	11.4	11.5
6/3	8.8	11.2		12.5	12.4	13.4	10.4	11.8	10.8	11.7	11.4	11.5
6/4	10.1	10.3	11.2	12.4	13.6	15.0	11.1	12.8	11.5	12.3	13.1	13.2
6/5	11.1	10.9	12.0	13.1	14.2	15.7	11.3	13.2	11.8	12.6	13.8	14.0
6/6	11.3	10.6	11.8	13.2	14.6	16.2	11.3	13.3	11.8	12.7	14.1	14.2
6/7	11.2	10.5	11.6	12.8	14.3	15.7	11.1	12.9	11.6	12.4	13.9	14.0
6/8	10.8	10.1	10.9	11.9	13.6	14.7	10.8	12.3	11.4	12.1	13.6	13.7
6/9	9.6	10.3	10.6	10.9	12.2	12.7	10.4	11.3	10.7	11.3	12.3	12.5
6/10	9.2	9.7	10.3	10.8	11.7	12.3	10.3	11.1	10.6	11.0	11.7	11.9
6/11	8.6	10.1	10.2	10.5	11.1	11.3	10.0	11.0	10.4	11.0	11.5	11.7
6/12	8.8	10.1	10.5	10.9	11.4	11.9	10.2	11.2	10.7	11.4	12.0	12.1
6/13	8.4	10.3	10.4	10.5	11.0	11.2	10.0	10.8	10.3	10.8	11.7	11.6
6/14	7.6	10.2	9.5	9.5	10.1	10.1	9.9	10.5	10.3	10.7	10.8	10.9
6/15	7.5	8.7	9.4	9.9	10.1	10.5	9.9	10.7	10.4	11.0	10.9	11.0
6/16	7.8	8.0	8.7	9.3	10.3	10.8	10.2	11.1	10.5	11.2	11.9	11.9
6/17	8.0	8.5	9.2	9.9	10.7	11.3	10.2	11.3	10.6	11.3	11.9	11.6
6/18	8.1	8.5	9.2	9.6	10.5	10.8	10.3	11.2	10.7	11.0	11.2	11.2
6/19	8.2	8.6	9.5	10.2	10.7	11.1	10.5	11.6	11.2	11.7	11.3	11.4
6/20	8.7	8.9	9.6	10.2	10.9	11.2	10.5	11.9	10.6	11.2	12.2	12.3
6/21	8.9	8.9	9.9	10.5	11.2	11.7	10.8	12.2	11.3	11.9	12.8	12.9
6/22	9.3	9.1	10.3	11.1	11.9	12.7	11.0	12.5	11.5	12.2	13.1	13.2
6/23	9.1	9.0	10.0	10.6	11.6	12.0	10.9	12.3	11.4	11.8	13.0	13.1
6/24	8.5	8.5	9.5	10.0	10.7	10.8	10.5	11.6	11.1	11.5	12.0	12.1
6/25	8.8	8.9	9.8	10.3	11.0	11.4	10.7	11.9	11.2	11.9	12.1	12.2
6/26	9.7	9.8	10.7	11.6	12.1	12.9	11.3	12.7	11.7	12.5	13.5	13.6
6/27	10.7	10.2	11.5	12.8	13.4	14.5	11.8	13.7	12.4	13.2	15.3	15.4
6/28	11.1	9.2	11.3	12.9	14.0	15.2	11.8	13.8	12.5	13.2	15.6	15.7
6/29	11.2	8.5	10.0	11.2	13.1	13.8	11.3	13.0	11.8	12.3	15.1	15.1
6/30	10.4	8.2	9.4	10.2	12.2	12.9	11.0	12.3	11.4	12.0	14.6	14.6

	Sultan River										Skykomish River	
DATE	RM 18.2 (SFK)	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	RM 14.1	RM 13.2
7/1	10.7	8.4	9.7	10.6	12.1	12.9	11.0	12.2	11.4	12.0	15.1	15.0
7/2	11.5	8.7	10.2	11.4	13.1	14.2	11.5	13.0	11.8	12.6	16.0	15.9
7/3	11.1	8.1	9.9	11.2	13.1	14.3	11.5	13.0	11.8	12.6	16.1	16.0
7/4	10.0	7.9	8.9	9.7	11.9	12.4	10.8	11.9	11.2	11.5	14.5	14.5
7/5	9.8	8.0	8.8	9.4	11.1	11.6	10.6	11.5	10.9	11.4	13.1	13.1
7/6	10.0	8.3	9.3	10.0	11.3	12.1	10.7	11.9	11.2	12.0	14.4	14.4
7/7	9.9	8.9	9.4	9.9	11.3	11.9	10.7	11.6	11.0	11.4	14.0	14.0
7/8	10.4	9.5	10.7	11.3	11.7	12.3	11.3	12.1	11.4	12.0	14.0	14.0
7/9	10.3	9.3	10.8	11.6	12.3	12.8	11.5	12.6	11.8	12.2	14.4	14.3
7/10	9.7	9.1	10.2	10.8	12.0	12.5	11.2	12.5	11.7	12.2	13.9	13.9
7/11	10.0	9.1	10.4	11.0	12.0	12.7	11.3	12.5	11.7	12.2	14.0	14.0
7/12	10.1	9.4	10.4	10.9	12.2	12.8	11.3	12.6	11.8	12.3	14.4	14.4
7/13	10.4	9.3	10.6	11.3	12.5	13.4	11.5	12.7	11.9	12.7	14.6	14.7
7/14	10.6	9.3	10.6	11.5	12.8	13.9	11.6	12.9	12.0	12.7	15.5	15.6
7/15	10.3	9.3	10.3	11.1	12.6	13.5	11.6	12.9	12.0	12.5	15.8	15.7
7/16	10.4	9.5	10.5	11.1	12.5	13.3	11.5	12.5	11.8	12.4	14.9	14.8
7/17	11.1	10.0	11.2	12.1	13.2	14.3	11.7	13.0	12.0	12.8	15.6	15.6
7/18	10.6	9.8	10.8	11.6	13.2	13.9	11.7	12.8	11.8	12.3	15.0	15.0
7/19	10.8	9.9	10.9	11.6	13.1	14.1	11.7	12.9	12.0	12.5	14.5	14.5
7/20	11.1	9.8	10.8	11.7	13.7	15.1	11.9	13.3	12.3	13.1	16.0	16.0
7/21	11.7	10.1	11.4	12.5	14.0	15.6	12.2	13.6	12.1	13.1	17.1	16.9
7/22	11.4	9.4	10.9	11.8	13.5	14.4	12.2	13.0	12.1	12.4	16.1	15.8
7/23	11.1	8.8	10.2	11.2	12.9	13.6	11.9	12.9	12.1	12.7	15.0	15.0
7/24	11.7	9.1	10.5	11.8	13.4	14.5	12.0	13.3	12.3	13.2	16.2	16.1
7/25	12.7	9.6	11.1	12.4	14.2	15.7	12.3	13.9	12.6	13.5	17.9	17.6
7/26	13.2	9.5	11.1	12.7	14.7	16.2	12.2	13.8	12.4	13.4	18.7	18.3
7/27	13.5	9.8	11.2	12.7	14.9	16.5	12.3	13.8	12.4	13.5	18.9	18.5
7/28	14.0	10.0	11.3	12.8	15.2	16.9	12.4	14.0	12.5	13.7	19.5	19.0
7/29	14.4	10.3	11.7	12.8	14.5	15.9	12.6	14.2	12.9	13.9	19.9	19.3
7/30	13.6	9.5	10.9	12.2	14.3	15.3	12.1	13.3	12.2	13.2	18.8	18.2
7/31	13.4	9.3	10.7	11.9	14.1	15.3	12.0	13.3	12.2	13.3	18.5	18.0

DATE	Sultan River										Skykomish River	
	RM 18.2 (SFK)	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	RM 14.1	RM 13.2
8/1	13.6	9.4	10.9	12.3	14.2	15.4	12.0	13.2	12.2	13.0	18.2	17.5
8/2	12.6	9.1	10.3	11.3	13.5	14.4	12.0	12.8	12.0	12.7	17.3	16.6
8/3	12.1	9.3	10.2	11.0	13.0	13.7	11.8	12.9	12.2	12.9	16.8	16.3
8/4	12.5	9.6	10.8	11.9	13.7	14.5	11.9	13.1	12.4	13.3	17.6	17.1
8/5	13.0	9.5	10.9	12.2	14.3	15.4	12.2	13.3	12.6	13.5	18.5	17.8
8/6	12.5	8.9	10.2	11.3	13.3	14.1	12.1	12.8	12.3	12.9	17.6	16.8
8/7	12.0	9.2	10.1	10.8	12.7	13.5	12.0	12.7	12.3	12.8	16.9	16.1
8/8	11.6	9.2	10.5	11.3	12.4	12.9	12.2	12.8	12.3	12.9	16.1	15.5
8/9	11.4	9.4	10.3	10.9	12.3	12.7	12.0	12.8	12.3	12.7	15.3	14.9
8/10	11.6	9.7	10.5	11.0	12.5	13.0	11.8	12.9	11.9	12.6	15.6	15.0
8/11	12.5	10.2	11.3	12.2	13.5	14.1	11.3	12.7	11.1	12.0	17.4	15.8
8/12	13.4	10.6	11.8	13.0	14.6	15.5	11.7	13.1	11.3	12.2	19.1	17.0
8/13	14.0	10.6	12.1	13.4	15.2	16.2	11.9	13.4	11.5	12.3	20.0	17.6
8/14	14.2	10.2	11.7	13.2	15.2	16.2	12.0	13.3	11.7	12.3	19.8	17.5
8/15	14.0	10.2	11.3	12.7	14.9	15.9	12.1	13.3	11.7	12.5	19.5	17.3
8/16	14.1	10.4	11.6	12.8	14.8	15.9	12.2	13.4	11.9	12.6	19.5	17.3
8/17	13.9	10.3	11.5	12.8	14.8	15.7	12.4	13.4	12.0	12.7	19.4	17.2
8/18	14.3	10.2	11.8	13.0	15.0	16.0	12.6	13.7	12.2	12.7	19.8	16.8
8/19	14.6	8.9	10.6	12.3	15.0	16.2	12.9	14.1	12.5	12.9	20.2	17.0
8/20	14.6	9.0	10.5	11.9	14.5	15.9	13.2	14.3	12.8	13.2	20.3	17.1
8/21	14.2	8.5	10.0	11.2	13.7	14.7	13.0	13.8	12.8	13.2	19.4	16.9
8/22	13.1	8.0	9.0	10.0	12.5	13.4	12.7	13.3	12.5	13.2	18.1	16.5
8/23	12.7	8.2	9.2	10.2	12.0	13.0	12.6	13.3	12.7	13.2	17.5	16.3
8/24	13.0	8.6	9.7	10.8	12.6	13.6	12.9	13.7	12.9	13.6	18.2	16.8
8/25	13.4	8.7	10.0	11.1	13.1	14.2	13.1	14.0	13.1	13.9	19.0	17.4
8/26	13.7	8.8	10.1	11.3	13.4	14.6	13.4	14.3	13.4	14.1	19.5	17.9
8/27	13.0	8.6	9.6	10.5	12.6	13.6	13.2	13.8	13.3	13.6	18.5	17.0
8/28	12.8	8.3	9.4	10.3	12.3	13.1	13.0	13.7	13.2	13.8	17.3	16.3
8/29	12.9	8.4	9.5	10.5	12.3	13.3	13.3	13.9	13.5	14.0	17.4	16.6
8/30	12.8	8.3	9.4	10.2	12.0	12.8	13.2	13.7	13.4	13.8	17.1	16.1
8/31	12.3	8.3	9.2	9.8	11.5	12.3	13.2	13.5	13.4	13.7	16.0	15.3

DATE	Sultan River										Skykomish River	
	RM 18.2 (SFK)	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	RM 14.1	RM 13.2
9/1	12.1	8.1	9.2	9.9	11.4	12.1	13.3	13.5	13.5	13.9	16.0	15.4
9/2	11.1	7.9	9.6	10.2	11.1	11.4	12.8	13.0	13.2	13.5	15.2	14.8
9/3	10.5	7.9	10.3	10.6	11.7	11.9	12.7	12.9	13.0	13.4	14.6	14.3
9/4	10.0	7.8	9.1	9.5	10.9	11.2	12.8	13.0	13.2	13.5	14.4	14.3
9/5	10.3	7.7	8.9	9.4	10.6	10.9	12.8	12.9	13.2	13.4	14.1	14.0
9/6	10.6	7.9	8.9	9.5	11.0	11.6	13.2	13.4	13.6	13.9	14.9	14.8
9/7	10.8	8.0	9.1	9.7	11.0	11.5	13.2	13.5	13.6	14.0	15.1	14.9
9/8	10.8	7.9	9.3	10.0	11.4	11.9	13.2	13.6	13.7	14.1	15.5	15.3
9/9	10.2	7.7	8.7	9.5	10.7	11.4	13.3	13.3	13.6	14.0	15.4	15.2
9/10	10.5	7.9	8.9	9.7	10.8	11.5	13.4	13.6	13.8	14.2	15.8	15.5
9/11	10.8	7.7	8.8	9.7	11.1	11.6	13.5	13.7	13.8	14.3	16.0	15.7
9/12	10.2	7.5	8.4	9.1	10.4	11.1	13.5	13.4	13.7	14.0	15.4	15.2
9/13	10.0	7.6	8.4	9.1	10.0	10.7	13.5	13.4	13.8	14.1	15.3	15.0
9/14	10.1	7.0	7.7	8.3	9.7	10.4	13.3	13.5	13.8	14.2	15.4	15.1
9/15	10.2	6.2	6.6	6.9	7.7	8.2	11.3	12.0	12.8	13.6	15.5	14.9
9/16	10.4	6.3	6.6	6.9	7.7	8.0	11.1	11.4	12.5	13.3	15.3	14.5
9/17	10.6	6.4	7.9	8.4	9.0	9.1	11.1	11.4	12.2	12.9	14.7	14.1
9/18	9.8	6.3	7.3	8.1	9.5	9.9	11.4	11.9	12.2	12.7	13.0	13.0
9/19	9.4	6.2	6.9	7.4	8.4	8.7	10.6	11.2	11.7	12.3	12.9	12.9
9/20	8.9	6.2	6.7	7.1	8.1	8.5	10.5	10.7	11.4	11.9	12.1	12.1
9/21	8.7	6.2	6.6	7.0	7.8	8.2	10.3	10.6	11.4	11.9	12.4	12.4
9/22	8.8	6.2	6.6	6.9	7.6	7.9	10.1	10.5	11.4	11.9	12.7	12.7
9/23	8.9	6.2	6.6	6.8	7.5	7.7	10.1	10.4	11.3	11.7	12.2	12.2
9/24	9.2	6.3	6.7	7.0	7.8	8.2	10.3	10.7	11.5	12.3	12.6	12.7
9/25	9.7	6.4	6.8	7.1	8.0	8.4	10.6	11.2	11.9	12.7	13.7	13.7
9/26	10.0	6.5	6.9	7.2	7.9	8.2	10.5	11.0	11.7	12.6	14.2	14.1
9/27	10.4	6.4	6.8	7.1	7.9	8.3	10.7	11.3	12.0	12.7	14.8	14.5
9/28	9.6	6.3	6.6	6.8	7.4	7.6	10.3	10.5	11.4	11.8	13.5	13.2
9/29	9.3	6.1	6.4	6.7	7.3	7.6	10.1	10.4	11.5	12.1	13.2	13.0
9/30	8.9	6.0	6.2	6.4	6.8	7.0	9.9	10.0	11.1	11.8	12.7	12.6

DATE	Sultan River										Skykomish River	
	RM 18.2 (SFK)	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	RM 14.1	RM 13.2
10/1	8.7	6.0	6.3	6.4	6.9	7.1	10.0	10.0	11.1	11.8	12.2	12.2
10/2	8.5	6.0	6.3	6.4	6.9	7.1	9.9	10.1	11.1	12.0	12.2	12.3
10/3	8.8	6.0	6.3	6.5	7.0	7.2	10.0	10.2	11.3	12.1	12.3	12.3
10/4	8.7	6.1	6.3	6.6	7.1	7.2	10.0	10.2	11.2	12.1	12.1	12.2
10/5	8.9	6.1	6.4	6.7	7.3	7.6	10.3	10.5	11.4	12.3	12.2	12.4
10/6	9.0	6.1	6.7	6.9	7.5	7.7	10.1	10.4	11.3	12.2	12.5	12.5
10/7	8.9	6.1	6.8	6.9	7.7	7.9	10.2	10.4	11.2	12.0	12.0	12.1
10/8	9.2	6.2	7.6	7.7	8.2	8.2	10.1	10.2	10.9	11.8	11.3	11.4
10/9	9.0	6.2	7.7	8.1	9.2	9.5	10.5	10.9	11.1	11.6	10.8	10.8
10/10	8.2	6.1	6.7	7.0	7.8	8.1	9.6	10.1	10.4	11.1	10.6	10.7
10/11	7.2	6.1	6.4	6.5	6.8	7.0	9.0	9.0	9.9	10.5	9.8	10.0
10/12	6.8	6.1	6.3	6.4	6.6	6.7	8.7	8.6	10.1	10.6	9.2	9.5
10/13	8.0	6.2	7.1	7.2	7.7	7.7	8.9	9.1	10.2	11.0	9.4	9.7
10/14	8.2	6.3	7.4	7.8	8.6	8.8	9.3	9.7	10.2	11.1	9.3	9.4
10/15	8.0	6.3	7.0	7.4	8.1	8.4	8.8	9.5	10.3	11.0	9.1	9.2
10/16	7.9	6.3	7.1	7.4	8.1	8.4	8.8	9.4	10.2	10.8	9.2	9.3
10/17	7.7	6.3	7.5	7.9	8.4	8.6	8.9	9.4	10.4	10.8	9.2	9.3
10/18	7.6	6.3	7.2	7.8	8.3	8.5	8.9	9.5	10.3	10.6	9.0	9.2
10/19	7.5	6.4	7.3	7.8	8.3	8.5	9.0	9.5	10.3	10.6	8.9	9.1
10/20	8.0	6.7	8.6	8.8	9.2	9.3	9.7	10.1	10.3	10.6	9.0	9.2
10/21	7.8	6.6	8.2	8.5	9.2	9.3	9.7	10.2	10.2	10.5	9.1	9.3
10/22	7.5	6.5	7.5	7.8	8.5	8.8	9.3	9.9	10.0	10.2	9.2	9.9
10/23	7.7	6.6	7.4	7.7	8.4	8.7	9.6	9.9	10.2	10.5	9.1	11.0
10/24	8.0	6.4	6.8	7.1	7.8	8.1	9.1	9.7	10.3	10.6	9.4	11.9
10/25	7.7	6.4	6.7	6.9	7.5	7.7	8.2	9.1	9.8	10.1	9.4	12.2
10/26	7.7	6.5	6.9	7.1	7.6	7.7	7.8	8.5	10.0	10.3	9.2	12.0
10/27	8.0	6.5	7.1	7.6	8.3	8.5	8.7	9.5	9.7	10.1	9.1	10.2
10/28	7.7	6.5	6.9	7.1	7.7	7.9	8.1	9.0	9.7	10.1	9.3	10.5
10/29	7.5	6.5	6.8	7.0	7.4	7.6	7.7	8.5	9.9	10.2	8.7	10.9
10/30	7.1	6.5	6.8	6.9	7.2	7.3	7.4	8.0	9.5	9.8	8.3	11.1
10/31	7.4	6.6	7.2	7.4	7.8	7.9	8.1	8.6	9.5	9.8	8.7	10.6

DATE	Sultan River										Skykomish River	
	RM 18.2 (SFK)	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	RM 14.1	RM 13.2
11/1	7.3	6.6	7.5	7.9	8.3	8.5	8.6	9.1	9.4	9.7	8.4	9.5
11/2	7.5	6.7	7.4	7.9	8.4	8.6	8.8	9.3	9.5	9.8	8.6	9.6
11/3	7.5	6.7	7.2	7.4	8.0	8.3	8.5	9.4	9.5	9.7	8.9	10.1
11/4	7.5	6.7	7.1	7.3	7.7	7.9	8.1	8.7	9.4	9.7	8.7	10.2
11/5	8.0	6.8	7.5	7.6	8.2	8.3	8.6	9.3	9.4	9.7	9.1	10.8
11/6	7.5	6.7	7.5	7.7	8.4	8.6	8.8	9.5	9.4	9.6	9.1	10.3
11/7	7.7	6.8	7.6	7.8	8.3	8.5	8.7	9.4	9.6	9.8	9.0	10.3
11/8	7.8	6.9	7.8	8.0	8.6	8.8	9.2	9.7	9.6	9.9	9.2	10.6
11/9	7.8	8.4	8.3	8.3	8.6	8.7	9.1	9.7	9.4	9.6	8.9	11.2
11/10	8.0	9.0	9.5	9.4		9.0	9.4	9.7	9.7	9.9	9.2	11.4
11/11	8.3	7.0	8.0	8.6		9.5	9.7	10.1	9.5	9.8	9.4	11.4
11/12	8.3	7.0	8.2	8.5		9.2	9.4	10.1	9.4	9.6	9.8	11.0
11/13	7.6	6.8	7.8	8.0		8.7	9.1	9.5	9.4	9.5	9.0	10.4
11/14	7.6	6.9		8.4		8.8	9.2	9.6	9.3	9.6	8.6	9.8
11/15	7.1	6.8		8.0		8.4	8.8	9.2	9.3	9.5	8.3	9.2
11/16	6.0	6.6		7.4		7.6	8.0	8.3	8.8	9.0	7.2	8.6
11/17	6.1	6.7		7.2		7.4	8.0	8.2	8.8	9.0	7.2	8.8
11/18	5.6	6.6				6.7	7.5	7.4	8.6	8.7	6.6	9.0
11/19	5.8	6.7				7.1	7.8	7.9	8.6	8.7	6.9	9.9
11/20	6.3	6.9				7.5	8.2	8.4	8.6	8.8	7.3	10.5
11/21	6.2	6.9				7.7	8.2	8.6	8.5	8.7	7.6	10.2
11/22	6.0	6.8				7.4	8.0	8.3	8.4	8.5	7.3	9.7
11/23	5.7	6.8				7.1	7.7	8.1	8.3	8.5	7.2	9.6
11/24	5.7	6.8				7.0	7.6	7.8	8.1	8.3	6.9	9.4
11/25	5.9	7.0				7.4	7.8	7.9	8.1	8.3	7.0	9.3
11/26	6.2	7.1				7.6	8.0	8.3	8.2	8.4	7.3	9.5
11/27	5.6	7.0				7.2	7.7	8.0	8.0	8.2	7.2	9.5
11/28	5.0	7.0				6.7	7.1	7.5	7.8	8.0	6.6	9.2
11/29	5.3	7.0				6.7	7.2	7.3	7.7	7.9	6.5	9.1
11/30	5.0	7.0				6.6	7.1	7.3	7.6	7.8	6.5	9.1

DATE	Sultan River										Skykomish River	
	RM 18.2 (SFK)	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	RM 14.1	RM 13.2
12/1	4.8	6.8				6.4	6.9	7.1	7.4	7.6	6.3	8.9
12/2	5.0	6.8				6.6	7.0	7.2	7.5	7.6	6.4	9.0
12/3	4.9	6.8				6.9	7.2	7.5	7.5	7.6	6.5	9.0
12/4	4.5	6.5				6.2	6.6	6.9	7.1	7.2	6.0	8.5
12/5	3.9	6.4				5.0	5.7	5.9	6.7	6.8	5.3	8.3
12/6	3.3	6.3				4.6	5.4	5.2	6.6	6.6	4.6	8.1
12/7	2.4	5.9				3.7	4.9	4.5	6.4	6.4	3.9	7.9
12/8	1.7	5.7				3.1	4.7	4.1	6.0	6.0	2.5	7.4
12/9	1.7	5.6				3.2	4.8	4.3	5.9	5.8	2.2	7.4
12/10	2.2	5.6				3.3	4.7	4.3	5.7	5.8	2.4	8.3
12/11	2.0	5.5				3.7	4.9	4.9	5.8	5.9	3.4	8.6
12/12	2.0	5.2				3.4	4.6	4.7	5.6	5.7	3.7	7.9
12/13	2.7	4.9				4.1	5.0	4.9	5.5	5.6	4.2	8.5
12/14	1.8	4.8				3.5	4.6	4.3	5.3	5.3	2.7	9.0
12/15	2.0	4.8				3.7	4.7	4.4	5.2	5.2	2.8	9.1
12/16	1.4	4.7				3.1	4.5	4.0	5.1	5.0	2.7	8.5
12/17	0.9	4.5				2.6	4.1	3.6	4.8	4.7	1.9	7.6
12/18	1.5	4.5				3.0	4.3	4.0	4.8	4.8	2.3	4.9
12/19	1.3	4.6				2.9	4.2	4.3	5.2	4.9	2.8	3.6
12/20	1.8	4.8				3.3	4.0	4.3	4.8	4.9	3.4	3.9
12/21	2.5	4.6				3.7	4.3	4.3	4.7	4.7	3.5	3.8
12/22	2.9	4.4				3.9	4.5	4.4	4.9	4.8	3.8	4.1
12/23	2.7	4.4				3.6	4.3	4.4	4.8	4.7	4.0	4.2
12/24	2.8	4.3				3.7	4.3	4.2	4.8	4.6	4.0	4.2
12/25	2.1	4.0				3.3	4.2	4.1	4.7	4.4	3.8	4.0
12/26	2.1	4.1				3.4	4.2	4.1	4.8	4.5	3.5	3.8
12/27	1.9	4.2				3.6	4.2	4.5	5.2	4.7	3.6	4.0
12/28	2.2	4.2				3.8	4.2	4.5	5.8	4.6	3.5	3.9
12/29	2.4	4.1				3.8	4.2	4.6	6.0	4.6	3.8	4.0
12/30	2.6	4.1				3.8	4.1	4.4	5.3	4.6	3.9	4.2
12/31	2.2	3.9				3.6	4.1	4.1	5.4	4.3	3.8	4.0

APPENDIX D

Seven-Day Average of the Daily Maximum (7-DAD Max) Water Temperature in Tabular Format

DATE	RM 18.2	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	Skykomish	Skykomish
	(SFK) 7 Day Avg Max	Above 7 Day Avg Max	Below 7 Day Avg Max									
1/1	2.0	4.2			3.2	3.1	3.9	3.9	4.5	4.6	2.8	3.6
1/2	2.2	4.1			3.1	3.0	3.8	3.8	4.4	4.5	2.8	3.5
1/3	2.4	4.1			3.0	2.9	3.7	3.8	4.3	4.4	2.8	3.5
1/4	2.6	4.0			3.1	3.0	3.8	3.8	4.2	4.4	3.0	3.6
1/5	2.6	4.0			3.2					4.3	3.3	3.9
1/6	2.6	3.9			3.4					4.3	3.6	4.0
1/7	2.5	3.9			3.4					4.2	3.8	4.1
1/8	2.5	3.8			3.3					4.1	3.8	4.1
1/9	2.6	3.8			3.3					4.1	3.9	4.1
1/10	2.7	3.8			3.4					4.1	3.9	4.1
1/11	2.8	3.8			3.5					4.2	4.0	4.4
1/12	2.9	3.8			3.6					4.1	4.0	4.5
1/13	3.1	3.8			3.7					4.2	4.1	4.7
1/14	3.3	3.8			3.9					4.3	4.3	5.0
1/15	3.6	3.8			4.1					4.5	4.6	5.3
1/16	3.7	3.8			4.2					4.6	4.7	5.4
1/17	3.8	3.8			4.3					4.7	4.8	5.5
1/18	3.8	3.8			4.4					4.8	4.9	5.5
1/19	3.9	3.9			4.6					5.0	5.1	5.5
1/20	4.0	3.9			4.7					5.1	5.2	5.4
1/21	4.0	3.9			4.8					5.2	5.3	5.5
1/22	4.0	3.9			4.8					5.2	5.3	5.6
1/23	4.0	4.0			4.9				5.2	5.2	5.3	5.9
1/24	4.0	4.0			5.1				5.3	5.3	5.3	5.9
1/25	4.1	4.1			5.3				5.3	5.3	5.4	5.9
1/26	4.1	4.1			5.3				5.2	5.2	5.3	5.8
1/27	4.1	4.1			5.4				5.2	5.2	5.3	6.0
1/28	4.0	4.1			5.3				5.1	5.0	5.2	6.2
1/29	3.9	4.0			5.3				5.0	5.0	5.2	6.4
1/30	3.8	4.0			5.1				4.9	4.9	5.2	6.6
1/31	3.8	4.0			5.0				4.7	4.8	5.1	7.0

DATE	RM 18.2 (SFK) 7 Day Avg Max	RM 15.8 7 Day Avg Max	RM 15.5 7 Day Avg Max	RM 14.3 7 Day Avg Max	RM 11.3 7 Day Avg Max	RM 9.8 7 Day Avg Max	RM 9.6 7 Day Avg Max	RM 4.9 7 Day Avg Max	RM 4.4 7 Day Avg Max	RM 0.2 7 Day Avg Max	Skykomish Above 7 Day Avg Max	Skykomish Below 7 Day Avg Max
2/1	3.7	3.9			4.7				4.5	4.6	5.0	7.5
2/2	3.7	3.9			4.7				4.4	4.5	5.1	7.9
2/3	3.7	3.9			4.7				4.3	4.4	5.1	8.2
2/4	3.7	3.9			4.7				4.3	4.4	5.2	8.2
2/5	3.8	4.0			4.8				4.3	4.4	5.3	8.2
2/6	3.9	4.1			4.9				4.3	4.4	5.4	8.1
2/7	4.1	4.1			5.0				4.3	4.5	5.5	7.8
2/8	4.2	4.2			5.2				4.3	4.5	5.7	7.5
2/9	4.2	4.2			5.4				4.4	4.6	5.8	7.3
2/10	4.3	4.2			5.6				4.5	4.6	5.8	6.9
2/11	4.3	4.3			5.8				4.7	4.8	5.8	6.7
2/12	4.3	4.4			6.0				5.1	5.0	5.7	6.4
2/13	4.4	4.4			6.3				5.5	5.3	5.7	6.1
2/14	4.5	4.5			6.4				5.7	5.4	5.7	6.1
2/15	4.5	4.5			6.4				5.9	5.6	5.7	6.3
2/16	4.6	4.5		5.7	6.2				6.0	5.6	5.7	6.5
2/17	4.6	4.6		5.6	6.0				6.0	5.7	5.7	6.8
2/18	4.6	4.6		5.4	5.9				5.9	5.7	5.7	7.1
2/19	4.7	4.5		5.3	5.8				5.6	5.5	5.7	7.4
2/20	4.6	4.5		5.0	5.5				5.3	5.4	5.8	7.5
2/21	4.5	4.5		5.0	5.4				5.1	5.3	5.7	7.4
2/22	4.6	4.5		5.1	5.5				5.0	5.3	5.9	7.3
2/23	4.7	4.6		5.2	5.6				5.0	5.3	6.0	7.0
2/24	4.8	4.6		5.3	5.7				5.0	5.3	6.1	6.8
2/25	4.8	4.6		5.4	5.9				5.0	5.4	6.3	6.6
2/26	4.8	4.6		5.4	5.9				5.1	5.5	6.4	6.4
2/27	4.8	4.7		5.6	6.0	6.4	6.1		5.1	5.5	6.4	6.4
2/28	4.7	4.7		5.6	6.1	6.4	6.2		5.2	5.6	6.3	6.4
2/29	4.7	4.7		5.7	6.2	6.5	6.3		5.3	5.6	6.3	6.3

DATE	RM 18.2	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	Skykomish	Skykomish
	(SFK) 7 Day Avg Max	Above 7 Day Avg Max	Below 7 Day Avg Max									
3/1	4.6	4.8		5.7	6.3	6.5	6.4		5.3	5.6	6.2	6.2
3/2	4.6	4.8		5.8	6.3	6.6	6.6		5.4	5.7	6.3	6.3
3/3	4.7	4.9		6.0	6.4	6.7	6.8		5.5	5.8	6.4	6.4
3/4	4.7	5.0		5.9	6.4	6.7	6.8		5.6	5.8	6.3	6.4
3/5	4.7	4.9		5.9	6.4	6.7	6.8		5.6	5.9	6.4	6.4
3/6	4.7	5.0		5.9	6.4	6.7	6.7		5.6	5.9	6.4	6.5
3/7	4.7	5.0		5.8	6.3	6.6	6.7		5.6	5.9	6.4	6.5
3/8	4.7	5.0		5.8	6.3	6.6	6.6		5.7	6.0	6.4	6.5
3/9	4.6	5.0		5.7	6.2	6.5	6.4		5.6	5.9	6.3	6.4
3/10	4.5	4.9		5.5	6.0	6.3	6.2		5.5	5.9	6.2	6.2
3/11	4.4	4.9		5.5	5.9	6.2	6.1		5.5	5.8	6.2	6.2
3/12	4.2	4.9		5.3	5.7	6.0	5.9		5.5	5.8	6.1	6.2
3/13	4.2	4.9		5.3	5.7	6.0	5.9		5.5	5.8	6.2	6.3
3/14	4.1	4.9		5.3	5.6	5.9	5.8		5.4	5.7	6.3	6.4
3/15	4.1	4.8		5.2	5.5	5.8	5.7		5.4	5.7	6.4	6.5
3/16	4.1	4.8		5.3	5.6	5.9	5.7		5.4	5.8	6.6	6.6
3/17	4.3	4.9		5.4	5.7	6.1	5.8		5.4	5.8	6.8	6.7
3/18	4.5	4.9		5.6	5.9	6.4	5.9		5.5	5.9	7.0	6.9
3/19	4.6	5.0		5.8	6.1	6.5	6.0		5.6	6.0	7.3	7.2
3/20	4.7	5.0		5.8	6.2	6.6	6.1		5.7	6.1	7.4	7.2
3/21	4.7	5.0		5.9	6.3	6.7	6.2		5.9	6.1	7.3	7.1
3/22	4.7	5.0		5.9	6.3	6.7	6.2		5.9	6.2	7.3	7.2
3/23	4.7	5.0		5.9	6.3	6.6	6.2		6.0	6.3	7.3	7.2
3/24	4.6	5.0		5.8	6.3	6.6	6.3		6.1	6.4	7.2	7.2
3/25	4.6	5.0		5.8	6.2	6.5	6.2		6.2	6.5	7.2	7.2
3/26	4.7	5.0		5.9	6.3	6.6	6.3		6.3	6.6	7.3	7.3
3/27	4.9	5.0		6.1	6.5	6.9	6.4		6.3	6.8	7.5	7.6
3/28	5.2	5.2		6.4	6.7	7.2	6.5		6.4	7.0	7.9	7.9
3/29	5.5	5.4		6.8	7.1	7.6	6.7		6.5	7.1	8.2	8.2
3/30	5.6	5.5		7.1	7.4	8.0	6.8		6.6	7.2	8.4	8.4
3/31	5.9	5.9		7.4	7.7	8.4	6.9		6.8	7.4	8.6	8.6

DATE	RM 18.2	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	Skykomish	Skykomish
	(SFK) 7 Day Avg Max	Above 7 Day Avg Max	Below 7 Day Avg Max									
4/1	6.0	6.1		7.6	7.9	8.6	7.0		6.8	7.4	8.7	8.7
4/2	5.9	6.3		7.7	7.9	8.6	7.1		6.9	7.4	8.4	8.5
4/3	6.0	6.6		7.9	8.1	8.7	7.2		7.0	7.4	8.4	8.4
4/4	6.2	6.9		8.1	8.3	8.9	7.4		7.3	7.6	8.4	8.5
4/5	6.3	7.2		8.4	8.6	9.2	7.6		7.5	7.8	8.4	8.5
4/6	6.4	7.2		8.5	8.8	9.4	7.7		7.5	7.9	8.4	8.5
4/7	6.4	7.1		8.4	8.8	9.3	7.7		7.5	7.8	8.4	8.4
4/8	6.4	7.2		8.4	8.8	9.4	7.9		7.6	8.0	8.4	8.4
4/9	6.5	7.2		8.4	8.9	9.6	8.0		7.7	8.2	8.5	8.5
4/10	6.5	7.3		8.4	8.9	9.5	8.1		7.9	8.3	8.4	8.5
4/11	6.3	7.1		8.2	8.8	9.3	8.2		7.9	8.4	8.2	8.3
4/12	6.1	7.0		8.0	8.5	8.9	8.1		7.9	8.4	8.0	8.1
4/13	6.1	7.3		8.0	8.4	8.9	8.3		8.1	8.7	8.0	8.1
4/14	6.4	7.8		8.5	8.7	9.2	8.7		8.6	9.1	8.4	8.5
4/15	6.7	8.4		9.2	9.3	9.8	9.2		9.1	9.6	8.8	8.9
4/16	7.0	8.8		9.9	10.0	10.7	9.5		9.4	10.1	9.1	9.2
4/17	7.4	9.0		10.4	10.7	11.4	9.9		9.6	10.5	9.4	9.5
4/18	7.6	9.4		10.8	11.2	12.0	10.2		9.9	10.9	9.6	9.7
4/19	7.7	9.7		11.1	11.5	12.4	10.6		10.2	11.2	9.7	9.8
4/20	7.7	9.7		11.0	11.6	12.4	10.6		10.2	11.2	9.5	9.6
4/21	7.4	9.5		10.7	11.3	12.0	10.4		10.0	11.0	9.2	9.3
4/22	7.1	9.2		10.2	10.8	11.5	10.1		9.7	10.7	8.7	8.8
4/23	6.8	9.1		9.8	10.2	10.9	9.9		9.5	10.5	8.6	8.7
4/24	6.5	9.0		9.3	9.6	10.2	9.6		9.3	10.2	8.4	8.5
4/25	6.3	8.8		9.1	9.2	9.7	9.3	9.9	9.1	9.8	8.2	8.4
4/26	6.3	8.7		8.9	9.0	9.5	9.0	9.6	8.9	9.6	8.1	8.3
4/27	6.4	8.8		9.2	9.1	9.8	9.1	9.7	8.9	9.8	8.5	8.7
4/28	6.8	8.9		9.6	9.5	10.4	9.4	10.1	9.2	10.2	9.0	9.2
4/29	7.3	9.3		10.0	10.0	11.0	9.8	10.4	9.6	10.6	9.5	9.6
4/30	7.6	9.2		10.2	10.4	11.5	10.0	10.7	9.8	10.8	9.8	9.8

DATE	RM 18.2	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	Skykomish	Skykomish
	(SFK) 7 Day Avg Max	Above 7 Day Avg Max	Below 7 Day Avg Max									
5/1	7.8	9.2		10.3	10.7	11.8	10.1	10.9	9.9	10.9	9.9	10.0
5/2	8.0	9.2		10.5	10.8	12.1	10.2	11.1	10.1	11.1	10.1	10.2
5/3	8.5	9.3		11.0	11.3	12.7	10.6	11.5	10.4	11.7	10.5	10.5
5/4	8.7	9.5		11.3	11.6	13.1	10.8	11.8	10.7	12.1	10.6	10.7
5/5	8.6	9.5		11.1	11.6	13.0	10.8	11.8	10.7	12.0	10.5	10.6
5/6	8.4	9.2		10.8	11.4	12.7	10.6	11.7	10.6	12.0	10.4	10.5
5/7	8.5	9.4		11.0	11.5	12.8	10.7	11.8	10.7	12.3	10.4	10.6
5/8	8.8	9.6		11.6	11.8	13.2	11.0	12.1	11.0	12.8	10.7	10.9
5/9	9.1	9.8		12.0	12.1	13.7	11.2	12.4	11.2	13.2	11.1	11.3
5/10	9.2	10.2		12.1	12.3	13.8	11.6	12.6	11.6	13.3	11.2	11.4
5/11	9.1	10.5		12.0	12.2	13.7	11.6	12.7	11.7	13.2	11.3	11.5
5/12	9.1	10.6		12.0	12.2	13.6	11.6	12.7	11.8	13.2	11.0	11.2
5/13	9.1	10.1		11.5	11.8	13.0	11.3	12.6	11.8	12.9	10.9	11.1
5/14	9.1	9.9		10.9	11.2	12.4	11.1	12.3	11.5	12.7	11.0	11.2
5/15	8.9	9.7		10.4	10.8	11.8	10.7	11.9	11.1	12.2	10.9	11.1
5/16	8.6	9.6		9.9	10.4	11.3	10.4	11.5	10.9	11.8	10.7	10.9
5/17	8.4	9.2		9.8	10.2	10.9	9.8	11.1	10.3	11.5	10.6	11.0
5/18	8.2	8.8		9.4	10.0	10.6	9.6	10.7	9.9	11.1	10.5	10.9
5/19	8.2	8.7		9.3	9.8	10.4	9.5	10.5	9.8	11.0	10.5	11.0
5/20	8.0	9.4		9.7	10.1	10.8	9.7	10.4	9.6	10.8	10.5	10.9
5/21	7.8	9.7		10.1	10.3	11.0	9.6	10.4	9.7	10.6	10.2	10.6
5/22	7.8	9.8		10.3	10.5	11.2	9.7	10.5	9.7	10.7	10.1	10.8
5/23	7.8	9.9		10.3	10.6	11.1	9.7	10.5	9.7	10.6	10.1	10.8
5/24	7.5	9.9		10.1	10.5	11.0	9.8	10.4	9.8	10.5	9.9	10.6
5/25	7.4	10.1		10.2	10.4	10.8	9.7	10.4	9.8	10.5	9.8	10.4
5/26	7.5	10.1		10.2	10.4	10.8	9.6	10.5	9.8	10.6	9.9	10.5
5/27	7.8	10.1		10.5	10.7	11.3	9.8	10.8	10.0	11.0	10.3	11.0
5/28	8.1	10.1		10.9	11.1	11.9	10.1	11.1	10.2	11.4	10.9	11.7
5/29	8.4	10.3		11.1	11.4	12.2	10.2	11.4	10.4	11.7	11.2	11.9
5/30	8.6	10.6		11.4	11.6	12.5	10.4	11.6	10.6	11.8	11.5	12.1
5/31	9.0	10.8		12.0	12.2	13.2	10.5	11.9	10.8	12.2	11.9	12.4

DATE	RM 18.2	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	Skykomish	Skykomish
	(SFK) 7 Day Avg Max	Above 7 Day Avg Max	Below 7 Day Avg Max									
6/1	9.7	10.9		12.7	13.0	14.3	10.9	12.5	11.2	12.8	12.7	13.1
6/2	10.5	11.1		13.6	13.8	15.5	11.3	13.2	11.6	13.4	13.4	13.9
6/3	11.1	11.2		14.1	14.4	16.2	11.4	13.6	11.8	13.8	13.9	14.3
6/4	11.5	11.4		14.3	14.8	16.6	11.5	13.9	12.0	13.9	14.1	14.3
6/5	11.7	11.3		14.3	15.0	16.8	11.6	14.0	12.1	14.0	14.3	14.5
6/6	11.8	11.2		14.2	15.1	16.9	11.7	14.1	12.2	14.1	14.4	14.6
6/7	11.8	11.0	12.2	13.8	14.8	16.5	11.7	13.9	12.1	13.9	14.3	14.5
6/8	11.3	10.9	12.0	13.3	14.2	15.6	11.4	13.4	11.9	13.4	13.9	14.1
6/9	10.8	10.7	11.6	12.7	13.7	14.9	11.2	13.0	11.6	13.1	13.7	13.9
6/10	10.3	10.7	11.2	12.1	13.0	13.9	11.0	12.5	11.3	12.6	13.2	13.5
6/11	9.6	10.6	10.8	11.4	12.2	12.9	10.8	12.0	11.1	12.2	12.7	12.9
6/12	9.1	10.6	10.5	11.1	11.8	12.4	10.7	11.7	10.9	12.1	12.5	12.7
6/13	8.9	10.3	10.3	11.0	11.6	12.3	10.6	11.7	10.9	12.3	12.5	12.7
6/14	8.8	10.1	10.3	10.9	11.6	12.2	10.6	11.8	10.9	12.5	12.6	12.7
6/15	8.7	9.8	10.1	10.8	11.5	12.2	10.7	11.8	10.9	12.4	12.6	12.6
6/16	8.7	9.6	10.0	10.8	11.5	12.2	10.8	12.0	11.1	12.4	12.6	12.5
6/17	8.8	9.4	10.0	10.8	11.5	12.2	10.9	12.1	11.2	12.5	12.6	12.6
6/18	9.1	9.3	10.1	11.0	11.7	12.6	11.0	12.4	11.4	12.7	13.0	13.0
6/19	9.4	9.1	10.3	11.2	12.0	12.9	11.2	12.6	11.6	12.9	13.3	13.3
6/20	9.5	9.2	10.4	11.3	12.2	13.0	11.2	12.8	11.7	12.9	13.4	13.4
6/21	9.5	9.2	10.4	11.2	11.9	12.7	11.2	12.7	11.8	12.7	13.2	13.4
6/22	9.6	9.3	10.5	11.4	12.1	12.9	11.4	12.9	11.9	13.0	13.5	13.7
6/23	9.9	9.5	10.8	11.7	12.4	13.3	11.5	13.1	12.0	13.3	13.8	14.0
6/24	10.4	9.8	11.1	12.3	12.9	14.0	11.8	13.4	12.1	13.8	14.4	14.6
6/25	10.8	9.8	11.4	12.8	13.5	14.7	11.9	13.7	12.3	14.0	14.9	15.1
6/26	11.1	9.8	11.3	12.7	13.5	14.7	11.9	13.7	12.3	13.8	15.0	15.2
6/27	11.3	9.6	11.2	12.6	13.6	14.8	11.9	13.8	12.3	13.9	15.3	15.5
6/28	11.8	9.6	11.4	12.9	14.0	15.3	12.0	14.0	12.4	14.0	15.9	16.0
6/29	12.3	9.5	11.5	13.1	14.3	15.7	12.0	14.2	12.5	14.2	16.4	16.6
6/30	12.4	9.2	11.3	12.8	14.3	15.7	12.0	14.2	12.5	14.1	16.7	16.8

DATE	RM 18.2	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	Skykomish	Skykomish
	(SFK) 7 Day Avg Max	Above 7 Day Avg Max	Below 7 Day Avg Max									
7/1	12.1	8.8	10.8	12.2	13.9	15.2	11.8	13.8	12.3	13.6	16.5	16.6
7/2	11.7	8.6	10.2	11.5	13.2	14.4	11.6	13.4	12.0	13.1	16.0	16.1
7/3	11.5	8.5	10.2	11.3	13.0	14.2	11.4	13.2	11.9	13.2	16.1	16.2
7/4	11.4	8.6	10.2	11.2	12.9	14.0	11.4	13.1	11.8	13.1	16.1	16.1
7/5	11.2	8.8	10.3	11.2	12.7	13.9	11.4	13.0	11.9	13.1	15.9	15.9
7/6	10.9	8.9	10.3	11.2	12.5	13.6	11.5	12.8	11.8	12.9	15.6	15.6
7/7	10.6	9.0	10.2	11.0	12.2	13.1	11.4	12.6	11.7	12.7	15.2	15.2
7/8	10.6	9.2	10.5	11.2	12.3	13.2	11.5	12.7	11.8	13.0	15.2	15.3
7/9	10.7	9.4	10.8	11.5	12.5	13.5	11.6	12.9	11.9	13.2	15.4	15.5
7/10	10.7	9.6	11.0	11.6	12.7	13.7	11.8	13.0	12.1	13.3	15.4	15.5
7/11	11.1	9.6	11.2	12.0	13.1	14.3	12.0	13.3	12.3	13.7	15.8	15.9
7/12	11.0	9.6	11.1	11.9	13.2	14.5	12.0	13.4	12.3	13.8	16.0	16.2
7/13	11.1	9.6	11.1	11.9	13.3	14.6	12.0	13.5	12.3	13.8	16.2	16.3
7/14	11.5	9.8	11.4	12.3	13.6	15.0	12.1	13.6	12.5	14.0	16.6	16.7
7/15	11.5	9.9	11.3	12.3	13.6	15.1	12.2	13.6	12.5	13.9	16.7	16.8
7/16	11.6	9.9	11.5	12.4	13.9	15.4	12.2	13.7	12.5	13.9	16.7	16.8
7/17	11.7	10.0	11.5	12.5	14.2	15.8	12.2	13.9	12.6	14.0	17.0	17.1
7/18	11.9	10.2	11.6	12.7	14.4	16.0	12.2	14.1	12.6	14.1	17.2	17.2
7/19	12.1	10.2	11.7	12.9	14.5	16.3	12.3	14.0	12.6	13.9	17.2	17.2
7/20	12.2	10.1	11.6	12.9	14.5	16.2	12.4	14.1	12.6	14.0	17.3	17.2
7/21	12.3	10.0	11.6	12.9	14.6	16.3	12.4	14.2	12.6	14.1	17.4	17.4
7/22	12.9	10.0	11.8	13.2	15.0	16.8	12.4	14.6	12.8	14.5	18.0	17.9
7/23	13.4	10.0	11.9	13.5	15.4	17.2	12.5	14.8	12.9	14.8	18.7	18.6
7/24	13.9	10.0	12.1	13.8	15.5	17.4	12.6	14.9	12.9	14.8	19.1	18.9
7/25	14.2	9.9	12.1	13.9	15.7	17.6	12.8	15.0	13.0	14.9	19.5	19.2
7/26	14.8	10.0	12.4	14.2	16.0	17.8	12.9	15.3	13.3	15.4	20.1	19.8
7/27	15.2	10.1	12.5	14.4	16.2	18.1	13.0	15.4	13.3	15.5	20.6	20.3
7/28	15.4	10.1	12.5	14.4	16.2	18.1	13.0	15.4	13.3	15.5	20.9	20.5
7/29	15.5	10.1	12.4	14.3	16.1	18.0	13.0	15.2	13.3	15.4	20.8	20.4
7/30	15.2	10.1	12.2	14.0	15.8	17.7	13.0	14.9	13.2	15.2	20.5	20.0
7/31	14.8	10.0	11.9	13.6	15.3	17.1	12.9	14.6	13.1	15.0	20.1	19.6

DATE	RM 18.2	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	Skykomish	Skykomish
	(SFK) 7 Day Avg Max	Above 7 Day Avg Max	Below 7 Day Avg Max									
8/1	14.6	9.9	11.8	13.4	15.2	16.7	12.7	14.4	13.1	14.9	19.9	19.4
8/2	14.4	9.8	11.5	13.2	15.3	16.7	12.6	14.3	13.0	14.8	19.7	19.2
8/3	14.3	9.7	11.5	13.0	15.3	16.5	12.6	14.3	13.0	14.9	19.5	19.0
8/4	13.9	9.6	11.4	12.7	15.0	16.1	12.6	14.1	13.0	14.7	19.1	18.5
8/5	13.4	9.6	11.2	12.4	14.6	15.6	12.5	13.9	12.9	14.5	18.7	18.2
8/6	13.2	9.6	11.2	12.2	14.4	15.2	12.5	13.9	12.9	14.4	18.3	17.8
8/7	13.1	9.6	11.2	12.2	14.4	15.0	12.5	13.8	12.9	14.3	18.1	17.5
8/8	13.1	9.7	11.3	12.2	14.3	15.0	12.5	13.7	12.7	14.0	18.1	17.2
8/9	13.2	10.0	11.5	12.3	14.4	15.0	12.4	13.7	12.4	13.7	18.2	17.1
8/10	13.5	10.2	11.8	12.7	14.8	15.4	12.4	13.8	12.3	13.6	18.7	17.3
8/11	14.0	10.4	12.0	13.2	15.4	15.9	12.4	14.0	12.2	13.6	19.2	17.6
8/12	14.6	10.7	12.3	13.5	16.0	16.5	12.5	14.1	12.2	13.6	19.8	18.0
8/13	15.2	10.9	12.6	13.9	16.6	17.2	12.6	14.4	12.2	13.6	20.6	18.6
8/14	15.7	11.0	12.8	14.3	17.2	17.8	12.7	14.6	12.3	13.7	21.2	19.0
8/15	15.9	11.0	12.9	14.4	17.4	18.0	12.9	14.7	12.5	13.7	21.5	19.0
8/16	16.0	10.7	12.7	14.2	17.4	18.1	13.1	14.8	12.7	13.8	21.6	18.9
8/17	16.1	10.5	12.4	14.0	17.2	18.0	13.3	14.9	12.9	13.8	21.6	18.7
8/18	16.0	10.2	12.1	13.6	16.8	17.7	13.5	14.8	13.1	13.9	21.5	18.5
8/19	15.7	9.8	11.7	13.1	16.2	17.2	13.7	14.7	13.2	14.0	21.2	18.4
8/20	15.5	9.5	11.3	12.7	15.8	16.8	13.7	14.7	13.4	14.1	20.9	18.3
8/21	15.3	9.3	11.0	12.5	15.4	16.5	13.7	14.8	13.5	14.3	20.8	18.3
8/22	15.1	9.0	10.7	12.2	15.1	16.2	13.8	14.9	13.6	14.6	20.7	18.5
8/23	14.9	8.9	10.7	12.1	14.8	16.0	13.8	15.0	13.7	14.8	20.5	18.7
8/24	14.5	8.9	10.4	11.8	14.3	15.6	13.8	14.8	13.7	14.8	20.2	18.7
8/25	14.3	8.8	10.4	11.7	14.1	15.3	13.8	14.8	13.7	15.0	19.9	18.6
8/26	14.4	8.9	10.5	11.8	14.2	15.5	13.7	14.9	13.8	15.2	19.9	18.7
8/27	14.3	8.9	10.4	11.7	14.0	15.3	13.8	14.9	13.8	15.1	19.7	18.5
8/28	14.0	8.8	10.3	11.4	13.6	14.9	13.9	14.7	13.9	14.9	19.2	18.0
8/29	13.7	8.7	10.0	11.1	13.1	14.3	13.9	14.5	13.8	14.7	18.6	17.5
8/30	13.2	8.5	9.9	10.8	12.6	13.7	13.7	14.2	13.8	14.4	17.8	16.8
8/31	12.8	8.4	10.0	10.8	12.6	13.4	13.6	14.1	13.7	14.5	17.1	16.4

DATE	RM 18.2	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	Skykomish	Skykomish
	(SFK) 7 Day Avg Max	Above 7 Day Avg Max	Below 7 Day Avg Max									
9/1	12.3	8.3	10.0	10.6	12.3	13.0	13.5	13.9	13.7	14.4	16.7	16.1
9/2	11.9	8.2	9.8	10.4	11.9	12.5	13.5	13.7	13.6	14.2	16.1	15.5
9/3	11.6	8.1	9.7	10.3	11.8	12.3	13.4	13.7	13.6	14.3	15.7	15.4
9/4	11.3	8.1	9.7	10.2	11.7	12.2	13.4	13.6	13.6	14.3	15.6	15.3
9/5	11.2	8.0	9.8	10.3	11.8	12.3	13.3	13.7	13.6	14.5	15.6	15.5
9/6	11.2	8.1	9.7	10.3	11.9	12.4	13.4	13.8	13.7	14.7	15.8	15.8
9/7	11.3	8.1	9.5	10.2	11.8	12.4	13.5	14.0	13.9	15.0	16.1	16.1
9/8	11.4	8.0	9.5	10.3	11.9	12.6	13.6	14.1	13.9	15.2	16.3	16.4
9/9	11.4	8.0	9.5	10.4	11.9	12.7	13.7	14.3	14.1	15.4	16.6	16.7
9/10	11.4	8.0	9.5	10.4	11.8	12.6	13.8	14.3	14.1	15.5	16.7	16.8
9/11	11.4	8.0	9.4	10.3	11.8	12.7	13.9	14.4	14.2	15.7	16.9	17.0
9/12	11.4	7.8	9.0	9.9	11.2	12.1	13.6	14.3	14.2	15.6	16.9	16.9
9/13	11.4	7.5	8.6	9.4	10.7	11.5	13.3	13.9	14.0	15.4	16.8	16.7
9/14	11.2	7.3	8.6	9.4	10.6	11.3	13.0	13.6	13.7	15.0	16.6	16.3
9/15	11.0	7.1	8.5	9.2	10.3	11.0	12.7	13.2	13.5	14.7	16.1	15.9
9/16	10.8	6.8	8.2	8.8	9.9	10.5	12.3	12.9	13.2	14.4	15.6	15.4
9/17	10.6	6.6	7.9	8.4	9.5	10.1	11.9	12.4	12.8	14.0	15.1	14.9
9/18	10.3	6.4	7.6	8.2	9.1	9.6	11.4	11.9	12.4	13.6	14.7	14.5
9/19	10.0	6.4	7.6	8.1	9.1	9.5	11.3	11.6	12.2	13.4	14.3	14.1
9/20	9.7	6.4	7.6	8.1	9.0	9.4	11.1	11.4	12.0	13.0	13.8	13.8
9/21	9.6	6.3	7.1	7.6	8.6	9.1	10.9	11.3	11.9	13.0	13.6	13.6
9/22	9.6	6.3	6.9	7.4	8.3	8.8	10.8	11.2	11.8	13.1	13.8	13.8
9/23	9.8	6.4	7.0	7.5	8.3	8.8	10.9	11.2	11.8	13.1	14.1	14.1
9/24	10.1	6.4	7.0	7.5	8.3	8.8	10.9	11.3	11.9	13.2	14.4	14.4
9/25	10.2	6.4	7.0	7.4	8.2	8.7	10.9	11.2	11.9	13.1	14.5	14.4
9/26	10.3	6.4	6.9	7.3	8.2	8.7	10.9	11.2	11.9	13.1	14.6	14.4
9/27	10.3	6.4	6.9	7.3	8.1	8.6	10.9	11.2	11.9	13.3	14.7	14.5
9/28	10.2	6.4	6.8	7.2	8.0	8.4	10.8	11.1	11.9	13.1	14.5	14.3
9/29	10.0	6.3	6.7	7.1	7.8	8.2	10.7	10.9	11.7	13.0	14.3	14.1
9/30	9.8	6.2	6.6	6.9	7.6	8.0	10.6	10.8	11.6	12.8	13.9	13.7

DATE	RM 18.2	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	Skykomish	Skykomish
	(SFK) 7 Day Avg Max	Above 7 Day Avg Max	Below 7 Day Avg Max									
10/1	9.5	6.2	6.5	6.8	7.5	7.8	10.5	10.6	11.5	12.6	13.4	13.3
10/2	9.3	6.1	6.5	6.8	7.4	7.8	10.5	10.6	11.5	12.8	13.2	13.2
10/3	9.3	6.1	6.5	6.8	7.4	7.8	10.5	10.5	11.5	12.7	13.0	13.0
10/4	9.2	6.1	6.6	6.9	7.5	7.9	10.4	10.6	11.5	12.6	12.8	12.8
10/5	9.4	6.2	7.1	7.3	8.0	8.3	10.5	10.6	11.4	12.6	12.6	12.7
10/6	9.5	6.2	7.5	7.7	8.4	8.7	10.6	10.7	11.4	12.4	12.3	12.4
10/7	9.4	6.2	7.6	7.8	8.5	8.8	10.5	10.7	11.3	12.3	12.1	12.2
10/8	9.2	6.2	7.6	7.8	8.5	8.8	10.4	10.6	11.2	12.2	11.8	11.9
10/9	8.9	6.2	7.6	7.8	8.4	8.6	10.1	10.3	11.0	11.9	11.4	11.5
10/10	8.7	6.3	7.7	7.9	8.5	8.6	10.0	10.1	10.8	11.7	10.9	11.0
10/11	8.6	6.3	7.8	8.0	8.6	8.7	9.8	10.0	10.7	11.6	10.5	10.6
10/12	8.3	6.3	7.4	7.7	8.3	8.5	9.6	9.9	10.6	11.5	10.1	10.3
10/13	8.1	6.3	7.1	7.4	8.0	8.2	9.3	9.6	10.5	11.4	9.9	10.0
10/14	8.0	6.3	7.2	7.5	8.1	8.3	9.2	9.5	10.5	11.3	9.6	9.8
10/15	8.0	6.3	7.4	7.6	8.3	8.5	9.2	9.5	10.5	11.2	9.4	9.6
10/16	8.1	6.4	7.5	7.8	8.5	8.7	9.2	9.6	10.5	11.2	9.3	9.5
10/17	8.1	6.5	7.8	8.0	8.7	8.9	9.3	9.8	10.5	11.1	9.3	9.4
10/18	8.0	6.5	7.9	8.2	8.8	9.0	9.4	9.9	10.5	11.0	9.2	9.4
10/19	8.0	6.5	8.0	8.3	8.9	9.0	9.5	9.9	10.5	10.8	9.3	9.5
10/20	7.9	6.6	8.1	8.3	8.9	9.1	9.6	10.1	10.4	10.8	9.3	9.8
10/21	8.0	6.6	7.9	8.2	8.9	9.1	9.7	10.1	10.4	10.8	9.3	10.2
10/22	8.0	6.6	7.9	8.1	8.8	9.0	9.6	10.1	10.3	10.7	9.4	10.6
10/23	8.1	6.6	7.9	8.1	8.8	9.0	9.5	10.0	10.3	10.7	9.4	11.0
10/24	8.1	6.6	7.7	7.9	8.6	8.8	9.3	9.9	10.2	10.6	9.4	11.2
10/25	8.0	6.6	7.4	7.7	8.4	8.6	9.1	9.7	10.1	10.5	9.5	11.4
10/26	8.0	6.6	7.3	7.5	8.2	8.5	8.9	9.5	10.1	10.5	9.4	11.5
10/27	8.0	6.6	7.2	7.4	8.1	8.3	8.6	9.2	10.0	10.4	9.3	11.5
10/28	7.8	6.6	7.3	7.5	8.1	8.2	8.4	9.1	9.9	10.3	9.2	11.3
10/29	7.8	6.7	7.4	7.6	8.2	8.3	8.5	9.1	9.8	10.2	9.0	10.9
10/30	7.7	6.7	7.3	7.6	8.2	8.3	8.5	9.2	9.7	10.1	9.0	10.6
10/31	7.6	6.7	7.3	7.6	8.1	8.3	8.5	9.1	9.7	10.1	9.0	10.6

DATE	RM 18.2	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	Skykomish	Skykomish
	(SFK) 7 Day Avg Max	Above 7 Day Avg Max	Below 7 Day Avg Max									
11/1	7.6	6.7	7.3	7.6	8.1	8.3	8.5	9.1	9.7	10.0	8.9	10.5
11/2	7.7	6.7	7.5	7.7	8.3	8.4	8.6	9.2	9.6	9.9	8.9	10.5
11/3	7.7	6.8	7.6	7.9	8.4	8.6	8.8	9.4	9.6	9.9	9.0	10.4
11/4	7.8	6.8	7.7	7.9	8.5	8.7	8.9	9.5	9.6	9.9	9.1	10.4
11/5	7.9	6.8	7.7	7.9	8.5	8.7	8.9	9.6	9.6	10.0	9.2	10.5
11/6	8.0	7.3	8.0	8.1	8.6	8.7	9.0	9.6	9.6	9.9	9.3	10.8
11/7	8.1	7.8	8.3	8.4		8.9	9.2	9.7	9.6	10.0	9.4	10.9
11/8	8.2	7.8	8.5	8.7		9.1	9.4	9.9	9.7	10.0	9.5	11.1
11/9	8.3	7.8	8.6	8.8		9.2	9.4	10.0	9.7	10.0	9.6	11.1
11/10	8.3	7.8	8.6	8.9		9.2	9.5	10.0	9.7	10.0	9.6	11.1
11/11	8.2	7.9		8.9		9.3	9.5	10.0	9.6	9.9	9.5	11.1
11/12	8.1	7.8		9.0		9.3	9.5	9.9	9.6	9.9	9.3	10.9
11/13	7.8	7.4		8.8		9.1	9.3	9.8	9.5	9.8	9.2	10.5
11/14	7.6	6.9		8.4		8.8	9.1	9.5	9.4	9.6	8.8	10.2
11/15	7.2	6.9				8.4	8.8	9.2	9.2	9.4	8.4	9.8
11/16	6.8	6.8				8.1	8.6	8.9	9.1	9.3	8.0	9.7
11/17	6.6	6.9				7.9	8.4	8.7	9.0	9.2	7.8	9.7
11/18	6.4	6.8				7.7	8.3	8.6	8.8	9.1	7.6	9.8
11/19	6.3	6.8				7.6	8.1	8.4	8.7	8.9	7.5	9.8
11/20	6.2	6.8				7.5	8.1	8.3	8.6	8.8	7.4	9.9
11/21	6.1	6.9				7.4	8.0	8.3	8.5	8.7	7.4	10.0
11/22	6.1	6.9				7.5	8.0	8.3	8.4	8.7	7.4	10.0
11/23	6.2	7.0				7.6	8.0	8.4	8.4	8.6	7.4	9.9
11/24	6.1	7.0				7.6	8.0	8.3	8.3	8.5	7.4	9.7
11/25	6.0	7.0				7.4	7.9	8.2	8.2	8.4	7.3	9.6
11/26	5.9	7.0				7.3	7.8	8.1	8.1	8.3	7.1	9.5
11/27	5.8	7.0				7.3	7.7	7.9	8.0	8.2	7.0	9.4
11/28	5.7	7.0				7.2	7.6	7.8	7.9	8.1	6.9	9.3
11/29	5.6	7.0				7.1	7.5	7.7	7.8	8.0	6.8	9.3
11/30	5.4	7.0				6.9	7.3	7.6	7.7	7.9	6.7	9.2

DATE	RM 18.2	RM 15.8	RM 15.5	RM 14.3	RM 11.3	RM 9.8	RM 9.6	RM 4.9	RM 4.4	RM 0.2	Skykomish	Skykomish
	(SFK) 7 Day Avg Max	Above 7 Day Avg Max	Below 7 Day Avg Max									
12/1	5.2	6.9				6.8	7.2	7.5	7.6	7.8	6.6	9.1
12/2	5.0	6.8				6.6	7.0	7.3	7.5	7.6	6.4	9.0
12/3	4.7	6.7				6.3	6.8	7.0	7.3	7.4	6.2	8.8
12/4	4.4	6.6				6.0	6.5	6.7	7.1	7.3	5.9	8.7
12/5	4.0	6.4				5.5	6.2	6.3	7.0	7.0	5.4	8.5
12/6	3.5	6.3				5.0	5.9	5.8	6.7	6.8	4.8	8.3
12/7	3.2	6.1				4.5	5.6	5.4	6.5	6.5	4.3	8.2
12/8	2.9	5.9				4.1	5.3	5.1	6.3	6.3	3.9	8.2
12/9	2.6	5.8				3.9	5.1	4.9	6.1	6.2	3.7	8.2
12/10	2.6	5.6				3.9	5.0	4.8	5.9	6.0	3.6	8.3
12/11	2.4	5.4				3.8	5.0	4.8	5.8	5.8	3.5	8.4
12/12	2.5	5.3				3.9	5.0	4.8	5.6	5.7	3.5	8.7
12/13	2.5	5.2				4.0	4.9	4.8	5.5	5.6	3.6	8.9
12/14	2.3	5.0				3.8	4.8	4.7	5.4	5.5	3.5	8.9
12/15	2.2	4.8				3.7	4.7	4.6	5.3	5.3	3.3	8.5
12/16	2.1	4.8				3.7	4.7	4.5	5.2	5.2	3.1	7.9
12/17	2.0	4.7				3.5	4.6	4.4	5.1	5.1	3.0	7.2
12/18	2.0	4.7				3.5	4.5	4.3	5.1	5.1	3.1	6.5
12/19	2.2	4.7				3.5	4.5	4.4	5.0	5.0	3.2	5.8
12/20	2.3	4.6				3.6	4.4	4.4	5.0	5.0	3.4	5.1
12/21	2.5	4.6				3.8	4.5	4.5	5.0	4.9	3.7	4.5
12/22	2.6	4.5				3.8	4.5	4.5	5.0	4.9	3.9	4.3
12/23	2.7	4.5				3.9	4.4	4.5	5.0	4.8	4.0	4.2
12/24	2.7	4.4				3.9	4.4	4.5	5.0	4.8	4.0	4.2
12/25	2.7	4.3				3.9	4.4	4.6	5.2	4.8	4.0	4.3
12/26	2.7	4.2				3.9	4.4	4.6	5.4	4.8	4.0	4.3
12/27	2.7	4.2				3.9	4.4	4.6	5.4	4.8	4.0	4.3
12/28	2.6	4.1				3.9	4.3	4.5	5.5	4.7	4.0	4.2
12/29	2.5	4.1				3.8	4.2	4.5	5.6	4.6	3.9	4.1
12/30	2.3	4.0				3.7	4.1	4.3	5.7	4.5	3.7	4.0
12/31	2.1	3.8				3.4	3.9	4.1	5.6	4.2	3.5	3.7

APPENDIX E

Consultation Documentation Regarding Draft Report

Presler, Dawn

From: Presler, Dawn
Sent: Wednesday, May 17, 2017 8:49 AM
To: 'Wright, Lindsay'; 'Vacirca, Richard -FS'; 'Anne Savery'; 'brock.applegate@dfw.wa.gov' (brock.applegate@dfw.wa.gov); 'James (ECY) Pacheco' (JPAC461@ECY.WA.GOV); 'Ken Walker'; 'Jim Miller'; 'Thomas O'Keefe'; 'Rustay, Michael'; Kannadaguli, Monika (ECY) (MKAN461@ecy.wa.gov)
Cc: Binkley, Keith; McDonnell, Andrew
Subject: JHP (FERC No. 2157) - draft WQ Monitoring Annual Report for 30day review
Attachments: 2016_Annual_Report_Draft.pdf

Dear ARC,

Attached for your review is the Draft 2016 Annual Report for the Water Quality Monitoring Plan. Please take the next 30 days to review and provide comments, if any, back to me with a cc: to Keith Binkley by June 16. Thanks.

Dawn Presler
Sr. Environmental Coordinator
(425) 783-1709

PUD No. 1 of Snohomish County
PO Box 1107
Everett, WA 98206-1107