

ENERGY STAR/FSTC Certified Hot Food Holding Cabinets

Brand Name	Model Name	Model Number	Additional Model Information	Door Type	Number of Doors	Internal Volume (cu. ft.)	Energy Usage (Watts)	Energy Use (Max Idle Energy Rate) (Watts)
Alto-Shaam	1000-BQ2/128	1000-BQ2/128			Full Size	28.15		379
Alto-Shaam	1000-BQ2/192	1000-BQ2/192			Full Size	43.98		523
Alto-Shaam	1000-BQ2/96	1000-BQ2/96			Full Size	21.99		331
Alto-Shaam	1000-UP**	1000-UP**			Full Size	15.56		284
Alto-Shaam	12.20*W	12.20*W			Full Size	19.41		212
Alto-Shaam	1200-S***	1200-S***			1/2 Size	9.85		197
Alto-Shaam	1200-UP***	1200-UP***			Full Size	19.7		381
Alto-Shaam	20-20*W	20-20*W			Full Size	29.27		291
Cambro	CMBH1826L	CMBH1826L	CMBH1826LC,CMBH1826LC;; CMBH1826LF,CMBH1826LF;; CMBH1826LTR,CMBH1826LTR,	Solid	1	8	100.3	12.5
Cambro	CMBH1826T	CMBH1826T	CMBH1826TBC,CMBH1826TBC;; CMBH1826TBF,CMBH1826TBF;; CMBH1826TSC,CMBH1826TSC;; CMBH1826TSF,CMBH1826TSF;; CMBH1826TTR,CMBH1826TTR,	Solid	2	18	158.9	8.9
Cambro	CMBPH,CMBPHHD,CMBPHSP,CMBPHSPHD,CMBPTH,CMBPTHHD,CMBPTHSP,CMBPTHSPHD,CMBPLH,CMBPLHHD,CMBPLHSP,CMBPLHSPHD	CMBPH,CMBPHHD,CMBPHSP,CMBPHSPHD,CMBPTH,CMBPTHHD,CMBPTHSP,CMBPTHSPHD,CMBPLH,CMBPLHHD,CMBPLHSP,CMBPLHSPHD		Solid	2	18	168	290
Cambro	CMBPLH	CMBPLH	CMBPLH2R,;; CMBPLHHD,;; CMBPLHHD2R,;; CMBPLHSP,;; CMBPLHSP2R,;; CMBPLHSPHD,;; CMBPLHSPHD2R,;;	Solid	1	9	99	197.7
Cambro	PCUHH615	PCUHH615		Solid	1	9.3	106.9	200.2
Cambro	UPCH1600	UPCH1600	UPCHBD1600,UPCHBD1600;; UPCHT1600,UPCHT1600;; UPCHTD1600,UPCHTD1600,	Solid	2	6	62.9	10
Cambro	UPCH400	UPCH400	UPCHD400,UPCHD400;; UPCHW400,UPCHW400,	Solid	1	3	40	12.9
Cambro	UPCH800	UPCH800	UPCHBD800,UPCHBD800;; UPCHT800,UPCHT800;; UPCHTD800,UPCHTD800,	Solid	2	3	39.4	68.8
Cambro Manufacturing Co.	CMBH1826***	CMBH1826***			Full Size	18		12
Cambro Manufacturing Co.	CMBH1826LC	CMBH1826LC			1/2 Size	8		10
Cambro Manufacturing Co.	CMBH1826LF	CMBH1826LF			1/2 Size	8		10
Cambro Manufacturing Co.	CMBH1826LTR	CMBH1826LTR			1/2 Size	8		10
Cambro Manufacturing Co.	PCUHP615	PCUHP615			1/2 Size	9.31		107
Cambro Manufacturing Co.	PCUPH615	PCUPH615			1/2 Size	9.31		107
Cambro Manufacturing Co.	UPCHT800	UPCHT800			1/2 Size	7.76		15
Cambro Manufacturing Co.	UPCHW400	UPCHW400			1/2 Size	3.88		15
Carter-Hoffman, LLC	BB1824 [120V]	BB1824 [120V]			1/2 Size	10.5		114
Carter-Hoffman, LLC	BB1824 [240V]	BB1824 [240V]			1/2 Size	10.5		117
Carter-Hoffman, LLC	BB1824 [280V]	BB1824 [280V]			1/2 Size	10.5		119
Carter-Hoffman, LLC	BB96	BB96			Full Size	27.8		507
Carter-Hoffman, LLC	BB96E	BB96E			Full Size	26.4		507
Carter-Hoffman, LLC	BR96	BR96			Full Size	27.8		507
Carter-Hoffman, LLC	PH181 [120V]	PH181 [120V]			1/2 Size	10.5		114
Carter-Hoffman, LLC	PH181 [240V]	PH181 [240V]			1/2 Size	10.5		102
Carter-Hoffman, LLC	PH181 [280V]	PH181 [280V]			1/2 Size	10.5		101
Carter-Hoffman, LLC	PS96	PS96			Full Size	26.4		507
Crescor	CCB120A*****	CCB120A*****			Full Size	38.1		432
Crescor	CCB150****	CCB150****			Full Size	41.32		632
Crescor	EB150****	EB150****			Full Size	40.6		615
Crescor	H137*UA12C**208***	H137*UA12C**208***			Full Size	22.53		280
Crescor	H137*UA12C**240***	H137*UA12C**240***			Full Size	22.53		280
Crescor	H137*UA12C**2K****	H137*UA12C**2K****			Full Size	22.53		280
Crescor	H137*UA9C*****	H137*UA9C*****			Full Size	16.4		246
CresCor	H137 "D" Series Fullsize Cabinets	H137SUA12D		Solid	2	22	279.2	297
Crescor	H137SUA12D**	H137SUA12D**			Full Size	21.54		225
CresCor	H137 "D" Series Fullsize Cabinets	H137SUA12DSD		Solid	2	22	279.2	297
CresCor	H137 "D" Series 1/2 Size Cabinets	H137SUA6D		Solid	1	10	211	224

ENERGY STAR/FSTC Certified Hot Food Holding Cabinets

Brand Name	Model Name	Model Number	Additional Model Information	Door Type	Number of Doors	Internal Volume (cu. ft.)	Energy Usage (Watts)	Energy Use (Max Idle Energy Rate) (Watts)
Crescor	H137SUA6D**	H137SUA6D**			1/2 Size	10.4		149
CresCor	H137 "D" Series 1/2 Size Cabinets	H137SUA6DSD		Solid	1	10	211	224
CresCor	H137 "D" Series 3/4 Size Cabinets	H137SUA9D		Solid	1	16	234	285
Crescor	H137SUA9D**	H137SUA9D**			Full Size	15.6		214
CresCor	H137 "D" Series 3/4 Size Cabinets	H137SUA9DSD		Solid	1	16	234	285
Crescor	H137WS1834D15A	H137WS1834D15A			Full Size	21.54		267
Crescor	H137WSUA12C*****	H137WSUA12C*****			Full Size	22.53		280
CresCor	H137 "D" Series Fullsize Cabinets	H137WSUA12D15A		Solid	2	22	267	297
Crescor	H137WSUA6CM*****	H137WSUA6CM*****			1/2 Size	10.87		193
Crescor	H138*1834C**208***	H138*1834C**208***			Full Size	22.53		280
Crescor	H138*1834C**240***	H138*1834C**240***			Full Size	22.53		280
Crescor	H138*1834C**2K****	H138*1834C**2K****			Full Size	22.53		280
CresCor	H137 "D" Series Fullsize Cabinets	H138S1834D		Solid	2	22	279.2	297
Crescor	H138WS1816CM*****	H138WS1816CM*****			1/2 Size	10.87		193
Crescor	H138WS1834C*****	H138WS1834C*****			Full Size	22.53		280
CresCor	H137 "D" Series Fullsize Cabinets	H138WS1834D15A		Solid	2	22	267	297
Crescor	H161FUA11CM***	H161FUA11CM***			Full Size	22.85		447
Crescor	H339***12188C*****	H339***12188C*****			1/2 Size	7.12		122
Crescor	H339***1813C*****	H339***1813C*****			1/2 Size	7.14		122
Crescor	H339***188C*****	H339***188C*****			1/2 Size	7.14		122
CresCor	H339 Stainless Steel Cabinets	H339214C		Solid	2	14	204	281.5
CresCor	H339 Stainless Steel Cabinets	H339SS12188C		Solid	1	7	107	149.3
CresCor	H339 Stainless Steel Cabinets	H339SS1813C		Solid	1	7	107	149.3
CresCor	H339 Stainless Steel Cabinets	H339SS188C		Solid	1	7	107	149.3
CresCor	H339 Stainless Steel Cabinets	H339SSUA8C		Solid	1	8	118	176.7
Crescor	H339WSSUA8D***	H339WSSUA8D***			1/2 Size	8.29		140
CresCor	HotCube3	HCUA11		Solid	1	15	225	284.7
Delfield	CSH1-G	GAH1-G		Transparent	1	20	159.3	294
Delfield	CSH1-GH	GAH1-GH		Transparent	2	20	183.6	294
Delfield	CSH1-S	GAH1-S		Solid	1	20	141.1	294
Delfield	CSH1-SH	GAH1-SH		Solid	2	20	145.1	294
Delfield	CSH2-G	GAH2-G		Transparent	2	44	302.6	367
Delfield	CSH2-GH	GAH2-GH		Transparent	4	44	299.1	367
Delfield	CSH2-S	GAH2-S		Solid	2	44	245.6	368
Delfield	CSH2-SH	GAH2-SH		Solid	4	44	233.9	369
Delfield	CSHPT1-G	GAHPT1-G		Transparent	2	21	228.6	296.9
Delfield	CSHPT1-GH	GAHPT1-GH		Transparent	4	21	234.9	296.9
Delfield	CSHPT1-S	GAHPT1-S		Solid	2	21	171.9	296.9
Delfield	CSHPT1-SH	GAHPT1-SH		Solid	4	21	192	296.9
Delfield	CSHPT2-S	GAHPT2-S		Solid	4	48	290.3	384.6
Delfield	CSHPT2-SH	GAHPT2-SH		Solid	8	48	300.2	384.6
Delfield	CSHRI1-G	GAHRI1-G		Transparent	1	37	308.6	344.6
Delfield	CSHRI1-S	GAHRI1-S		Solid	1	37	241.6	344.6
Delfield	CSHRI2-S	GAHRI2-S		Solid	2	77	427.8	494.7
Delfield	CSHRT1-S	GAHRT1-S		Solid	2	40	295.4	355.1
Delfield	CSHRT2-S	GAHRT2-S		Solid	4	82	504.6	514.4
Food Warming Equipment	UHST-13D	UHST-13D	,UHST-13,	Solid	2	24	272.4	301
Food Warming Equipment Company, Inc.	HLC-16	HLC-16		Solid	1	4	81.8	96
Food Warming Equipment Company, Inc.	HLC-16-CHP	HLC-16-CHP		Solid	1	4	81.8	96
Food Warming Equipment Company, Inc.	HLC-16-P	HLC-16-P		Solid	1	4	81.8	96
Food Warming Equipment Company, Inc.	HLC-16S	HLC-16S		Solid	1	4	81.8	96
Food Warming Equipment Company, Inc.	HLC-8	HLC-8		Solid	1	4	81.8	96
Food Warming Equipment Company, Inc.	HLC-8-CHP	HLC-8-CHP		Solid	1	4	81.8	96
Food Warming Equipment Company, Inc.	HLC-8H-24	HLC-8H-24		Solid	1	4	81.8	96
Food Warming Equipment Company, Inc.	HLC-8S	HLC-8S		Solid	1	4	81.8	96
Food Warming Equipment Company, Inc.	MTU-12	MTU-12		Solid	1	23	296.4	300

ENERGY STAR/FSTC Certified Hot Food Holding Cabinets

Brand Name	Model Name	Model Number	Additional Model Information	Door Type	Number of Doors	Internal Volume (cu. ft.)	Energy Usage (Watts)	Energy Use (Max Idle Energy Rate) (Watts)
Food Warming Equipment Company, Inc.	MTU-12D	MTU-12D		Solid	2	21	218.3	296
Food Warming Equipment Company, Inc.	MTU-12P	MTU-12P		Solid	4	21	218.3	296
Food Warming Equipment Company, Inc.	PHU-12	PHU-12		Solid	1	23	296.4	300
Food Warming Equipment Company, Inc.	PHU-12D	PHU-12D		Solid	2	21	218.3	296
Food Warming Equipment Company, Inc.	PHU-12P	PHU-12P		Solid	4	21	218.3	296
Food Warming Equipment Company, Inc.	TS-1826-18	TS-1826-18	TS-1826-18,TS-1826-18,	Solid	1	26	255.8	294
Food Warming Equipment Company, Inc.	TS-1826-18D	TS-1826-18D	TS-1826-18D,TS-1826-18D,	Solid	2	26	255.8	294
Food Warming Equipment Company, Inc.	TS-1826-18P	TS-1826-18P	,MT-1826-18; ,MT-1826-18D; ,MT-1826-18P; TS-1826-18P,TS-1826-18P,	Solid	4	26	255.8	294
Food Warming Equipment Company, Inc.	UHS-12	UHS-12		Solid	1	23	296.4	300
Food Warming Equipment Company, Inc.	UHS-12D	UHS-12D		Solid	2	21	218.3	296
Food Warming Equipment Company, Inc.	UHS-12P	UHS-12P		Solid	4	21	218.3	296
Food Warming Equipment Company, Inc.	UHST-13	UHST-13	,UHST-GN-6480-BQ; UHST-13,UHST-13,	Solid	1	24	272.4	301
FWE	E-600	E-600			Full Size	16.5		33
FWE	E-600-***	E-600-***			Full Size	16.5		33
FWE	E-720	E-720			Full Size	23.2		36
FWE	E-720-***	E-720-***			Full Size	23.2		36
FWE	E-720-XL	E-720-XL			Full Size	29		13
FWE	E-720-XL-***	E-720-XL-***			Full Size	29		13
FWE	E-960	E-960			Full Size	31.1		31
FWE	E-960-***	E-960-***			Full Size	31.1		31
FWE	HLC-1826-4	HLC-1826-4	,HLC-1826-4-CHP,	Solid	1	5.5	105.3	117
FWE	HLC-2125-5	HLC-2125-5			1/2 Size	5.44		100
FWE	HLC-5 (120v, 500W)	HLC-5 (120v, 500W)			1/2 Size	3		16
FWE	HLC-5-*** (120v, 500W)	HLC-5-*** (120v, 500W)			1/2 Size	3		16
FWE	HLC-5S (120v, 500W)	HLC-5S (120v, 500W)			1/2 Size	3		16
FWE	HLC-5S-*** (120v, 500W)	HLC-5S-*** (120v, 500W)			1/2 Size	3		16
FWE	HLC-SL-1826-5 (120v, 1000W)	HLC-SL-1826-5 (120v, 1000W)			1/2 Size	7		18
FWE	HLC-SL-1826-5-*** (120v, 500W)	HLC-SL-1826-5-*** (120v, 500W)			1/2 Size	7		18
FWE	HLC-SL-1826-8 (120v, 1000W)	HLC-SL-1826-8 (120v, 1000W)			1/2 Size	8.9		15
FWE	HLC-SL-1826-8-*** (120v, 1000W)	HLC-SL-1826-8-*** (120v, 1000W)			1/2 Size	8.9		15
FWE	MTU-12-***	MTU-12-***			Full Size	23		16
FWE	MTU-4	MTU-4			1/2 Size	9.1		36
FWE	MTU-4-***	MTU-4-***			1/2 Size	9.1		36
FWE	P-60	P-60			1/2 Size	14.3		26
FWE	P-60-***	P-60-***			1/2 Size	14.3		26
FWE	PHTT-10****	PHTT-10****			Full Size	17.9		27
FWE	PHTT-12*****	PHTT-12*****			Full Size	23.1		22
FWE	PHTT-12*****	PHTT-12*****			Full Size	23.1		23
FWE	PHTT-4	PHTT-4			1/2 Size	8.3		33
FWE	PHTT-4-***	PHTT-4-***			1/2 Size	8.3		33
FWE	PHTT-4S	PHTT-4S			1/2 Size	8.3		33
FWE	PHTT-4S-***	PHTT-4S-***			1/2 Size	8.3		33
FWE	PHTT-6	PHTT-6			1/2 Size	12.3		28
FWE	PHTT-6-***	PHTT-6-***			1/2 Size	12.3		28
FWE	PHTT-6*****	PHTT-6*****			1/2 Size	12.3		33
FWE	PHTT-6*****	PHTT-6*****			1/2 Size	12.3		36
FWE	PHTT-6S	PHTT-6S			1/2 Size	12.3		28
FWE	PHTT-6S-***	PHTT-6S-***			1/2 Size	12.3		28
FWE	PHU-12	PHU-12			Full Size	23.1		264
FWE	PHU-4	PHU-4			1/2 Size	9.1		36
FWE	PHU-4-***	PHU-4-***			1/2 Size	9.1		36
FWE	PST-10	PST-10			1/2 Size	6.6		24
FWE	PST-10-***	PST-10-***			1/2 Size	6.6		24
FWE	TS-1633-36	TS-1633-36			Full Size	23.5		20
FWE	TS-1633-36-***	TS-1633-36-***			Full Size	23.5		20

ENERGY STAR/FSTC Certified Hot Food Holding Cabinets

Brand Name	Model Name	Model Number	Additional Model Information	Door Type	Number of Doors	Internal Volume (cu. ft.)	Energy Usage (Watts)	Energy Use (Max Idle Energy Rate) (Watts)
FWE	UHS-10	UHS-10			Full Size	19.2		15
FWE	UHS-10-***	UHS-10-***			Full Size	19.2		15
FWE	UHS-12-***	UHS-12-***			Full Size	22.5		14
FWE	UHS-4	UHS-4			1/2 Size	9		30
FWE	UHS-4-***	UHS-4-***			1/2 Size	9		30
FWE	UHST-13-***	UHST-13-***			Full Size	24.5		20
Hatco	FSHC-7W1-EE	FSHC-7W1-EE		Solid	1	8.3	160	178
Hatco	FSHC-7W1-EE	FSHC-7W1-EE		Solid	1	8.3	162.6	21.5
Hatco	FSHC-7W2-EE	FSHC-7W2-EE		Solid	2	8.6	171	21
Hatco	FSHC-7W2-EE	FSHC-7W2-EE		Solid	2	8.6	171	21.5
HATCO CORP	FSHC-5W1-EE	FSHC-5W1-EE		Solid	1	7	137.4	156
McCall	1-1020H****	1-1020H****			Full Size	22.4		280
McCall	1-1045H****	1-1045H****			Full Size	49		230
McCall	2-2020H****	2-2020H****			Full Size	22.4		280
McCall	2-2045H****	2-2045H****			Full Size	49		230
McCall	4-4020H****	4-4020H****			Full Size	22.4		280
McCall	4-4020H01***	4-4020H01***			Full Size	22.4		280
McCall	4-4020HP***	4-4020HP***			Full Size	22.4		280
McCall	4-4020HP01**	4-4020HP01**			Full Size	22.4		280
McCall	4-4045H****	4-4045H****			Full Size	49		230
McCall	4-4045H01***	4-4045H01***			Full Size	49		230
McCall	4-4045HP***	4-4045HP***			Full Size	49		230
McCall	4-4045HP01**	4-4045HP01**			Full Size	49		230
Metro	C543-ASFS-L	C543-ASFS-L		Solid	1	7	152.2	168
Metro	C543-ASFS-L-A	C543-ASFS-L-A		Solid	1	7	152.2	168
Metro	C543-ASFS-U	C543-ASFS-U		Solid	1	7	152.2	168
Metro	C543-ASFS-U-A	C543-ASFS-U-A		Solid	1	7	152.2	168
Metro	C545-ASFS-L	C545-ASFS-L		Solid	1	11	167.9	239
Metro	C545-ASFS-L-A	C545-ASFS-L-A		Solid	1	11	167.9	239
Metro	C545-ASFS-U	C545-ASFS-U		Solid	1	11	167.9	239
Metro	C545-ASFS-U-A	C545-ASFS-U-A		Solid	1	11	167.9	239
Metro	C548-ASFS-L	C548-ASFS-L		Solid	1	19	226.8	293
Metro	C548-ASFS-L-A	C548-ASFS-L-A		Solid	1	19	226.8	293
Metro	C548-ASFS-U	C548-ASFS-U		Solid	1	19	226.8	293
Metro	C548-ASFS-U-A	C548-ASFS-U-A		Solid	1	19	226.8	293
Metro	C549-ASDS-L	C549-ASDS-L		Solid	2	22	276.3	298
Metro	C549-ASDS-L-A	C549-ASDS-L-A		Solid	2	22	276.3	298
Metro	C549-ASDS-U	C549-ASDS-U		Solid	2	22	276.3	298
Metro	C549-ASDS-U-A	C549-ASDS-U-A		Solid	2	22	276.3	298
Metro	C549-ASFS-U	C549-ASFS-U	,C549-ASFS-L;; C549-ASFS-U,C549-ASFS-U,	Solid	1	22	282.1	298
Metro	C565-SFC-U	C565-SFC-U	C565-SFC-U,C565-SFC-U;; Metro C5 6 Series,C565-SFC-***; Metro C5 6 Series,C565L-SFC-***,	Transparent	1	12	248.9	258
Metro	C565-SFS-U	C565-SFS-U	Metro C5 6,8,9 Series,C565-SFS-***; Metro C5 6,8,9 Series,C565L-SFS-***; Metro C5 6,8,9 Series,C585-SFS-***; Metro C5 6,8,9 Series,C585L-SFS-***; Metro C5 6,8,9 Series,C595-SFS-***; Metro C5 6,8,9 Series,C595L-SFS-***,	Solid	1	12	218.7	258
Metro	Metro C5 6,8,9 Series	C565-SFS-U		Solid	1	12	218.7	18
Metro	C567L-NFC-***	C567L-NFC-***			Full Size	19.2		348
Metro	C567L-NFS-***	C567L-NFS-***			Full Size	19.2		348
Metro	C567L-SFC-***	C567L-SFC-***			Full Size	19.2		348
Metro	C567L-SFS-***	C567L-SFS-***			Full Size	19.2		348
Metro	C567-NFC-***	C567-NFC-***			Full Size	19.2		348
Metro	C567-NFS-***	C567-NFS-***			Full Size	19.2		348
Metro	C567-SFC-***	C567-SFC-***			Full Size	19.2		348
Metro	C567-SFS-***	C567-SFS-***			Full Size	19.2		348

ENERGY STAR/FSTC Certified Hot Food Holding Cabinets

Brand Name	Model Name	Model Number	Additional Model Information	Door Type	Number of Doors	Internal Volume (cu. ft.)	Energy Usage (Watts)	Energy Use (Max Idle Energy Rate) (Watts)
Metro	C567-SFS-U	C567-SFS-U	Metro C5 6,8,9 Series,C567-SFS-**; Metro C5 6,8,9 Series,C567L-SFS-**; Metro C5 6,8,9 Series,C587-SFS-**; Metro C5 6,8,9 Series,C587L-SFS-**; Metro C5 6,8,9 Series,C597-SFS-**; Metro C5 6,8,9 Series,C597L-SFS-**,	Solid	1	19	270.5	292
Metro	Metro C5 6,8,9 Series	C567-SFS-U		Solid	1	19	270.5	14
Metro	C569L-SDC-**	C569L-SDC-**			Full Size	24		356
Metro	C569L-SDS-**	C569L-SDS-**			Full Size	24		356
Metro	C569L-SFC-**	C569L-SFC-**			Full Size	24		356
Metro	C569L-SFS-**	C569L-SFS-**			Full Size	24		356
Metro	C569-SDC-**	C569-SDC-**			Full Size	24		418
Metro	C569-SDS-**	C569-SDS-**			Full Size	24		371
Metro	C569-SFC-**	C569-SFC-**			Full Size	24		418
Metro	C569-SFS-**	C569-SFS-**			Full Size	24		371
Metro	C569-SFS-U	C569-SFS-U	Metro C5 6,8,9 Series,C569-SDS-**; Metro C5 6,8,9 Series,C569L-SFS-**; Metro C5 6,8,9 Series,C569L-SDS-**; Metro C5 6,8,9 Series,C569L-SFS-**; Metro C5 6,8,9 Series,C589-SDS-**; Metro C5 6,8,9 Series,C589L-SFS-**; Metro C5 6,8,9 Series,C589L-SDS-**; Metro C5 6,8,9 Series,C589L-SFS-**; Metro C5 6,8,9 Series,C599-SDS-**; Metro C5 6,8,9 Series,C599-SFS-**; Metro C5 6,8,9 Series,C599L-SDS-**; Metro C5 6,8,9 Series,C599L-SFS-**,	Solid	2	24	285.3	302
Metro	Metro C5 6,8,9 Series	C569-SFS-U		Solid	2	24	285.3	11
Metro	C587L-SF*.*****	C587L-SF*.*****			Full Size	20.3		401
Metro	C587L-SFC-**	C587L-SFC-**			Full Size	19.2		292
Metro	C587L-SFS-**	C587L-SFS-**			Full Size	19.2		270
Metro	C587-SF*.*****	C587-SF*.*****			Full Size	20.3		401
Metro	C587-SFC-**	C587-SFC-**			Full Size	19.2		292
Metro	C587-SFS-**	C587-SFS-**			Full Size	19.2		270
Metro	C589L-SDC-**	C589L-SDC-**			Full Size	24		440
Metro	C589L-SDS-**	C589L-SDS-**			Full Size	24		388
Metro	C589L-SFC-**	C589L-SFC-**			Full Size	24		440
Metro	C589L-SFS-**	C589L-SFS-**			Full Size	24		388
Metro	C589-SDC-**	C589-SDC-**			Full Size	24		440
Metro	C589-SDS-**	C589-SDS-**			Full Size	24		388
Metro	C589-SFC-**	C589-SFC-**			Full Size	24		440
Metro	C589-SFS-**	C589-SFS-**			Full Size	24		388
Metro	C597L-SF*.*****	C597L-SF*.*****			Full Size	20.3		401
Metro	C597L-SFC-**	C597L-SFC-**			Full Size	19.2		292
Metro	C597L-SFS-**	C597L-SFS-**			Full Size	19.2		270
Metro	C597-SF*.*****	C597-SF*.*****			Full Size	20.3		401
Metro	C597-SFC-**	C597-SFC-**			Full Size	19.2		292
Metro	C597-SFS-**	C597-SFS-**			Full Size	19.2		270
Metro	C599L-SDC-**	C599L-SDC-**			Full Size	24		455
Metro	C599L-SDS-**	C599L-SDS-**			Full Size	24		436
Metro	C599L-SFC-**	C599L-SFC-**			Full Size	24		455
Metro	C599L-SFS-**	C599L-SFS-**			Full Size	24		436
Metro	C599-SDC-**	C599-SDC-**			Full Size	24		455
Metro	C599-SDS-**	C599-SDS-**			Full Size	24		436
Metro	C599-SFC-**	C599-SFC-**			Full Size	24		455
Metro	C599-SFS-**	C599-SFS-**			Full Size	24		436
Metro	C5T5-AS**	C5T5-AS**			1/2 Size	12.2		165
Metro	C5T5-ASB	C5T5-ASB		Solid	1	12	165.1	258
Metro	C5T5-DS**	C5T5-DS**			1/2 Size	12.2		165
Metro	C5T8-AS**	C5T8-AS**			Full Size	18.4		169
Metro	C5T8-ASB	C5T8-ASB		Solid	1	18	168.9	290

ENERGY STAR/FSTC Certified Hot Food Holding Cabinets

Brand Name	Model Name	Model Number	Additional Model Information	Door Type	Number of Doors	Internal Volume (cu. ft.)	Energy Usage (Watts)	Energy Use (Max Idle Energy Rate) (Watts)
Metro	C5T8-DS**	C5T8-DS**			Full Size	18.4		169
Metro	C5T9-AS**	C5T9-AS**			Full Size	21.4		154
Metro	C5T9D-AS**	C5T9D-AS**			Full Size	21.4		154
Metro	C5T9D-ASB	C5T9D-ASB	Metro C5 T-Series Transport Armour,C5T9-AS**;; Metro C5 T-Series Transport Armour,C5T9-DS**;; Metro C5 T-Series Transport Armour,C5T9D-AS**;; Metro C5 T-Series Transport Armour,C5T9D-DS**,	Solid	2	21	154.4	296
Metro	C5T9D-DS**	C5T9D-DS**			Full Size	21.4		154
Metro	C5T9-DS**	C5T9-DS**			Full Size	21.4		154
Metro	MBQ-120	MBQ-120			Full Size	29.8		523
Metro	MBQ-120A	MBQ-120A			Full Size	29.8		523
Metro	MBQ-120D	MBQ-120D			Full Size	37.2		520
Metro	MBQ-120D-QH	MBQ-120D-QH			Full Size	37.2		520
Metro	MBQ-120-QH	MBQ-120-QH			Full Size	29.8		523
Metro	MBQ-144	MBQ-144			Full Size	35.2		549
Metro	MBQ-144A	MBQ-144A			Full Size	35.2		549
Metro	MBQ-144-QH	MBQ-144-QH			Full Size	35.2		549
Metro	MBQ-150D	MBQ-150D			Full Size	44.7		654
Metro	MBQ-150D-QH	MBQ-150D-QH			Full Size	44.7		654
Metro	MBQ-180	MBQ-180			Full Size	44		550
Metro	MBQ-180A	MBQ-180A			Full Size	44		550
Metro	MBQ-180D	MBQ-180D			Full Size	52.7		771
Metro	MBQ-180D-QH	MBQ-180D-QH			Full Size	52.7		771
Metro	MBQ-180-QH	MBQ-180-QH			Full Size	44		550
Metro	MBQ-200D	MBQ-200D			Full Size	57.6		793
Metro	MBQ-200D-QH	MBQ-200D-QH			Full Size	57.6		793
Metro	MBQT-180D	MBQT-180D			Full Size	52.7		804
Metro	MBQT-180D-*****	MBQT-180D-*****			Full Size	52.7		804
Metro	MBQT-180D-QH	MBQT-180D-QH			Full Size	52.7		804
Norlake	NW211***/0	NW211***/0			Full Size	18.3		25
Norlake	PW252***/0	PW252***/0			Full Size	19		39
Norlake	PW253***/0	PW253***/0			Full Size	19		39
Norlake	PW254***/0	PW254***/0			Full Size	19		39
Norlake	PW554***/8	PW554***/8			Full Size	37		29
Royalton Foodservice Equipment Co.	SSRHHC-1000-C4	SSRHHC-1000-C4			Full Size	19.3		360
Royalton Foodservice Equipment Co.	SSRHHC-2000-C4	SSRHHC-2000-C4			Full Size	19.3		360
Royalton Foodservice Equipment Co.	SSRHHC-2000-C4US	SSRHHC-2000-C4US			Full Size	20.7		375
Royalton Foodservice Equipment Co.	SSRHHR-2000-C4R-SWH	SSRHHR-2000-C4R-SWH			Full Size	19.54		317
Royalton Foodservice Equipment Co.	SSRS-1809	SSRS-1809			1/2 Size	7.87		153
Royalton Foodservice Equipment Co.	SSRS-1809-SWH	SSRS-1809-SWH			1/2 Size	7.87		153
Royalton Foodservice Equipment Co.	SSRS-2106	SSRS-2106			1/2 Size	10.19		185
Royalton Foodservice Equipment Co.	SSRS-2106-SWH	SSRS-2106-SWH			1/2 Size	10.19		185
Traulsen	AHF132W-FHG	AHF132W-FHG			Full Size	24		302
Traulsen	AHF132W-FHS	AHF132W-FHS			Full Size	24		302
Traulsen	AHF132W-HHG	AHF132W-HHG			Full Size	24		302
Traulsen	AHF132W-HHS	AHF132W-HHS			Full Size	24		302
Traulsen	AHF132WP-FHS	AHF132WP-FHS			Full Size	26		306
Traulsen	AHF132WP-HHS	AHF132WP-HHS			Full Size	26		306
Traulsen	AHF232W-FHS	AHF232W-FHS			Full Size	52		401
Traulsen	AHF232W-HHS	AHF232W-HHS			Full Size	52		401
Traulsen	AHF232WP-FHS	AHF232WP-FHS			Full Size	55		412
Traulsen	AHF232WP-HHS	AHF232WP-HHS			Full Size	55		412
Traulsen	AIH132H-FHS	AIH132H-FHS			Full Size	38		348
Traulsen	AIH132L-FHS	AIH132L-FHS			Full Size	36		340
Traulsen	AIH132LP-FHS	AIH132LP-FHS			Full Size	38		348
Traulsen	AIH232L-FHS	AIH232L-FHS			Full Size	74		484

ENERGY STAR/FSTC Certified Hot Food Holding Cabinets

Brand Name	Model Name	Model Number	Additional Model Information	Door Type	Number of Doors	Internal Volume (cu. ft.)	Energy Usage (Watts)	Energy Use (Max Idle Energy Rate) (Watts)
Traulsen	AIH232LP-FHS	AIH232LP-FHS			Full Size	80		507
Traulsen	G14300	G14300	,G14301,	Solid	2	24	218	302
Traulsen	G14301	G14301			Full Size	24		302
Traulsen	G14302P	G14302P	,G14303P,;,G14304P,;,G14305P,	Solid	4	26	184	306
Traulsen	G14303P	G14303P			Full Size	26		306
Traulsen	G14304P	G14304P			Full Size	26		306
Traulsen	G14305P	G14305P			Full Size	26		306
Traulsen	G14310	G14310	,G14311,	Solid	1	24	218	302
Traulsen	G14311	G14311			Full Size	24		302
Traulsen	G14312P	G14312P	,G14313P,;,G14314P,;,G14315P,	Solid	2	26	184	306
Traulsen	G14313P	G14313P			Full Size	26		306
Traulsen	G14314P	G14314P			Full Size	26		306
Traulsen	G14315P	G14315P			Full Size	26		306
Traulsen	G24300	G24300	,G24302,;,G24303,	Solid	4	44	255	370
Traulsen	G24302	G24302			Full Size	44		370
Traulsen	G24303	G24303			Full Size	44		370
Traulsen	G24304P	G24304P	,G24305P,;,G24306P,;,G24307P,	Solid	8	47	339	382
Traulsen	G24305P	G24305P			Full Size	47		382
Traulsen	G24306P	G24306P			Full Size	47		382
Traulsen	G24307P	G24307P			Full Size	47		382
Traulsen	G24310	G24310	,G24312,;,G24313,;,G24317,	Solid	2	44	255	370
Traulsen	G24312	G24312			Full Size	44		370
Traulsen	G24312P	G24312P			Full Size	47		382
Traulsen	G24313	G24313			Full Size	44		370
Traulsen	G24312P	G24314P	,G24314P,;,G24315P,;,G24316P,;,G24317P,	Solid	4	47	339	382
Traulsen	G24315P	G24315P			Full Size	47		382
Traulsen	G24316P	G24316P			Full Size	47		382
Traulsen	G24317	G24317			Full Size	44		370
Traulsen	G24317P	G24317P			Full Size	47		382
Traulsen	RHF132W-FHG	RHF132W-FHG	,AHF132W-FHG,	Transparent	1	24	218	302
Traulsen	RHF132W-FHS	RHF132W-FHS	,AHF132W-FHS,	Solid	1	24	218	302
Traulsen	RHF132W-HHG	RHF132W-HHG	,AHF132W-HHG,	Transparent	2	24	218	302
Traulsen	RHF132W-HHS	RHF132W-HHS	,AHF132W-HHS,	Solid	2	24	218	302
Traulsen	RHF132WP-FHS	RHF132WP-FHS	,AHF132WP-FHS,	Solid	2	26	184	306
Traulsen	RHF132WP-HHS	RHF132WP-HHS	,AHF132WP-HHS,	Solid	4	26	184	306
Traulsen	RHF232W-FHS	RHF232W-FHS	,AHF232W-FHS,	Solid	2	52	230	401
Traulsen	RHF232W-HHS	RHF232W-HHS	,AHF232W-HHS,	Solid	4	52	230	401
Traulsen	RHF232WP-FHS	RHF232WP-FHS	,AHF232WP-FHS,	Solid	4	55	275	412
Traulsen	RHF232WP-HHS	RHF232WP-HHS	,AHF232WP-HHS,	Solid	8	55	275	412
Traulsen	RIH132H-FHS	RIH132H-FHS	,AIH132H-FHS,	Solid	1	38	233	348
Traulsen	RIH132L-FHS	RIH132L-FHS	,AIH132L-FHS,	Solid	1	36	230	340
Traulsen	RIH132LP-FHS	RIH132LP-FHS	,AIH132LP-FHS,	Solid	2	38	275	348
Traulsen	RIH232L-FHS	RIH232L-FHS	,AIH232L-FHS,;,AIH232LP-FHS,;,RIH232LP-FHS,	Solid	2	74	419	484
Traulsen	RIH232LP-FHS	RIH232LP-FHS			Full Size	80		507
Traulsen	RIH332L-FHS	RIH332L-FHS	,AIH332L-FHS,	Solid	3	111	534	624
Vulcan	VBP13*****	VBP13*****			Full Size	17.14		17
Vulcan	VBP15	VBP15		Solid	2	20	282.1	294
Vulcan	VBP15*****	VBP15*****			Full Size	19.14		16
Vulcan	VBP5*****	VBP5*****			1/2 Size	7.11		24
Vulcan	VBP7*****	VBP7*****			1/2 Size	9.48		18
Vulcan	VBP77*****	VBP77*****			Full Size	18.96		17
Vulcan	VHFA18*****	VHFA18*****			Full Size	22.5		32
Vulcan	VHFA9*****	VHFA9*****			1/2 Size	12.73		34
Vulcan	VHP15*****	VHP15*****			1/2 Size	8.77		24
Vulcan	VHP7*****	VHP7*****			1/2 Size	4.12		36
Vulcan	VP18*****	VP18*****			Full Size	22.2		29

ENERGY STAR/FSTC Certified Hot Food Holding Cabinets

Brand Name	Model Name	Model Number	Additional Model Information	Door Type	Number of Doors	Internal Volume (cu. ft.)	Energy Usage (Watts)	Energy Use (Max Idle Energy Rate) (Watts)
Winston Industries	HA4522-GE	HA4522-GE			Full Size	21.5		412
Winston Industries	HL4022-GE	HL4022-GE			Full Size	22.11		436
Wittco	1220-15*****	1220-15*****			1/2 Size	8.77		24
Wittco	1220-7*****	1220-7*****			1/2 Size	4.12		36
Wittco	1826-13*****	1826-13*****			Full Size	17.14		17
WITTCO	1826-15	1826-15		Solid	2	20	282.1	294
Wittco	1826-15*****	1826-15*****			Full Size	19.14		16
Wittco	1826-5*****	1826-5*****			1/2 Size	7.11		24
Wittco	1826-7*****	1826-7*****			1/2 Size	9.48		18
Wittco	1826-77*****	1826-77*****			Full Size	18.96		17