SITE BUILT HOMES										
Year Built	Glazing U-Value	Ceiling	Vaulted Ceiling	Wall Above Grade	Wall Below Grade	Floor	Slab on Grade			
Pre-1970	1.2	Need to verify			R-0	R-0	R-0			
1970-1977	1.2	R-11	R-11	R-7	R-0	R-0	R-0			
1977-1980	1.2	R-19	R-11	R-11	R-0	R-0	R-0			
1980-1986	0.75	R-30	R-19	R-11	R-0	R-11	R-0			
1987-1990	0.5	R-38	R-30	R-19	R-19	R-19	R-10			
1991-2002	0.4	R-38	R-30	R-19	R-19	R-30	R-10			
2003-2011	0.4	R-38	R-30	R-21	R-21	R-30	R-10			
2012-current	0.3	R-49	R-49	R-21	R-21	R-30	R-10			

MANUFACTURED HOMES									
Year Built	Glazing U-Value	Ceiling	Wall	Floor					
1968	1.2	R-7	R-7	R-7	The insulation tables are based on the				
1978	1.2	R-11	R-7	R-7	age of the home, but note that these				
1984	1.2	R-15	R-11	R-11	are <i>guidelines</i> only, and may not				
1988	0.75	R-19	R-11	R-11	accurately reflect your customer's				
1991	0.75	R-30	R-19	R-19	home. All insulation levels should be				
1997	0.5	R-30	R-19	R-19	verified.				
ENERGY STAR	0.35	R-49	R-21	R-38					

Revision Date 03/23/2017