

Snohomish PUD #1 Qualified Products List

BPA Certified EV Chargers

Please note that * or # can be used as placeholders for variations that occur in the model number.

Effective date: 10/1/25

All models must be on BPA's ENERGY STAR electric vehicle charger qualified products list.

Qualifying Level 2 EV Charger models must meet current BPA requirements. Please see the link to [BPA Document Library](#) for more information.

EV charger manufacturers should email reseeprogram@bpa.gov to inquire about their products being added to the BPA qualified products list

If you are purchasing an EV charger and don't see the model you are interested in on this QPL, please reach out to us at 425-386-8148 or SnoPUD@resource-innovations.com to confirm eligibility prior to purchase.

[illegible]

Snohomish PUD #1 Qualified Products List

BPA Certified EV Chargers

Brand Name	Model Number	Product Type	Max Nameplate Output Current (A)	Input Voltage (V)	Maximum Output Power (kW)	Number of Outputs	Maximum Output Cord Length (ft.)	Output Cord Gauge (AWG)	Additional Model Information
AUTEL	Maxi US AC W12-H	Level 2	50	240	12	1	25	9	
AUTEL	Maxi US AC W12	Level 2	50	240	12	1	25	8	
AUTEL	Maxi US AC W12-L-4G	Level 2	50	240	12	1	25	8	
AUTEL	Maxi US AC LW7-N14	Level 2	32	240	7.68	1	25	10	,Maxi US AC LW7-N6,
AUTEL	Maxi US AC LW12	Level 2	50	240	12	1	25	9	
AUTEL	Maxi UF38C001	Level 2	160	240	38.4	2	23	6	,Maxi UF38L001,
AUTEL	Maxi UF19C001	Level 2	80	240	19.2	1	25	6	,Maxi UF19L001,
AUTEL	Maxi UF19L101	Level 2	80	240	19.2	1	25	6	,Maxi UF19C101,
AUTEL	Maxi UF38L101	Level 2	160	240	38.4	2	25	6	,Maxi UF38C101,
AUTEL	Maxi US AC W10-N14-H	Level 2	40	240	9.6	1	25	10	
AUTEL	Maxi US AC LW10-N14	Level 2	40	240	9.6	1	25	9	,Maxi US AC LW10-N6,
AUTEL	Maxi UW19L002	Level 2	80	240	19.2	1	25	6	,Maxi UW19C002,,Maxi UW19M002,,Maxi UW19N002,
AUTEL	Maxi UW19LJ02	Level 2	80	240	19.2	1	25	6	,Maxi UW19CJ02,,Maxi UW19LB02,,Maxi UW19MB02,,Maxi UW19MJ02,,Maxi UW19NJ02,
AUTEL	UW12-J0750CA0002	Level 2	50	240	12	1	25	9	
AUTEL	UW12-J0650CA0002	Level 2	50	240	12	1	25	9	
AUTEL	UW12-N0650CA0002	Level 2	50	240	12	1	25	9	
AUTEL	UW12-J0710CA0002	Level 2	50	240	12	1	25	9	
AUTEL	UW12-J0610CA0002	Level 2	50	240	12	1	25	9	
AUTEL	UW12-N0610CA0002	Level 2	50	240	12	1	25	9	
AUTEL	UW12-J0700CA0002	Level 2	50	240	12	1	25	9	
AUTEL	UW12-J0600CA0002	Level 2	50	240	12	1	25	9	
AUTEL	UW12-N0600CA0002	Level 2	50	240	12	1	25	9	
AUTEL	UW12-J0700C0B002	Level 2	50	240	12	1	25	9	
AUTEL	UW12-J0600C0B002	Level 2	50	240	12	1	25	9	
AUTEL	UW12-N0600C0B002	Level 2	50	240	12	1	25	9	
Auxus	UCS-DP-48S-40FT	Level 2	48	240	11.52	1	40	8	,TCS-DP-48S-40FT,
Auxus	UCS-Z21-48S-#FT	Level 2	48	240	11.52	1	40	8	,TCS-Z21-48S-#FT,
Auxus	UPC-B5-16AC2M-#FT	Level 2	40	240	9.6	1	37	9	,TPC-B5-16AC2M-#FT,,TPC-B5-16AC2T-#FT,,TPC-B5-32ACM-#FT,,TPC-B5-32ACT-#FT,,TPC-B5-40ACM-#FT,,TPC-B5-40ACT-#FT,,UPC-B5-16AC2T-#FT,,UPC-B5-32ACM-#FT,,UPC-B5-32ACT-#FT,,UPC-B5-40ACM-#FT,,UPC-B5-40ACT-#FT,
Blink	IQW2-80U-W1-N1-N-25	Level 2	80	240	19.2	1	24	6	,Retail Number: IQW2-80U-W1-N1-N-25
Blink	IQW2-80U-M1-R2-N-25	Level 2	80	240	19.2	1	24	6	,Retail Number: IQW2-80U-M1-R2-N-25
Blink	IQW2-80U-M2-R2-N-25	Level 2	80	240	19.2	1	25	6	,IQW2-80U-M2-R3-N-25, IQW2-80U-M3-R3-N-25,
Blink	HQW1-32C-N1-N1-N-25	Level 2	32	240	7.68	1	25	8	
Blink	MQW2-50C-M2-R1-N-23	Level 2	50	240	12	1	23	6	Blink HQ200 Smart,MQW2-50C-M2-R2-N-23-D, HQW2-50C-W1-N1-N-23, HQW2-50C-W1-N2-N-23-D,
Blink Network, LLC	780	Level 2	80	240	19.2	2	23	6	
Blink Network, LLC	880	Level 2	80	240	19.2	2	23	6	
Blink Network, LLC	780 Single Port	Level 2	80	240	19.2	1	23	6	
Blink Network, LLC	880 Single Port	Level 2	80	240	19.2	1	23	6	
breezEV	EVC-L2-48A-L1-X-4G-D	Level 2	48	240	11.52	1	18	7	
breezEV	EVC-L2-P80-XX-YYY-ZZZZ	Level 2	80	240	19.2	1	25	6	
BTCPower	EVP-2002-30-P-####	Level 2	30	240	7.2	2	25	10	,#### denotes end customer specific designators,,Listed model pedestal,;EVP-2002-30-W-####,Wall mount
BTCPower	EVP-2002-40-P-####	Level 2	40	240	9.6	2	25	6	,#### denotes end customer specific designators,,Listed model pedestal,;EVP-2002-40-W-####,Wall mount
BTCPower	EVP-2001-70-P-####	Level 2	70	240	16.8	2	25	6	,#### denotes end customer specific designators,,Listed model pedestal,;EVP-2001-70-W-####,Wall mount
BTCPower	EVP-2001-30-P-####	Level 2	30	240	7.2	1	25	10	,#### denotes end customer specific designators,,Listed model pedestal,;EVP-2001-30-W-####,Wall mount
BTCPower	EVP-2001-40-P-####	Level 2	40	240	9.6	1	25	6	,#### denotes end customer specific designators,,Listed model pedestal,;EVP-2001-40-W-####,Wall mount
BTCPower	EVP-2002-30-P-0002	Level 2	30	240	7.2	2	25	10	,EVP-2002-30-W-0002,
BTCPower	EVP-2001-30-P-0002	Level 2	30	240	7.2	1	25	10	,EVP-2001-30-W-0002,
BTCPower	EVP-200#-##-*	Level 2	80	280	22.4	2	22	6	,# = 1 or 2 ## = 32, 48, 80 * = W or P
CENNTRO	Cenntro240-CS-10kW	Level 2	40	240	9.6	1	15	8	
CENNTRO	Cenntro240-CS-7.2kW	Level 2	32	240	7.68	1	15	10	
CHARCO	CH-EV201W	Level 2	48	240	11.52	1	25	8	
CHARCO	CH-EV001W	Level 2	40	240	9.6	1	25	8	,CH-EV101W,

Snohomish PUD #1 Qualified Products List

BPA Certified EV Chargers

Brand Name	Model Number	Product Type	Max Nameplate Output Current (A)	Input Voltage (V)	Maximum Output Power (kW)	Number of Outputs	Maximum Output Cord Length (ft.)	Output Cord Gauge (AWG)	Additional Model Information	
CHARGECORE	AC006T19	Level 2	40	240	9.6	1	18	8	,AC006NA7,,AC006NA7NE,,AC006NA9NE,,AC006T17NE,,AC006T19NE,	
CHARGECORE	AC006T111	Level 2	48	240	11.52	1	18	8	,AC006NA11,	
CHARGECORE	AC003PNA19	Level 2	80	240	19.2	1	25	6	,AC003PT119,	
CHARGECORE	AC003PT111	Level 2	48	240	11.52	1	25	8	,AC003PNA11,,AC003PNA7,,AC003PNA9,,AC003PT17,,AC003PT19,	
ChargePoint	CPH50	Level 2	50	240	12	1	23	9	Fleet,CPFS0,,Fleet,CPFS0-L18,,Fleet,CPFS0-L18- PEDMNT-Dual,,Fleet,CPFS0-L18-CMK6-PEDMNT-Dual,,Fleet,CPFS0-L18- PEDMNT,,Fleet,CPFS0-L18-PEDMNT-CMK6,,Fleet,CPFS0-L18-WALLMNT-CMK6,,Fleet,CPFS0-L23,,Fleet,CPFS0-L23-CMK6-PEDMNT-Dual,,Fleet,CPFS0-L23-PEDMNT,,Fleet,CPFS0-L23-PEDMNT-CMK6,,Fleet,CPFS0-L23-PEDMNT-Dual,,Fleet,CPFS0-L23-WALLMNT-CMK6,,Home Flex,CPH50-NEMA14-50-L23,,Home Flex,CPH50-NEMA6-50-L23,	
ChargePoint	CP6000	Level 2	80	240	19.2	2	18	2x9	,CP60218-50A-L5.5-****,,CP60238-50A-L5.5-****,,CP60218-80A-L5.5-****,,CP60238-80A-L5.5-****,,CP60218-50A-L7-****,,CP60238-50A-L7****,,CP60218-80A-L7-****,,CP60238-80A-L7****,Where **** represents customer codes, may be followed by DA1, MER, DMS, SDGE	
ChargePoint	CPF50	Level 2	50	240	12	1	18	9	CPFS0,CPFS0,,CPFS0-L18-GW, CPFS0-L18-PEDMNT-GW, CPFS0-L18-PEDMNT-Dual-GW, CPFS0-L18-PEDMNT-CMK6-GW, CPFS0-L18-PEDMNT-CMK6-Dual-GW, CPFS0-L18-WALLMNT-CMK6-GW, CPFS0-L23-GW, CPFS0-L23-PEDMNT-GW, CPFS0-L23-PEDMNT-CMK6-GW, CPFS0-L23-PEDMNT-CMK8-GW"	
ChargePoint	CP6000	Level 2	80	240	19.2	2	18	9	CP6000 with Dual Port,CP60218-50A-L5.5-****CP60238-50A-L5.5-****CP60218-80A-L5.5-****CP60238-80A-L5.5-****CP60218-50A-L7****CP60238-50A-L7****CP60218-80A-L7****CP60238-80A-L7****Where **** represents customer codes, may be followed by DA1, MER, DMS, SDGE	
ChargePoint	CP6000 CP6011B-50A-L5.5 CP6013B-50A-L5.5 CP6011B-50A-L5.5-CHIP CP6013B-50A-L5.5-CHIP CP6011B-50A-L7 CP6013B-50A-L7 CP6011B-80A-L5.5 CP6013B-80A-L5.5 CP6011B-80A-L5.5-CHIP CP6013B-80A-L5.5-CHIP CP6011B-80A-L7	Level 2	80	240	19.2	1	18	2	CP6000,CP6011B-80A-L5.5 CP6013B-80A-L5.5 CP6011B-80A-L5.5-CHIP CP6013B-80A-L5.5-CHIP CP6011B-80A-L7 CP6013B-80A-L7 CP6011B-50A-L5.5 CP6011X-80A-L7 CP6013X-80A-L7L7",	
ChargePoint	"CPH50 CPH50-L18 CPFS0-L23 CPFS0-L18-PEDMNT-Dual CPFS0-L18-CMK6-PEDMNT-Dual CPFS0-L18-PEDMNT CPFS0-L18-PEDMNT-CMK6 CPFS0-L18-WALLMNT-CMK6 CPFS0-L23-PEDMNT CPFS0-L23-PEDMNT-CMK6 CPFS0-L23-PEDMNT-Dual CPFS0-L23-WALLMNT-CMK6	Level 2	50	240	12	1	18	9	CPH50,CPH50-HARDWIRE-L23-K CPH50-NEMA650-L23-K CPH50-NEMA1450-L23-K CPH50-HARDWIRE-L23 CPH50-NEMA14-50-L23 CPH50-NEMA6-50-L23,	
ChargePoint	CP6000, CP6021B-50A-L5.5, CP6023B-50A-L5.5, CP6021B-80A-L5.5, CP6023B-80A-L5.5, CP6021B-50A-L7, CP6023B-50A-L7, CP6021B-80A-L7, CP6023B-80A-L7, CP6013B-50A-L5.5, CP6011B-80A-L5.5, CP6013B-80A-L7, CP6011B-80A-L5.5-CHIP, CP6013B-80A-L7-CHIP, CP6013B-80A-L5.5-CHIP, CP6013B-80A-L7-CHIP, CP6021B-80A-L5.5-CHIP, CP6021B-80A-L7-CHIP, CP6023B-80A-L5.5-CHIP, CP6023B-80A-L7-CHIP, CP6613B-50A-L7, CP6613B-80A-L7, CP6623B-50A-L7, CP6623B-80A-L7	Level 2	80	240	19.2	2	18	2	CP6000,CP6013B-80A-L7, CP6020B-HD-GW-LTE-DUAL-CHIP, CP6010B-HD-GW-LTE-DUAL-CHIP, CP6621B-80A-L5.5, CP6611B-80A-L5.5, CP6621B-50A-L5.5, CP6611B-50A-L5.5, CP6623B-80A-L5.5, CP6613B-80A-L5.5, CP6623B-50A-L5.5, CP6613B-50A-L7, CP6611B-80A-L7, CP6621B-50A-L7, CP6611B-50A-L7, CP6011B-50A-L5.5, CP6011B-80A-L5.5-CHIP, CP6011B-80A-L7-CHIP, CP6013B-80A-L5.5-CHIP, CP6013B-80A-L7-CHIP, CP6021B-80A-L5.5-CHIP, CP6021B-80A-L7-CHIP, CP6023B-80A-L5.5-CHIP, CP6023B-80A-L7-CHIP, CP6613B-50A-L7, CP6613B-80A-L7, CP6623B-50A-L7, CP6623B-80A-L7	
ChargePoint	CT4000	Level 2	30	280	8.4	2	18	6	Electrical Vehicle Supply Equipment,CT4021,CT4011,CPC5-CT4021,CPC5-CT4023 CT4020,CT4020-GW1,CT4020-HD,CT4020-HD-F,CT4020-HD-GW,CT4020-HD-GW-LTE,CT4020-HD2-GW-LTE,CT4020-HD2-GW1-LTE-MV CT4021,CT4021-GW1,CT4021-HD,CT4021-HD-F,CT4021-HD-GW,CT4021-HD-GW-LTE,CT4025-HD2-GW1-LTE-MV CT4027,CT4027-GW1,CT4027-HD,	
CHARGETROINX	CTX-C40-240-2	Level 2	40	240	9.6	2	25	9	,CTX-C40-240-2	
CHARGETROINX	CTX-C80-240-1	Level 2	80	240	19.2	1	25	6	,CTX-C80-240-1	
CHARGETROINX	CTX-C80-240-2	Level 2	80	240	19.2	2	25	6	,CTX-C80-240-2	
CHARGETRONIX	CTX-C48-240-1	Level 2	48	240	11.52	1	25	8	,CTX-C32-240-1,,CTX-C40-240-1,	
Charge	CH-L-48-PRAC-1-18	Level 2	48	240	11.52	1	24	10	,CH-L-48-BPRA-1-18-32,,CH-L-48-BPRAC-1-18-32,,CH-L-48-PRA-1-18,,CH-L-48-PRA-1-18-32,,CH-L-48-PRA-1-25,,CH-L-48-PRA-1-25-32,,CH-L-48-PRAC-1-18-32,,CH-L-48-PRAC-1-25,,CH-L-48-PRAC-1-25-32,	
Charge	CH-L-48-PRACT-1-25	Level 2	48	240	11.52	1	25	16	,CH-L-48-BPRACT-1-18-32,,CH-L-48-PRACT-1-18,,CH-L-48-PRACT-1-18-32,,CH-L-48-PRACT-1-25-32,,CH-L-48-PRAT-1-18,,CH-L-48-PRAT-1-18-32,,CH-L-48-PRAT-1-25,,CH-L-48-PRAT-1-25-32,	
Control Module Inc.	3704-2000-W-20-93-41-51	Level 2	40	240	9.6	1	25	10	,370#-#000-W-##-##-##-##,,3722-00#-##-##-##-##,	
CYBER SWITCHING	CSE4/4G	Level 2	80	240	19.2	1	25	6		
DANLAW	EV-114A	Level 2	48	240	11.52	1	25	9	,EV-111A,,EV-112A,,EV-113A,	
Delta	EIAW-U11KSSU7AAA	Level 2	48	240	11.52	1	25	8		
Delta	EIAW-U11KSSU7A04	Level 2	48	240	11.52	1	25	8		
Deltran Battery Tender,	022-3019-XX-XX	Level 2	48	240	11.52	1	25	8	,022-3018-XX-XX,,022-3022-XX-XX,,022-3023-XX-XX,	
DeWalt	DXPAEV040	Level 2	40	240	9.6	1	25	8		
DeWalt	DXPAEV048	Level 2	48	240	11.52	1	25	8		
Dunamis	L2C40S	Level 2	50	240	12	2	20	8	,L2C40D,,L2C50D,,L2C50S,	
DynaChrg	DC-EVJ002-48	Level 2	48	240	11.52	1	25	8	,EVJ002,	
EATON	GMEV80CM1B-WC	Level 2	80	240	19.2	1	25	6	Green Motion EV Charger,GMEV80CM1B-WC,,Green Motion EV Charger,GMEV80CM1B-WCS,,Green Motion EV Charger,GMEV80CM1B-WCS,	
EATON	GMEV40CM1B-WC	Level 2	40	240	9.6	1	25	8	Green Motion EV Charger,GMEV40CM1B-WC,,Green Motion EV Charger,GMEV40CM1B-WCS,,Green Motion EV Charger,GMEV40CM1B-WCS,	
EATON	GMEV32BR-WC	Level 2	32	240	7.68	1	25	10	Green Motion EV Chargers:Wall charger, Wall charger plug-in BR Direct Connect Kit, BAB Direct Connect Kit, BRDirect Connect Kit with Junction Box, BAB Direct Connect Kit with Junction Box,GMEV32BR-WCPL,GMEV32BR-DC,GMEV32BAB-DC, GMEV32BR-JB,GMEV32BAB-JB,	
EATON	GMEV80CMC1B-XXX	Level 2	80	240	19.2	1	25	6		
EATON	GMEV80CM1B-XXX	Level 2	80	240	19.2	1	25	6		
EATON	GMEV80CM1B-WC	Level 2	80	240	19.2	1	25	6	GMEV80CMC1-WC,GMEV80CMC1-WC,	
EATON	GMEV80CIE1B-WC	Level 2	80	240	19.2	1	25	6	Green Motion EV Charger,GMEV80CIE1B-WC,	
EATON	GMEV40CIE1B-WC	Level 2	40	240	9.6	1	25	9	Green Motion EV Charger,GMEV40CIE1B-WC,	

Snohomish PUD #1 Qualified Products List

BPA Certified EV Chargers

Brand Name	Model Number	Product Type	Max Nameplate Output Current (A)	Input Voltage (V)	Maximum Output Power (kW)	Number of Outputs	Maximum Output Cord Length (ft.)	Output Cord Gauge (AWG)	Additional Model Information	
EATON	GMEV48CMC1-WC	Level 2	48	240	11.52	1	25	9	Green Motion Building Pro,GMEV48CME1-WC,	
ECOFLOW	EF-EVAC-9K6-DIY	Level 2	40	240	9.6	1	24	8		
ECOFLOW	EF-EVAC-11K5, EF-EVAC-11K5-DIY	Level 2	48	240	11.52	1	24	8		
ECOFLOW	EF-EVAC-11K5	Level 2	48	240	11.52	1	24	8		
ELECQ	AU107	Level 2	50	240	12	1	24	9	AC EV Charger,AU105,, AC EV Charger,AU106,, AC EV Charger,AU108,	
ELECQ	AU101	Level 2	40	240	9.6	1	24	10	AC EV Charger,AU102,	
Electric Avenue Manufacturing	EAWPLT48-25W11HWXX	Level 2	48	240	11.52	1	25	8		
Electric Avenue Manufacturing	EAWHG248-#HWI0PL**	Level 2	40	240	9.6	1	24	8		
ELECTRIFY CANADA LP	EC2R040IPA10-00	Level 2	40	240	9.6	1	25	10		
Electron Charger	EC-EVC10/48AC/01C/XX/RF/4G	Level 2	48	240	11.52	1	18	7		
Elite	EVM4-1-40A/32A/16A-9KW-BLE-WIFI, EVR4-1-40A/32A/16A-9KW-BLE-WIFI	Level 2	40	240	9.6	1	23	8		
Emporia	EMEVS1	Level 2	48	240	11.52	1	25	6	,EMC2-A,, EMC2-B,, EMEVS1-B,, EMEVS1-C,, EMEVS1-D,, EMEVS1-E,, EMEVS1-F,, EMEVS1-G,, EMEVS1-H,, EMEVS1-I,, EMEVS1-J,, EMEVS1-K,, EMEVS1-L,, EMEVS1-M,, EMEVS1-N,	
EN+	AC012K-HU-35	Level 2	50	240	12	1	23	8	,AC011K-HU-35,, AC011K-NU-35,, AC012K-NU-35,	
EN+	AC010K-AU-35	Level 2	40	240	9.6	1	23	8	,AC010K-GN-35,, AC010K-GU-35,, AC010K-NU-35,	
Enel X Way USA, LLC	2JBX801AJ-001	Level 2	80	240	19.2	1	24	8		
Enel X Way USA, LLC	2JBX481AJ	Level 2	48	240	11.52	1	24	16		
Enel X Way USA, LLC	2JBX801AJ	Level 2	80	240	19.2	1	24	8	,2JB880,, 2JC880,	
Enerouter	CP12-TU14H*	Level 2	40	240	9.6	1	25	9		
Enphase	IQ-EVSE-NA-1080-0100-0100	Level 2	64	240	15.36	1	25	8	,IQ-EVSE-NA-1040-0120-0100, IQ-EVSE-NA-1040-0110-0100, IQ-EVSE-NA-1040-0100-0100, IQ-EVSE-NA-1050-0120-0100, IQ-EVSE-NA-1050-0110-0100, IQ-EVSE-NA-1050-0100-0100, IQ-EVSE-NA-1060-0100-0100,	
Enphase	CS-100, CS-100C	Level 2	80	240	19.2	1	18	6		
Enphase	HSC-80	Level 2	64	240	15.36	1	25	8	,JQ-EVSE-NA-10XX-0101-0100 XX=40/50/60/80 HCS-40R-C30-L25-AYYY-170,HCS-50R-C30-L25-A141-280,HCS-60R-C30-L25-AYYY-179,HCS-80R-C30-L25-AYYY-180; YYY=130/141 HCS-40R-C30-L25-A132-PPP; PPP=262/173 HCS-60R-C30-L25-A132-QQQ; QQQ=253/183 HCS-80R-C30-L25-A132-184,	
EpicCharging	EC1/48AC/01C/XX/RF/4G	Level 2	48	240	11.52	1	18	7		
Espen	EVC/A48S/JXX/EG/5D	Level 2	48	240	11.52	1	18	7		
Espen	EVC/A48R/JXX/EW	Level 2	48	240	11.52	1	18	8	,EVC/A32R/JXX/EW,, EVC/A32R/JXX/EWG,, EVC/A40R/JXX/EW,, EVC/A40R/JXX/EWG,, EVC/A48R/JXX/EWG,	
Espen	EVC/A80	Level 2	80	240	19.2	1	25	6		
Espen	EVC/A48	Level 2	48	240	11.52	1	25	8		
eTreego Co.,LTD	ATLUE1-80AAS	Level 2	80	240	19.2	1	16	6	ATLUE1-32AAS,ATLUE1-32AAS,, ATLUE1-50AAS,ATLUE1-50AAS,	
EV charging	A7-OP-UL-SH	Level 2	32	240	7.68	1	25	10	Atlas_UL AC Commercial Charger,A7-OP-UL-Sp,	
EV charging	A9-OP-UL-SH	Level 2	40	240	9.6	1	25	8	Atlas_UL AC Commercial Charger,A9-OP-UL-Sp,	
EV charging	A11-OP-UL-SH	Level 2	48	240	11.52	1	25	7	Atlas_UL AC Commercial ChargerAtlas_UL AC Commercial Charger,A11-OP-UL-Sp,	
EVBOLT	EVB-AC-PAX11LNWF4G	Level 2	48	240	11.52	1	18	7	,EVB-AC-PAX11LNWF,	
EVBOLT, Inc.	EVB-AC-82X70HD-*****, EVB-AC-82X90HD-*****, EVB-AC-82X110HD-*****	Level 2	48	240	11.52	2	25	8		
EVBOX	E2300-845063	Level 2	30	240	7.2	1	15	10	EVbox-ELVI,E2300845063,	
EVBOX	IQ2303-C15463	Level 2	30	240	7.2	2	16	10	,IQ2303 C15463,	
EVBOX	E2300-855563	Level 2	30	240	7.2	1	20	10	ELVI,E2300-865063,E2300-875563,E2300865063,E2300875563,E2300855563,	
EverCharge	E800-1027	Level 2	48	240	11.52	1	18	12		
EverCharge Inc.	E800-1001	Level 2	80	240	19.2	1	24	6	,E800-1000,	
EVFastCharge / MOTEN EVFC	MTL-AC-EV48	Level 2	48	240	11.52	1	25	8		
EVIQO	EVIPOWER1	Level 2	40	240	9.6	1	25	8		
EVIQO	EVIPOWER248N	Level 2	48	240	11.52	1	25	9		
EVIQO	EVIPOWER240J	Level 2	40	240	9.6	1	25	10		
EVIQO	EVIPOWER240N	Level 2	40	240	9.6	1	25	10		
EVIQO	EVIPOWER248J	Level 2	48	240	11.52	1	25	9		
Evmode	EVM-2000	Level 2	48	240	11.52	1	16	8		
EvoCharge	EVO32-310-001-ESEVO32-310-001-E5	Level 2	32	240	7.68	1	25	10	,EVO32-310-002-E5,, EVO32-320-001,, EVO32-320-002,	
EvoCharge	W1-1962-7PT0	Level 2	40	240	9.6	1	25	10	,W1-1962-4PT0,, W1-1962-4PT1,, W1-1962-5PT0,, W1-1962-5PT1,, W1-1962-7PT1,	
EvoCharge	EVC80-310-001	Level 2	82	2.08	0.17	0	25	6		
EvoCharge	EVC50012001	Level 2	50	240	12	1	25	8	,EVC32061001,, EVC32062001,, EVC32063001,, EVC32064001,, EVC50011001,, EVC50013001,, EVC50014001,	
FLO	CoRe+	Level 2	30	240	7.2	1	25	10	,CoRe+ PS,	
FLO	FH-1-STA-X5	Level 2	32	240	7.68	1	25	10		
FLO	H0X6F2A1A1	Level 2	50	240	12	1	25	8	,H0X3F0*#*#, H0X3F2*#*#, H0X3N0*#*#, H0X3N2*#*#, H0X6F0*#*#, H0X6N0*#*#, H0X6N2*#*#,	

Snohomish PUD #1 Qualified Products List

BPA Certified EV Chargers

Brand Name	Model Number	Product Type	Max Nameplate Output Current (A)	Input Voltage (V)	Maximum Output Power (kW)	Number of Outputs	Maximum Output Cord Length (ft.)	Output Cord Gauge (AWG)	Additional Model Information
FLO	HOX8F2A1A1	Level 2	80	240	19.2	1	25	6	,HOX8F0*##,
FoMoCo	LI98-10C823-A followed by one character	Level 2	48	240	11.52	1	20	6	
FractalEV	FR-482C1DRNAJ	Level 2	48	240	11.52	1	25	9	
FractalEV	FR-802C1DRNAJ	Level 2	80	240	19.2	1	25	6	
Free2Move Charge	EMC2-A	Level 2	48	240	11.52	1	25	6	,EMC2-B,
GK	E18-48A-01	Level 2	48	240	11.52	1	16	8	
GM	EIAW-U11KSSU7E01	Level 2	48	240	11.52	1	25	8	
GM	EIAW-U11KSSU7E01	Level 2	48	240	11.52	1	25	8	PowerUp,EVAW-UA113WTG01,
GM - PowerUp	3004	Level 2	48	240	11.52	1	23	10	
GM - PowerUp	3005	Level 2	80	240	19.2	1	23	16	
GONEO	D3U-B48B	Level 2	48	240	11.52	1	25	8	
GONEO	D3U-B40B	Level 2	40	240	9.6	1	25	8	
GoPowerEV	S03R20-S1	Level 2	16	240	3.84	3	0	0	
Greenworks tools	EVC0640	Level 2	40	240	9.6	1	25	8	
Greenworks tools	EVC1648	Level 2	48	240	11.52	1	25	8	
Grizel-E	GRU-077-W-HW-25DJ80-A-GB	Level 2	80	240	19.2	1	25	6	,GRU-077-W-HW-25DJ80-A-GW,; GRU-077-W-HW-25DN48-A-GB,; GRU-077-W-HW-25DN48-A-GW,; GRU-077-W-HW-25JI48-A-GB,; GRU-077-W-HW-25JI48-A-GW,; GRU-077-W-HW-25IU80-A-FB,; GRU-077-W-HW-25IU80-A-GB,; GRU-077-W-HW-25SN48-A-GB,; GRU-077-W-HW-25SN48-A-GW,; GRU-077-W-HW-25SN80-A-GB,; GRU-077-W-HW-25SN80-A-GW,; GRU-077-W-HW-25TJ48-A-GB,; GRU-077-W-HW-25TJ48-A-GW,; GRU-077-W-HW-25TJ80-A-GB,; GRU-077-W-HW-25TJ80-A-GW,
Grizel-E	GRM-070-W-14-25DJ40-A-GB	Level 2	40	240	9.6	1	24	10	,GRM-070-W-14-25J40-A-GB,; GRM-070-W-14-25SN40-A-GB,; GRM-070-W-14-25TJ40-A-GB,
Grizel-E	GRS-14-24-P	Level 2	40	240	9.6	1	24	8	,GRS-14-24-AB,; GRS-14-24-PB,; GRS-14-24-PC,; GRS-6-24-AB,; GRS-6-24-P,; GRS-6-24-PB,
HBE	HBE-AC3A02ST-U-*#*****	Level 2	48	240	11.52	2	25	8	,HBE-AC40A02ST-U-*#*****,; HBE-AC48A02ST-U-*#*****,,
HONDA	EMEVSE1	Level 2	48	240	11.52	1	25	6	,EMEVSE1 - C - CA,; ,EMEVSE1 - C - US,; ,EMEVSE1 - D - CA,; ,EMEVSE1 - D - US,
ICAPIA	ICACOP32	Level 2	48	240	11.52	1	25	8	,ICACOP40,; ,ICACOP48,,
ICAPIA	ICACLS4040	Level 2	40	240	9.6	2	25	9	
ICAPIA	ICACLS4080	Level 2	80	240	19.2	2	25	6	
ICAPIA	ICACLS80	Level 2	80	240	19.2	1	25	6	
Injet	IM3C-09K6A	Level 2	40	240	9.6	1	25	6	
Injet	IM3C-11K5A	Level 2	48	240	11.52	1	25	6	
Injet	IM3C-15K6A	Level 2	65	240	15.6	1	25	6	
Injet	IM3C-19K2A	Level 2	80	240	19.2	1	25	6	
INTEGRA ENERGY	IE-EX-1193-1	Level 2	80	240	19.2	1	24	6	,IE-EX-1193-3,; ,IE-EX-1193-5,
INTEGRA ENERGY	IE-IC3-32A-H	Level 2	32	240	7.68	1	25	10	,IE-IC3-32A-N,; ,IE-SC3-32A-H,; ,IE-SC3-32A-N,
INVT	US	Level 2	48	240	11.52	1	25	8	EVC16-AW7KGF1W,US,; EVC16-AW9KGF1W,US,
IoCharger	IOCAH29-32****#	Level 2	40	240	9.6	1	25	9	,IOCAH29-40****#,
IoCharger	IOCAH28-32**R#	Level 2	50	240	12	1	25	8	,IOCAH28-40**R#,,; ,IOCAH28-50**R#,,
IoTecha	CCS-C80-LTE	Level 2	80	2.08	0.17	1	25	6	Electric Vehicle Charging Station,CCS-C80A,; Electric Vehicle Charging Station,CCS-C80A-25,; Electric Vehicle Charging Station,CCS-C80A-25LTE,; Electric Vehicle Charging Station,CCS-C80C,; Electric Vehicle Charging Station,CCS-C80C-D5,
IT's Electric	Brooklyn-718	Level 2	32	240	7.68	1	17	10	
Joint	JNT-EVC10/48AC/01C/XX/RF/4G	Level 2	48	240	11.52	1	18	7	
Joint	JNT-EVC15/48AC/01C/XX/RF/WF	Level 2	48	240	11.52	1	18	7	,JNT-EVC27/48AC/01C/XX/RF/WF,,
Joint	JNT-EVC10/80AC/01C/XX/RF/WF	Level 2	80	240	19.2	1	18	6	
Joint	JNT-EVM002/48AC/01C/XX/RF/4G	Level 2	48	240	11.52	1	25	8	
Joint	JNT-EVM005/2*48AC/01C/XX/RF/4G	Level 2	96	240	23.04	2	25	8	
Joint	JNT-EVH007/48AC/01C/**/RF/WF/4G	Level 2	48	240	11.52	1	25	7	
Joint	JNT-EVM002/80AC/01C/**/RF/4G	Level 2	80	240	19.2	1	25	6	
Joint	JNT-EVL007/48AC/01C/BK/RF/WF	Level 2	48	240.6	11.55	1	25	9	
KWEV	KW7AC/01C/XX/RF/WF	Level 2	32	240	7.68	1	18	10	
KWEV	KW11DAC/01C/XX/RF/WF/4G	Level 2	48	240	11.52	2	25	8	
Lectron	LECHG14-50-40ATSLBKUS-APP	Level 2	40	240	9.6	1	16	8	,LECHG14-50-40ATSLBKUS-APP,
LEDVANCE	78134	Level 2	48	240	11.52	1	25	8	EVC48ALVL2C1GY,78141,; EVC48ALVL2C1WH,78140,
LEDVANCE	78146	Level 2	48	240	11.52	1	18	8	
LEDVANCE	75899	Level 2	48	240	11.52	1	25	8	EVC/48A/LVL2/4G/C2/OR,75905,; EVC/48A/LVL2/4G/ISO/C2/OR,75906,; EVC/48A/LVL2/ISO/C2/OR,75900,

Snohomish PUD #1 Qualified Products List

BPA Certified EV Chargers

Brand Name	Model Number	Product Type	Max Nameplate Output Current (A)	Input Voltage (V)	Maximum Output Power (kW)	Number of Outputs	Maximum Output Cord Length (ft.)	Output Cord Gauge (AWG)	Additional Model Information
LEDVANCE	75901	Level 2	48	240	11.52	1	25	8	EVC/48A/LVL2/AG/CC/C2/OR,75927.; EVC/48A/LVL2/AG/ISO/CC/C2/OR,75907,
LEDVANCE	75902	Level 2	80	240	19.2	1	25	8	EVC/80A/LVL2/4G/C2/OR,75915.; EVC/80A/LVL2/4G/CC/C2/OR,75928.; EVC/80A/LVL2/4G/ISO/C2/OR,75925.; EVC/80A/LVL2/4G/ISO/CC/C2/OR,75926.; EVC/80A/LVL2/ISO/C2/OR,75903.; EVC/80A/LVL2/ISO/CC/C2/OR,75904,
Legrand	LNA-EVC1-48-XX1	Level 2	48	240	11.52	1	25	7	
Leviton	EV32W	Level 2	32	240	7.68	1	18	10	
Leviton	EV48W	Level 2	48	240	11.52	1	18	8	
Leviton	EV320	Level 2	32	240	7.68	1	18	10	
Leviton	EV480	Level 2	48	240	11.52	1	18	8	
Leviton	EV80W	Level 2	80	240	19.2	1	18	6	
Leviton	EV800	Level 2	80	240	19.2	1	18	6	
Leviton	EV485	Level 2	48	240	11.52	1	18	7	.EV485-F,
Leviton	EV805	Level 2	80	240	19.2	1	18	6	.EV805-F,
Leviton	EV40P	Level 2	40	240	9.6	1	25	9	
Leviton	EV48G	Level 2	48	240	11.52	1	25	8	
Leviton	EV80G	Level 2	80	240	19.2	1	25	6	
Leviton	EV48S-DP	Level 2	96	240	23.04	2	25	8	
Lite-On	EX-1193-1	Level 2	80	240	19.2	1	24	6	.EX-1193-2.; EX-1193-3.; EX-1193-5,
Lite-On	EX-1193-M	Level 2	80	240	19.2	1	24	6	.EX-1193-8.; EX-1193-E.; EX-1193-T,
Lite-On	EX-1193-MFD-48	Level 2	48	240	11.52	1	25	9	
Lite-On Technology Corp	IC3-32A-H	Level 2	32	240	7.68	1	25	10	.IC3-32A-N.; .SC3-32A-H.; .SC3-32A-N,
Lite-On Technology Corp	EX-1193-H, EX-1193-K	Level 2	80	240	19.2	1	23	6	.EX-1193-K,
LITE-ON Technology Corporation	W1-UC166-0TH1ER	Level 2	48	240	11.52	1	18	8	
LITE-ON Technology Corporation	W1-UC16A-00H1ER	Level 2	48	240	11.52	1	29	8	.W1-UC166-00H1ER.; .W1-UC168-00H1ER.; .W1-UC168-00J1EO,
LITE-ON Technology Corporation	IC3-40A-H	Level 2	40	240	9.6	1	25	10	.IC3-40A-N.; .SC3-40A-H.; .SC3-40A-N,
LITE-ON Technology Corporation	W1-UC168-0MK1ER	Level 2	48	240	11.52	1	24	45878	W1-UC168-0MF1FR,W1-UC168-0MF1FR (ADV+ 48A),
LITE-ON Technology Corporation	W1-UC168-0ML1EP	Level 2	48	240	11.52	1	25	45878	W1-UC168-0MJ1EP,W1-UC168-0MJ1EP,
LITE-ON Technology Corporation	W1-UC168-0MF1FO (SC 48A)	Level 2	48	240	11.52	1	24	45878	
LITE-ON Technology Corporation	W1-UC168-0MF1FO (ADV 48A)	Level 2	48	240	11.52	1	24	45878	
LITE-ON Technology Corporation	W1-UC168-00M1EO	Level 2	48	240	11.52	1	24	9	
Longhorn	ECA-NC48025-***	Level 2	48	240	11.52	1	25	8	.ECA-NC32025-***.;; .ECA-NC40025-***,
Longhorn	ECA-NH48065-***	Level 2	48	240	11.52	1	25	8	.ECA-NC32065-***.;; .ECA-NH40065-***,
Longhorn	ECA-NC80025-SG80-***	Level 2	80	240	19.2	1	25	6	
Longhorn	ECA-NC80025-DG40-***	Level 2	40	240	9.6	2	25	9	
Longhorn	ECA-NC80025-DG80-***	Level 2	80	240	19.2	2	25	6	
LONGSUN	EVC-WB50	Level 2	48	240	11.52	1	25	8	
LONGSUN	EVC-WB50A	Level 2	40	240	9.6	1	25	8	
Loop Global Inc	EVS-32A-L2-001	Level 2	32	240	7.68	1	25	10	.EVS-32A-L2-002,
Loop Global Inc	EVS-80A-L2-001	Level 2	80	240	19.2	1	24	6	.EVS-80A-L2-002,
Loop Global Inc	EVS-40A-L2-001	Level 2	40	240	9.6	1	25	10	.EVS-40A-L2-002,
Linkwell	LW101-AC48-N	Level 2	48	240	11.52	1	18	6	.LW101-AC48-G,
MAXPEEDINGRODS	EV-7M40A	Level 2	40	240	9.6	1	16	8	
MAZDA	KMV6-V7460	Level 2	48	240	11.52	1	26	6	
MES	MES-EV-LH-DG40	Level 2	40	240	9.6	2	25	9	
MES	MES-EV-LH-DG80	Level 2	80	240	19.2	2	25	6	
MES	MES-EV-LH-SG80	Level 2	80	240	19.2	1	25	6	
MES	MES-EV-TS-5-DG40-WM-US-R, MES-EV-TS-5-DG40-WM-US-RG, MES-EV-TS-5-DG40-WM-US-RP, MES-EV-TS-5-DG40-WM-US-RGP, MES-EV-TS-5-DG80-WM-US-R, MES-EV-TS-5-DG80-WM-US-RG, MES-EV-TS-5-DG80-WM-US-RP, MES-EV-TS-5-DG80-WM-US-RGP,	Level 2	80	240	19.2	2	18	10	.MES-EV-TS-5L-DG40-WM-US-R, MES-EV-TS-5L-DG40-WM-US-RG, MES-EV-TS-5L-DG40-WM-US-RP, MES-EV-TS-5L-DG40-WM-US-RGP, MES-EV-TS-5L-DG80-WM-US-R, MES-EV-TS-5L-DG80-WM-US-RG, MES-EV-TS-5L-DG80-WM-US-RP, MES-EV-TS-5L-DG80-WM-US-RGP,
MIDA,	MD-EVH-32AB	Level 2	48	240	11.52	1	18	8	.MD-EVC-32ABR.; .MD-EVC-32ABR-4G.; .MD-EVC-40ABR.; .MD-EVC-40ABR-4G.; .MD-EVC-48ABR-4G.; .MD-EVC-48ABR.; .MD-EVH-32ABR.; .MD-EVH-40AB.; .MD-EVH-40ABR.; .MD-EVH-48AB.; .MD-EVH-48ABR,
MSI	MS-XP01	Level 2	60	240	14.4	1	25	6	MS-XP01 32A,MS-XP01 32A,
N/A	EVCA48A/RE/R/25C	Level 2	48	240	11.52	1	25	8	
noodoe	AC11P	Level 2	48	240	11.52	1	18	7	.AC11P Exceed,

Snohomish PUD #1 Qualified Products List

BPA Certified EV Chargers

Brand Name	Model Number	Product Type	Max Nameplate Output Current (A)	Input Voltage (V)	Maximum Output Power (kW)	Number of Outputs	Maximum Output Cord Length (ft.)	Output Cord Gauge (AWG)	Additional Model Information	
OpConnect	OC-IC3-32A-H	Level 2	32	240	7.68	1	25	10	,OC-SC3-32A-N,	
OpConnect Inc	IC80	Level 2	80	240	19.2	1	24	6	,SC80,	
Pando Electric	Pando 001I	Level 2	40	240	9.6	1	0	0		
Parasol Elite Power	UEVC11-4810-RLW-PEP	Level 2	48	240	11.52	1	15	8	,UEVC11-3210-RLW-PEP-,,UEVC11-4010-RLW-PEP,	
PHIHONG	AXLU111001D	Level 2	48	240	11.52	1	18	7	,AXLU111001W,	
PointGuard	PG EVAC 9.6 WI T1 N6 WH	Level 2	40	240	9.6	1	25	10		
PointGuard	PG EVAC 9.6 WI TS N6 WH	Level 2	40	240	9.6	1	25	10		
PointGuard	PG EVAC 9.6 WI T1 N14 WH	Level 2	40	240	9.6	1	25	10		
PointGuard	PG EVAC 9.6 WI TS N14 WH	Level 2	40	240	9.6	1	25	10		
PointGuard	PG EVAC 11.5 WI T1 WH	Level 2	48	240	11.52	1	25	9		
PointGuard	PG EVAC 11.5 WI TS WH	Level 2	48	240	11.52	1	25	9		
PortFi	PORTFI40A@240V/RF/4G	Level 2	40	240	9.6	1	25	8		
PowerCharge	E20-SWP-GW-ATT-E5	Level 2	32	240	7.68	1	25	10	,E20-SWP-GW-VER-E5,,E20-SWP-NGW,	
PowerCharge	E35-SWP-GW-ATT-E5	Level 2	40	240	9.6	1	25	10	,E35-SWP-GW-VER-E5,,E35-SWP-NGW-E5,	
PowerCharge	IC80A	Level 2	80	240	19.2	1	24	6		
PowerPump	AC5500	Level 2	40	240	9.6	1	23	8		
PowerPump	"AC5500 AC4500 ACL4500"	Level 2	40	240	9.6	1	23	8	PowerPump,"AC4500 ACL4500",	
PURPL	AP3P400-EVSE-3R (AEVBOX2-80-25)	Level 2	80	240	19.2	2	25	8	,AP3P400-EVSE-1, AEVPED1-80-18, AEVPED1-80-25, AEVPED2-80-18, AEVPED2-80-25, AEVPED1-48-18, AEVPED1-48-25, AEVPED2-48-18, AEVPED2-48-25, AEVBOX1-80-18, AEVBOX1-80-25, AEVBOX2-80-18, AEVBOX1-48-18, AEVBOX1-48-25, AEVBOX2-48-18, AEVBOX2-48-25,	
Qcharge	QAC2-BC-80	Level 2	80	240	19.2	1	18	7	,QAC2-BC-32,208-240VAC, 32A; ,QAC2-BC-40,208-240VAC, 40A; ,QAC2-BC-48,208-240VAC, 48A; ,QAC2-BC-80,208-240VAC, 80A	
RAB	EVC80	Level 2	80	240	19.2	1	25	6		
RAB	EVC48	Level 2	48	240	11.52	1	18	7		
RAB	EVC32/LCB	Level 2	32	240	7.68	1	16	10		
RAB	EVC40/LCB	Level 2	40	240	9.6	1	15	9		
RIPPLEON	ROCC08*	Level 2	48	240	11.52	1	25	8		
Rivian Automotive LLC	PT00261633	Level 2	48	240	11.52	1	29	8	,PT00057325,,PT00340197,,PT00401761,	
Rivian Automotive LLC	PT01314089	Level 2	48	240	11.52	1	24	9		
Schneider	PROAC80US11772EVC	Level 2	80	240	19.2	1	25	6	PROAC48US11772EVC,PROAC48US11772EVC,	
Schumacher	SEV1600P1450	Level 2	40	240	9.6	1	25	8	,EV-2,	
Schumacher	SEV1600P650	Level 2	40	240	9.6	1	25	8		
Schumacher	SEV1600HW	Level 2	50	240	12	1	25	8	,EV-1,,SAV1656HW,	
SemaConnect	Model 620	Level 2	30	240	7.2	1	18	10	SemaConnect,520,	
SemaConnect	630	Level 2	30	240	7.2	1	18	10		
SemaConnect	730	Level 2	30	240	7.2	2	18	10		
SemaConnect	530	Level 2	30	240	7.2	1	18	10		
SemaConnect	780	Level 2	80	240	19.2	2	18	6		
SemaConnect	450	Level 2	50	240	12	1	25	6		
SemaConnect	880	Level 2	80	240	19.2	2	18	6		
Siemens Industry Inc	8EM1312-5CF18-0FA3	Level 2	48	240	11.52	1	21	16	,8EM1312-4CF18-0FA3,	
Siemens Industry Inc	8EM1315-5CG14-0GA0	Level 2	48	240	11.52	1	25	16	,8EM1310-4CF14-0GA0,,8EM1310-4HF14-0GA0,,8EM1310-5HF14-0GA0,,8EM1314-5CG18-0FA3,,8EM1315-SHG14-0GA0,,EM1310-5CF14-0GA0,	
Siemens Industry Inc	8EM1317-5CG14-1GA2	Level 2	48	240	11.52	1	25	16	,8EM1310-4CF14-1GA2,,8EM1310-4HF14-1GA2,,8EM1310-5CF14-1GA2,,8EM1310-5CG14-1GA2,,8EM1310-5HF14-1GA2,,8EM1314-5CG14-2FA2,,8EM1315-5CG14-1GA2,,8EM1315-SHG14-1GA2,	
Siemens Industry Inc	8EM1315-7BG16-0FH0	Level 2	80	240	19.2	1	25	6		
Siemens Industry Inc	8EM1315-7BG16-1FH2	Level 2	80	240	19.2	1	25	6		
Sinexcel	SEA240/40I-U-6Y	Level 2	40	240	9.6	1	25	8	,SEA240/40I-U-14W,,SEA240/40I-U-14Y,,SEA240/40I-U-6W,	
Sinexcel	SEA240/48I-U-HY	Level 2	48	240	11.52	1	25	8	,SEA240/48I-U-HW,	
Solar Edge	SE-EV-SA-US-40*	Level 2	40	240	9.6	1	24	8		
SolaX Power	A1-HAC-8K	Level 2	48	240	11.52	1	23	8	,A1-HAC-10K,,A1-HAC-10K-B,,A1-HAC-10K-BN,,A1-HAC-10K-N,,A1-HAC-12K,,A1-HAC-12K-B,,A1-HAC-12K-BN,,A1-HAC-12K-N,,A1-HAC-8K-B,,A1-HAC-8K-BN,,A1-HAC-8K-N,	
SP-NICE,	NS240V/32AUS-H01R001	Level 2	48	240	11.52	1	18	8	,NS240V/32AUS-C01R001,,NS240V/32AUS-H01R002,,NS240V/40AUS-C01R001,,NS240V/40AUS-H01R002,,NS240V/40AUS-C01R001,,NS240V/40AUS-H01R001,,NS240V/40AUS-H01R002,,NS240V/48AUS-C01R001,,NS240V/48AUS-H01R002,,NS240V/48AUS-H01R001,,NS240V/48AUS-H01R002,	

Snohomish PUD #1 Qualified Products List
BPA Certified EV Chargers

Brand Name	Model Number	Product Type	Max Nameplate Output Current (A)	Input Voltage (V)	Maximum Output Power (kW)	Number of Outputs	Maximum Output Cord Length (ft.)	Output Cord Gauge (AWG)	Additional Model Information
Star Charge	AC0192AN0300403##	Level 2	80	240	19.2	1	25	8	,AC0076AN0300002##;; ,AC0076AN030003##;; ,AC0076AN0300012##;; ,AC0076AN0300013##;; ,AC0076AN0300302##;; ,AC0076AN0300303##;; ,AC0076AN0300312##;; ,AC0076AN0300313##;; ,AC0076AN0300402##;; ,AC0076AN0300403##;; ,AC0076AN0300412##;; ,AC0076AN0300413##;; ,AC0076AN0300902##;; ,AC0076AN0300903##;; ,AC0076AN0300912##;; ,AC0076AN0300913##;; ,AC0076AN0301002##;; ,AC0076AN0301003##;; ,AC0076AN0301012##;; ,AC0076AN0301013##;; ,AC0076AN0301203##;; ,AC0076AN0301212##;; ,AC0076AN0301213##;; ,AC0076AN0301302##;; ,AC0076AN0301303##;; ,AC0076AN0301312##;; ,AC0076AN0301313##;; ,AC0096AN0300002##;; ,AC0096AN0300003##;; ,AC0096AN0300012##;; ,AC0096AN0300013##;; ,AC0096AN0300102##;; ,AC0096AN0300103##;; ,AC0096AN0300112##;; ,AC0096AN0300113##;; ,AC0096AN0300302##;; ,AC0096AN0300303##;; ,AC0096AN0300312##;; ,AC0096AN0300313##;; ,AC0096AN0300402##;; ,AC0096AN0300403##;; ,AC0096AN0300412##;; ,AC0096AN0300413##;; ,AC0096AN0300902##;; ,AC0096AN0300903##;; ,AC0096AN0300912##;; ,AC0096AN0300913##;; ,AC0096AN0300913##;; ,AC0096AN0301002##;; ,AC0096AN0301003##;; ,AC0096AN0301012##;; ,AC0096AN0301013##;; ,AC0096AN0301202##;; ,AC0096AN0301203##;; ,AC0096AN0301212##;; ,AC0096AN0301213##;; ,AC0096AN0301302##;; ,AC0096AN0301303##;; ,AC0096AN0301312##;; ,AC0096AN0301313##;; ,AC0115AN0300002##;; ,AC0115AN0300003##;; ,AC0115AN0300012##;; ,AC0115AN0300013##;; ,AC0115AN0300102##;; ,AC0115AN0300103##;; ,AC0115AN0300112##;; ,AC0115AN0300113##;; ,AC0115AN0300202##;; ,AC0115AN0300203##;; ,AC0115AN0300312##;; ,AC0115AN0300313##;; ,AC0115AN0300402##;; ,AC0115AN0300403##;; ,AC0115AN0300412##;; ,AC0115AN0300413##;; ,AC0120AN0300002##;; ,AC0120AN0300003##;; ,AC0120AN0300012##;; ,AC0120AN0300013##;; ,AC0120AN0300102##;; ,AC0120AN0300103##;; ,AC0120AN0300112##;; ,AC0120AN0300113##;; ,AC0120AN0300302##;; ,AC0120AN0300303##;; ,AC0120AN0300312##;; ,AC0120AN0300313##;; ,AC0120AN0300402##;; ,AC0120AN0300403##;; ,AC0120AN0300412##;; ,AC0120AN0300413##;; ,AC0120AN0300413##;; ,AC0192AN0300002##;; ,AC0192AN0300003##;; ,AC0192AN0300012##;; ,AC0192AN0300013##;; ,AC0192AN0300302##;; ,AC0192AN0300303##;; ,AC0192AN0300312##;; ,AC0192AN0300313##;; ,AC0192AN0300402##;; ,AC0192AN0300412##;; ,AC0192AN0300413##;;
Star Charge	AC0192AN0300703##	Level 2	80	240	19.2	1	25	8	,AC0076AN0300602##;; ,AC0076AN0300603##;; ,AC0076AN0300612##;; ,AC0076AN0300613##;; ,AC0076AN0300702##;; ,AC0076AN0300703##;; ,AC0076AN0300712##;; ,AC0076AN0300713##;; ,AC0076AN0301502##;; ,AC0076AN0301503##;; ,AC0076AN0301512##;; ,AC0076AN0301513##;; ,AC0076AN0301602##;; ,AC0076AN0301603##;; ,AC0076AN0301612##;; ,AC0076AN0301613##;; ,AC0096AN0300602##;; ,AC0096AN0300603##;; ,AC0096AN0300612##;; ,AC0096AN0300613##;; ,AC0096AN0300702##;; ,AC0096AN0300703##;; ,AC0096AN0300712##;; ,AC0096AN0300713##;; ,AC0096AN0301502##;; ,AC0096AN0301503##;; ,AC0096AN0301512##;; ,AC0096AN0301513##;; ,AC0096AN0301602##;; ,AC0096AN0301603##;; ,AC0096AN0301612##;; ,AC0096AN0301613##;; ,AC0115AN0300612##;; ,AC0115AN0300613##;; ,AC0115AN0300602##;; ,AC0115AN0300603##;; ,AC0115AN0300702##;; ,AC0115AN0300703##;; ,AC0115AN0300712##;; ,AC0115AN0300713##;; ,AC0120AN0300612##;; ,AC0120AN0300613##;; ,AC0120AN0300602##;; ,AC0120AN0300603##;; ,AC0120AN0300702##;; ,AC0120AN0300703##;; ,AC0120AN0300712##;; ,AC0120AN0300713##;; ,AC0192AN0300602##;; ,AC0192AN0300603##;; ,AC0192AN0300702##;; ,AC0192AN0300703##;; ,AC0192AN0300712##;; ,AC0192AN0300713##;; ,AC0192AN0300612##;; ,AC0192AN0300613##;; ,AC0192AN0300702##;; ,AC0192AN0300712##;; ,AC0192AN0300713##;;
sunpoint	UEVC1L-4810-RLW	Level 2	48	240	11.52	1	15	8	,UEVC1L-3210-RLW,; ,UEVC1L-4010-RLW,
Tcharge	UAC 80	Level 2	80	240	19.2	1	25	6	
Tcharge	UAC 50	Level 2	50	240	12	1	25	6	
TELLUS	UP160J	Level 2	30	240	7.2	2	18	10	
Tera,	ZB04-U011K**-*###	Level 2	48	240	11.52	1	25	8	
Tera,	ZA05-U007K**-*###	Level 2	32	240	7.68	1	25	10	
TESSAN	CH-EV201W	Level 2	48	240	11.52	1	25	8	
TESSAN	CH-EV001W	Level 2	40	240	9.6	1	25	8	,CH-EV101W,
The Trivial Company	TEV10/32A/WF-RF	Level 2	32	240	7.68	1	18	10	
TOPBAND	TBAC3111USH-LJK	Level 2	48	240	11.52	1	17	8	
TOPBAND	TBAC3091USH-LJK	Level 2	40	240	9.6	1	17	8	
TOPBAND	TB80USMIX followed by1, 2, 3, 4, 5, 6, 7 or 8	Level 2	80	240	19.2	1	25	8	,followed by YOZ1,
TOPBAND	TBAC3111USH-LJK	Level 2	48	240	11.52	1	15	8	,TB48USMIX#YOZ1TBAC3111USHT-LJK,; ,TB48USMTX#YOZ1,; ,TBAC3091USH-LJK,; ,TBAC3091USH-LJK-TY,; ,TBAC3091USHT-LJK-TY,; ,TBAC3091USHT-LJK-TY,; ,TBAC3111USH-LJK-TY,; ,TBAC3111USHT-LJK-TY,; ,TBAC3111USHT-LJK-TY,; ,TPC-C01R-32A,; ,TPC-C01R-40A,; ,TPC-C01R-48A,; ,TPC-C01RPro-32A,; ,TPC-C01RPro-40A,; ,TPC-C01RPro-48A,; ,TPC-H01R-40A,; ,TPC-H01R-48A,; ,TPC-H01RPro-32A,; ,TPC-H01RPro-40A,; ,TPC-H01RPro-48A,
Topcharge	TPC-H01R-32A	Level 2	48	240	11.52	1	18	8	
Topstar	TSE240V/32AUS-H01R001	Level 2	48	240	11.52	1	18	8	,TSE240V/32AUS-C01R001,; ,TSE240V/32AUS-C01R002,; ,TSE240V/32AUS-H01R002,; ,TSE240V/40AUS-C01R001,; ,TSE240V/40AUS-C01R002,; ,TSE240V/40AUS-H01R001,; ,TSE240V/40AUS-H01R002,; ,TSE240V/48AUS-C01R001,; ,TSE240V/48AUS-C01R002,; ,TSE240V/48AUS-H01R001,; ,TSE240V/48AUS-H01R002,
Turnongreen	CPEVAC-11KW-117-W	Level 2	48	240	11.52	1	18	7	,CPEVAC-11KW-117-WG,
TYPES	ACS33489	Level 2	40	240	9.6	1	24	9	
Ubiquiti Inc.	UC-EV-Station-Lite	Level 2	50	240	12	1	22	11	
Ubiquiti Inc.	UC-EV-Station-Pro	Level 2	50	240	12	1	22	11	
WAIZIDA	EU-ACHW**-48-**#*	Level 2	48	240	11.52	1	25	8	
WALLBOX	PUP2-U-1-6-C-002	Level 2	48	240	11.52	1	24	10	,PUP2-0-1-5-N-**2,; ,PUP2-0-1-5-N-002,; ,PUP2-0-1-6-C-**2,; ,PUP2-0-1-6-C-002,; ,PUP2-U-1-5-N-**2,; ,PUP2-U-1-5-N-002,; ,PUP2-U-1-6-C-**2,; ,PUP2-U-1-6-C-002,
WALLBOX	PUP1-U-1-6-C-002	Level 2	48	240	11.52	1	25	18	,PUP1-U-1-5-0-**2,; ,PUP1-U-1-5-0-002,; ,PUP1-U-1-5-C-**2,; ,PUP1-U-1-5-C-002,; ,PUP1-U-1-5-G-**2,; ,PUP1-U-1-5-G-002,; ,PUP1-U-1-5-N-**2,; ,PUP1-U-1-5-N-002,; ,PUP1-U-1-6-0-**2,; ,PUP1-U-1-6-0-002,; ,PUP1-U-1-6-C-**2,
WALLBOX	PUP3-*1-1-6-C-*2	Level 2	48	240	11.52	1	25	9	Pulsar Pro,PUP3-*1-1-5-N-*2,
Webasto	5112300A	Level 2	48	240	11.52	1	20	6	
WEEYU	M3P140U	Level 2	40	240	9.6	1	16	8	
WOLFBX	E50	Level 2	50	240	12	1	25	9	

Snohomish PUD #1 Qualified Products List

BPA Certified EV Chargers

Brand Name	Model Number	Product Type	Max Nameplate Output Current (A)	Input Voltage (V)	Maximum Output Power (kW)	Number of Outputs	Maximum Output Cord Length (ft.)	Output Cord Gauge (AWG)	Additional Model Information
WOLFBOX	E40	Level 2	40	240	9.6	1	25	9	
WPT	WPTAC-9KW-S24-TD	Level 2	40	240	9.6	1	24	9	,WPTAC-9KW-S18-TD,
WPT	WPTAC-7KW-S24-TD	Level 2	32	240	7.68	1	24	10	,WPTAC-7KW-S18-TD,
WPT	WPTAC-11KW-S24-TD	Level 2	48	240	11.52	1	24	7	,WPTAC-11KW-S18-TD,
Yiwei	EV-SAE-ACI6-P	Level 2	48	240	11.52	1	25	8	,EV-SAE-AC32-P,,EV-SAE-AC40-P,,EV-SAE-AC48-P,
ZEF Energy Inc.	ZEFNET-40-U	Level 2	64	240	15.36	1	25	7	,ZEFNET-40-C,208 / 240 Volts 32A; ,ZEFNET-40-U,208 / 240 Volts 32A; ,ZEFNET-40-U-E,208 / 240 Volts 32A; ,ZEFNET-50-U,208 / 240 Volts 40A; ,ZEFNET-50-U-E,208 / 240 Volts 40A; ,ZEFNET-60-C,208 / 240 Volts 48A; ,ZEFNET-60-U,208 / 240 Volts 48A; ,ZEFNET-60-U-E,208 / 240 Volts 48A; ,ZEFNET-80-C,208 / 240 Volts 64A; ,ZEFNET-80-U,208 / 240 Volts 64A; ,ZEFNET-80-U-E,208 / 240 Volts 64A
									,ZEFNET-80-U-E,208 / 240 Volts 64A
Zerova	AXLU111001D	Level 2	48	240	11.52	1	18	7	,AXLU111001W,
Zerova	AXLU191001D	Level 2	80	240	19.2	1	25	6	,AXLU191001W,
Zerova	AXLU111001-40 AXLU111001-32	Level 2	48	240	11.52	1	18	7	Electric Vehicle Supply Equipment,"AXLU111001-40 AXLU111001-32 ",different rating for output, AXLU111001D output rating is 48A; AXLU111001-40 output rating is 40A; AXLU111001-32 output rating is 32A
Zerova	AWLU111001	Level 2	48	240	11.52	1	25	8	EV Charger Station,AXLU111009D, AXLU111009W,
Zerova	AXLU191001D	Level 2	80	240	19.2	1	16	6	AXLU191001D,AXLU191001W,
Zopoise,	ZA05-U007K**.*###	Level 2	32	240	7.68	1	25	10	,ZA10-U007K**.*###,
Zopoise,	ZB04-U011K**.*###	Level 2	48	240	11.52	1	25	8	