



Snohomish County PUD Satellite Water Systems

# 2024 Annual Water Quality Report

Your  
Water is  
Safe to  
Drink!



Inside

Where Your Water Comes From.....2

General Information .....3

Definition of Terms.....4

Testing Results ..... 5 - 9

Contact Us .....Back

**S**NOHOMISH COUNTY PUD is pleased to report that your drinking water complies with federal and state drinking water quality standards. This report summarizes the key findings of the PUD’s 2024 water quality testing program. It illustrates the utility’s commitment to delivering the highest quality drinking water.

Each year, the PUD prepares a Water Quality Report for its customers. We want you to know where your water comes from, how it is treated and that it is safe to drink. The purpose of this report is to help people, especially those with special health needs, make informed decisions about their drinking water.

Special Health Information

*Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons – such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants – can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).*

# Where Your Water Comes From **SATELLITE SYSTEMS**

**T**he PUD relies on groundwater from wells to supply its satellite water systems, including the Warm Beach, May Creek, Skylite Tracts, Sunday Lake, 212 Market & Deli, and Otis systems. These systems are anticipated to remain as detached satellite systems for the foreseeable future.

The Kayak and Warm Beach Systems were connected in 2022 and now operate as a contiguous **WARM BEACH SYSTEM**, which is located on Port Susan Bay, about 10 miles northwest of Marysville. The two subsystems normally operate separately, but if low water pressure occurs in the Warm Beach subsystem, control valves automatically open to supply water from the Kayak subsystem. Both areas have treatment to remove iron and manganese and chlorination to deter microbial growth. Treated water from the two Kayak wells is sent directly into distribution and fills a concrete storage reservoir. In the Warm Beach subsystem, the well water is sent to a steel storage reservoir and the distribution system. In 2024, the Water Utility upgraded the Warm Beach Treatment Plant. These improvements include increased storage capacity for treatment compounds, recycling of backwash water, and installation of a larger generator that ensures reliable power supply to the entire treatment plant.

The **MAY CREEK SYSTEM**, located near Gold Bar, supplies water to the May Creek community and surrounding area. The water is supplied by wells and is chlorinated before being sent to two concrete storage reservoirs and the distribution system.

The **SKYLITE TRACTS SYSTEM** is supplied water from a well at the entrance to the development. The well water is chlorinated and sent to the adjacent concrete reservoir where it is aerated to reduce the levels of carbon dioxide in the groundwater as a corrosion control measure. Water is then pumped out of the reservoir to supply the distribution system.

The **SUNDAY LAKE** community is supplied water by a well located to the west of the lake. The water receives treatment for iron and manganese removal, is chlorinated and then sent to the distribution system and a concrete storage reservoir.

The **212 MARKET & DELI SYSTEM** supplies water to a gas station and convenience store located on Old Highway 99 North near Stanwood. The system is supplied by a well that pumps water to a concrete storage tank. The water is chlorinated as it is pumped to the tank, and then a service pump moves the treated water to three captive air tanks. The water is then delivered to the convenience store.

The **OTIS SYSTEM** supplies water to four homes (with a maximum of five), just north of 196th Street NE on Burn Road. The system is supplied by a well that provides water through four captive air/bladder tanks to the distribution system. The PUD voluntarily collects samples for the most common contaminants, and all results continue to be below allowable levels.

## General Information About Drinking Water

### Substances Expected to be in Drinking Water

To ensure that tap water is safe to drink, the Washington State Department of Health (DOH) and the U.S. Environmental Protection Agency (EPA) set regulations limiting the amount of certain contaminants in the water provided by public water systems. The U.S. Food & Drug Administration (FDA) and the Washington State Department of Agriculture regulations establish limits for contaminants in bottled water that must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at 1-800-426-4791.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals – in some cases, radioactive material – and substances resulting from the presence of animals or from human activity. The following substances may be present in source water (drinking water quality is determined by testing for these contaminants).

#### Microbial contaminants

such as viruses and bacteria

May come from wildlife, agricultural livestock or septic systems.

#### Inorganic contaminants

such as salts and metals

Can occur naturally or may result from urban storm-water runoff, industrial or domestic wastewater discharges, mining or farming.

#### Pesticides & herbicides

May come from a variety of sources such as farming, urban stormwater runoff, and homes or businesses.

#### Organic contaminants

including synthetic & organic chemicals

Are by-products of industrial processes and petroleum production and may also come from gas stations, urban stormwater runoff and septic systems.

#### Radioactive contaminants

Can be naturally occurring or may be the result of oil and gas production and mining activities

### Water Conservation Requirements

The Water Use Efficiency Rule sets planning requirements, leakage standards and water conservation goal setting and reporting requirements. The PUD's 2024 demand-side and supply-side conservation goal results:

	Goal	2024 Results	How Goal was Met
Demand-Side	Participate in Everett's program to help reduce regional water demand by about 1.4 MGD between 2020 and 2029 (about a 2% reduction compared to projected 2029 demand, or 0.2% savings annually).	The total regional savings were estimated to be 0.69 MGD.	Public outreach and education, including school presentations, plus distribution of indoor/outdoor conservation kits.
Supply-Side	Maintain the PUD's distribution system leakage below the state standard of 10% and strive to progressively achieve lower percentages of lost water, where possible.	5.2% PUD Distribution System Leakage (combined result for all PUD water systems)	Continued emphasis on accurate water usage reporting with PUD crews and local fire departments and with repair of discovered leaks.





## How Do I Read This Report?

The **Maximum Allowable** column provides you with the maximum level established by the EPA or the DOH. These are standards that all drinking water suppliers serving over 15 customers must meet.

The **Minimum/Maximum Range** and **Average Value** show you the contaminant level detected in the water analysis test.

The **last column tells you whether or not the test complies** with regulations. A “YES” indicates that the range detected is within EPA regulations.

Snohomish County PUD also regularly performs tests for unregulated compounds for which state and federal agencies have not set standards at this time.



## Definition of Terms Used in This Report

**AL (Action Level):** The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements that a water system must follow.

**MCL (Maximum Contaminant Level):** The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible, using the best available treatment technology.

**MCLG (Maximum Contaminant Level Goal):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**MRDL (Maximum Residual Disinfectant Level):** The highest level of disinfectant allowed in drinking water. There is convincing evidence that the addition of a disinfectant (e.g., chlorine, chloramines, chlorine dioxide) is necessary for control of microbial contaminants.

**MRDLG (Maximum Residual Disinfectant Level Goal):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect

the benefits of the use of disinfectants to control microbial contaminants.

**N/A:** The EPA has not set MCLGs for these substances.

**ND:** Not detected.

**NTU (Nephelometric Turbidity Units):** Measurement of the clarity, or turbidity, of water.

**ppm (parts per million):** One part per million (equivalent to one dollar in \$1,000,000).

**ppb (parts per billion):** One part per billion (equivalent to one dollar in \$1,000,000,000).

**SMCL (Secondary Maximum Contaminant Level):** These standards are developed to protect the aesthetic qualities of drinking water and are not health-based.

**TT (Treatment Technique):** A required process intended to reduce the level of a contaminant in drinking water.

## MAY CREEK WATER SYSTEM PWSID# 521050 (NEAR GOLD BAR)

Substance	Major Source	Units	EPA Regulations		Your Water Testing Results		
			Maximum Goal (MCLG)	Maximum Allowable (MCL)	Min./Max. Range	Average Value	Comply?
Total Coliform Bacteria <sup>1</sup>	Naturally present in the environment	Samples positive	0	1 positive per month	0	0	YES

<sup>1</sup>Total coliform bacteria testing is used to monitor microbial quality in the water distribution system. The PUD collects two coliform samples per month. No unsatisfactory results were detected.

Substance	Major Source	Units	EPA Regulations		Your Water Testing Results		
			Maximum Goal (MCLG)	Maximum Allowable (MCL)	Min./Max. Range	Average Value	Comply?
Haloacetic Acids <sup>2</sup>	By-product of drinking water chlorination	ppb	N/A	60	1	1	YES
Total Trihalomethanes <sup>2</sup>	By-product of drinking water chlorination	ppb	N/A	80	2	2	YES
Free Chlorine Residual	Measure of disinfectant added to water	ppm	4 (MRDLG)	4 (MRDL)	0.58 – 1.25	0.92	YES

<sup>2</sup>Haloacetic acids and Trihalomethanes form as by-products of the chlorination process that is used to kill or inactivate disease-causing microbes. Although goals have not been set for these compounds as a group, MCLGs for related individual compounds can be seen in the Unregulated Substances table below.

Substance	Major Source	Units	EPA Regulations		Your Water Testing Results			
			Maximum Goal (MCLG)	Action Level (AL)	90th % Level*	# Homes Sampled	Homes Exceeding the AL	Comply?
Copper	Plumbing; erosion of natural deposits	ppm	1.3	1.3	0.1	10	None	YES
Lead	Plumbing; erosion of natural deposits	ppb	0	15	1.3	10	None	YES

US Environmental Protection Agency (USEPA) regulations require monitoring for the presence of lead and copper at household taps every three years. The data above is from samples collected in August 2023. The next round of required sampling will be conducted in 2026.

\*The 90th percentile level is the highest result obtained in 90% of the samples collected when the results are ranked in order from lowest to highest. This value is used to compare to the AL.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Snohomish County PUD is responsible for providing high-quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at the US Environmental Protection Agency's website at [www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).

## UNREGULATED SUBSTANCES

Substance	Maximum Goal (MCLG)	Your Water Testing Results	
		Min./Max. Range	Average Value
Chloroform (trichloromethane) <sup>3</sup> (ppb)	70	2	2

<sup>3</sup>Although these substances are not regulated individually, their results are added together to obtain the Total Trihalomethane and Haloacetic Acid results in the above table.

Note: The Washington State Department of Health reduced the monitoring requirements for May Creek because the source is not at risk of contamination in the following areas: Asbestos (9-years), Complete Inorganic / IOC (9-years), Volatile Organics / VOC (6-years), Herbicides (9-years), Pesticides (3-years) and Soil Fumigants (3-years). The last samples collected for these contaminants was taken on the following dates respectively and were found to meet all applicable standards: NA, 04/03/2024, 06/20/2017, 08/06/2020, 04/25/2011, 06/12/2001.

## VOLUNTARY REPORTING

The information below is voluntary and describes additional characteristics of May Creek Water System drinking water.

	Min./Max Range or Highest Value	Average Value
Alkalinity (ppm)	5 – 11	7
pH (standard unit)	6.7 – 8.2	7.4
Total Hardness (ppm)	15 – 22	17
Sodium (ppm)	2	2
Chloride (ppm)	1 – 2	1.5
Sulfate (ppm)	1	1

## Cross Connections

Drinking water is, of course, used for much more than just drinking. Some uses of water – such as for irrigation systems, hydraulic boat lifts, boilers and portable hose connections like fertilizer sprayers – could **contaminate the drinking water**.

These potential sources of contamination are called *cross connections*. Pressure changes in the water system could cause these contaminants to be drawn back or to “backflow”

into the drinking water.

Fortunately, backflow from a cross connection can be prevented. The PUD's Cross Connection Control Program protects the water system from contaminants by ensuring that customers have properly installed and maintained backflow-prevention devices. Call the Water Utility at 425-397-3000 for more information.

## SKYLITE TRACTS WATER SYSTEM PWSID# 802201 (SOUTH OF SULTAN)

Substance	Major Source	Units	EPA Regulations		Your Water Testing Results		
			Maximum Goal (MCLG)	Maximum Allowable (MCL)	Min./Max. Range	Average Value	Comply?
Nitrate	Erosion of natural deposits, animal waste	ppm	10	10	0.8	0.8	YES
Total Coliform Bacteria <sup>1</sup>	Naturally present in the environment	Samples positive	0	1 positive per month	0	0	YES
Free Chlorine Residual	Measure of a disinfectant added to water	ppm	4 (MRDLG)	4 (MRDL)	0.58 – 1.25	0.69	YES

<sup>1</sup>Total coliform bacteria testing is used to monitor microbial quality in the water distribution system. The PUD collects one coliform sample per month. No unsatisfactory results were detected.

Substance	Major Source	Units	EPA Regulations		Your Water Testing Results			
			Maximum Goal (MCLG)	Action Level (AL)	90th % Level*	# Homes Sampled	Homes Exceeding the AL	Comply?
Copper	Plumbing; erosion of natural deposits	ppm	1.3	1.3	0.07	5	None	YES
Lead	Plumbing; erosion of natural deposits	ppb	0	15	0	5	None	YES

US Environmental Protection Agency (USEPA) regulations require monitoring for the presence of lead and copper at household taps every three years. The data above is from samples collected in August 2023. The next round of required sampling will be conducted in 2026.

\*The 90th percentile level is the highest result obtained in 90% of the samples collected when the results are ranked in order from lowest to highest. This value is used to compare to the AL.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Snohomish County PUD is responsible for providing high-quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at the US Environmental Protection Agency's website at [www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).

Note: The Washington State Department of Health reduced the monitoring requirements for Skylite Tracts because the source is not at risk of contamination in the following areas: Asbestos (9-years), Complete Inorganic / IOC (9-years), Volatile Organics / VOC (6-years), Herbicides (9-years), Pesticides (3-years) and Soil Fumigants (3-years). The last samples collected for these contaminants was taken on the following dates respectively and were found to meet all applicable standards: NA, 06/09/2022, 04/03/2024, 08/06/2020, 04/25/2011, 06/12/2001.

## 212 MARKET & DELI WATER SYSTEM PWSID# 04515Q (NEAR STANWOOD)

Substance	Major Source	Units	EPA Regulations		Your Water Testing Results		
			Maximum Goal (MCLG)	Maximum Allowable (MCL)	Min./Max. Range	Average Value	Comply?
Total Coliform Bacteria <sup>1</sup>	Naturally present in the environment	Samples positive	0	1 positive per month	0	0	YES

<sup>1</sup>Total coliform bacteria testing is used to monitor microbial quality in the water distribution system. The PUD collects one coliform sample per month. No unsatisfactory results were detected.

Free Chlorine Residual	Measure of disinfectant added to water	ppm	4 (MRDLG)	4 (MRDL)	0.01 – 1.36	0.91	YES
------------------------	--	-----	-----------	----------	-------------	------	-----

### SKYLITE TRACTS VOLUNTARY REPORTING

The information below is voluntary and describes additional characteristics of Skylite Tracts Water System drinking water.

	Min./Max. Range or Highest Value	Average Value
Alkalinity (ppm)	2 – 13	7
pH (standard unit)	6.7 – 7.9	7.3
Total Hardness (ppm)	25 – 36	30
Sodium (ppm)	3	3
Chloride (ppm)	2	2
Sulfate (ppm)	2	2

### 212 MARKET & DELI VOLUNTARY REPORTING

The information below is voluntary and describes additional characteristics of 212 Market & Deli Water System drinking water.

	Min./Max. Range or Highest Value	Average Value
Alkalinity (ppm)	7 – 17	12
pH (standard unit)	6.7 – 7.9	7.3
Total Hardness (ppm)	33 – 72	66



## SUNDAY LAKE WATER SYSTEM PWSID# 85205D (SOUTHEAST OF STANWOOD)

Substance	Major Source	Units	EPA Regulations		Your Water Testing Results		
			Maximum Goal (MCLG)	Maximum Allowable (MCL)	Min./Max. Range	Average Value	Comply?
Arsenic <sup>1</sup>	Erosion of natural deposits	ppb	N/A	10	7	7	YES
Iron	Erosion of natural deposits	ppm	N/A	0.3 (SMCL)	0.0 – 0.09	0.03	YES
Manganese	Erosion of natural deposits	ppm	N/A	0.05 (SMCL)	0.0 – 0.03	0.01	YES
Fluoride	Erosion of natural deposits	ppm	2	4	0.25	0.25	YES
Total Coliform Bacteria <sup>2</sup>	Naturally present in the environment	Samples positive	0	1 positive per month	0	0	YES

<sup>1</sup>While your drinking water meets Environmental Protection Agency's (EPA) standard for arsenic, it does contain low levels of arsenic. EPA's standard balances the current understanding of arsenic's possible health effects against the cost of removing arsenic from drinking water. EPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects, such as skin damage and circulatory problems.

<sup>2</sup>Total coliform bacteria testing is used to monitor microbial quality in the water distribution system. The PUD collects one coliform sample per month. No unsatisfactory results were detected.

Haloacetic Acids <sup>3</sup>	By-product of drinking water chlorination	ppb	N/A	60	23	23	YES
Total Trihalomethanes <sup>3</sup>	By-product of drinking water chlorination	ppb	N/A	80	45	45	YES
Free Chlorine Residual	Measure of disinfectant added to water	ppm	4 (MRDLG)	4 (MRDL)	0.19 – 1.79	0.75	YES

<sup>3</sup>Haloacetic acids and Trihalomethanes form as by-products of the chlorination process that is used to kill or inactivate disease-causing microbes. Although goals have not been set for these compounds as a group, MCLGs for related individual compounds can be seen in the Unregulated Substances table below.

Substance	Major Source	Units	EPA Regulations		Your Water Testing Results			
			Maximum Goal (MCLG)	Action Level (AL)	90th % Level*	# Homes Sampled	Homes Exceeding the AL	Comply?
Copper	Plumbing; erosion of natural deposits	ppm	1.3	1.3	0.06	11	None	YES
Lead	Plumbing; erosion of natural deposits	ppb	0	15	ND	11	None	YES

US Environmental Protection Agency (USEPA) regulations require monitoring for the presence of lead and copper at household taps every three years. The data above is from samples collected in August 2023. The next round of required sampling will be conducted in 2026.

\*The 90th percentile level is the highest result obtained in 90% of the samples collected when the results are ranked in order from lowest to highest. This value is used to compare to the AL.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Snohomish County PUD is responsible for providing high-quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at the US Environmental Protection Agency's website at [www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).

Note: The Washington State Department of Health reduced the monitoring requirements for Sunday Lake because the source is not at risk of contamination in the following areas: Asbestos (9-years), Complete Inorganic / IOC (9-years), Volatile Organics / VOC (6-years), Herbicides (9-years), Pesticides (3-years) and Soil Fumigants (3-years). The last samples collected for these contaminants was taken on the following dates respectively and were found to meet all applicable standards: 08/27/2019, 09/20/2024, 04/05/2024, 04/16/2020, 04/26/2011, 09/26/1993.

## UNREGULATED SUBSTANCES

Substance	Maximum Goal (MCLG)	Your Water Testing Results	
		Min./Max. Range	Average Value
Bromodichloromethane <sup>4</sup> (ppb)	0	7	7
Chloroform (trichloromethane) <sup>4</sup> (ppb)	70	38	38
Chlorodibromomethane <sup>4</sup> (ppb)	60	1	1
Dichloroacetic Acid <sup>4</sup> (ppb)	0	10	10
Trichloroacetic Acid <sup>4</sup> (ppb)	20	13	13
Bromochloroacetic Acid <sup>4</sup> (ppb)	None	1	1

<sup>4</sup>Although these substances are not regulated individually, their results are added together to obtain the Total Trihalomethane and Haloacetic Acid results in the above table.

## VOLUNTARY REPORTING

The information below is voluntary and describes additional characteristics of Sunday Lake Water System drinking water.

	Min./Max. Range or Highest Value	Average Value
Alkalinity (ppm)	8 – 24	13
pH (standard unit)	7.8 – 8.5	8.2
Sodium (ppm)	24	24
Total Hardness (ppm)	69 – 82	76
Sulfate (ppm)	0.3	0.3
Chloride (ppm)	9	9

**WARM BEACH WATER SYSTEM PWSID# 93000F (WARM BEACH AREA)**

Substance	Major Source	Units	EPA Regulations		Your Water Testing Results		
			Maximum Goal (MCLG)	Maximum Allowable (MCL)	Min./Max. Range	Average Value	Comply?
Nitrate	Erosion of natural deposits, animal waste	ppm	10	10	0.0 – 1.0	0.5	YES
Iron	Erosion of natural deposits	ppm	N/A	0.3 (SMCL)	0.0 – 0.13	0.04	YES
Manganese	Erosion of natural deposits	ppm	N/A	0.05 (SMCL)	0.0 – 0.03	0.02	YES
Fluoride	Erosion of natural deposits	ppm	2	4	ND – 0.3	0.2	YES
Total Coliform Bacteria	Naturally present in the environment	Samples positive	0	1 positive per month	0	0	YES
Haloacetic Acids <sup>1</sup>	By-product of drinking water chlorination	ppb	N/A	60	38	38	Yes
Total Trihalomethanes <sup>1</sup>	By-product of drinking water chlorination	ppb	N/A	80	65	65	YES
Free Chlorine Residual	Measure of disinfectant added to water	ppm	4 (MRDLG)	4 (MRDL)	0.14 – 1.61	0.94	YES

<sup>1</sup>Haloacetic acids and Trihalomethanes form as by-products of the chlorination process that is used to kill or inactivate disease-causing microbes. Although goals have not been set for these compounds as a group, MCLGs for related individual compounds can be seen in the Unregulated Substances table below.

Substance	Major Source	Units	EPA Regulations		Your Water Testing Results			
			Maximum Goal (MCLG)	Action Level (AL)	90th % Level*	# Homes Sampled	Homes Exceeding the AL	Comply?
Copper	Plumbing; erosion of natural deposits	ppm	1.3	1.3	0.42	21	None	YES
Lead	Plumbing; erosion of natural deposits	ppb	0	15	2	21	None	YES

US Environmental Protection Agency (USEPA) regulations require monitoring for the presence of lead and copper at household taps every three years. The data above is from samples collected in August 2023. The next round of required sampling will be conducted in 2026.

\*The 90th percentile level is the highest result obtained in 90% of the samples collected when the results are ranked in order from lowest to highest. This value is used to compare to the AL.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Snohomish County PUD is responsible for providing high-quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at the US Environmental Protection Agency's website at [www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).

**UNREGULATED SUBSTANCES**

Substance	Maximum Goal (MCLG)	Your Water Testing Results	
		Min./Max. Range	Average Value
Chloroform (trichloromethane) <sup>2</sup> (ppb)	70	44	44
Bromodichloromethane <sup>2</sup> (ppb)	0	16	16
Chlorodibromomethane <sup>2</sup> (ppb)	60	5	5
Dichloroacetic Acid <sup>2</sup> (ppb)	0	10	10
Trichloroacetic Acid <sup>2</sup> (ppb)	20	13	13

<sup>2</sup>Although these substances are not regulated individually, their results are added together to obtain the Total Trihalomethane and Haloacetic Acid results in the above table.

**VOLUNTARY REPORTING**

The information below is voluntary and describes additional characteristics of Warm Beach Water System drinking water.

	Min./Max. Range or Highest Value	Average Value
Alkalinity (ppm)	6 – 27	17
pH (standard unit)	7.1 – 8.3	7.5
Sodium (ppm)	8 – 30	19
Total Hardness (ppm)	53 – 118	108
Sulfate (ppm)	ND – 11	6
Chloride (ppm)	7 – 12	9

Note: The Washington State Department of Health reduced the monitoring requirements for Warm Beach because the source is not at risk of contamination in the following areas: Asbestos (9-years), Complete Inorganic / IOC (9-years), Volatile Organics / VOC (6-years), Herbicides (9-years), Pesticides (3-years) and Soil Fumigants (3-years). The last samples collected for these contaminants was taken on the following dates respectively and were found to meet all applicable standards: 10/23/2018, 10/06/2022, 04/05/2024, 12/07/2023, 04/26/2011, 11/16/2001.

The water quality information presented in the table(s) is from the most recent round of testing done according to the regulations. All data shown were collected during the last calendar year unless otherwise noted in the table(s).



## WARM BEACH WATER SYSTEM PWSID# 93000F (KAYAK AREA)

Substance	Major Source	Units	EPA Regulations		Your Water Testing Results		
			Maximum Goal (MCLG)	Maximum Allowable (MCL)	Min./Max. Range	Average Value	Comply?
Arsenic	Erosion of natural deposits	ppb	N/A	10	3	3	YES
Fluoride	Erosion of natural deposits	ppm	2	4	0.2	0.2	YES
Manganese	Erosion of natural deposits	ppm	N/A	0.05 (SMCL)	0.0 – 0.04	0.02	YES
Iron	Erosion of natural deposits	ppm	N/A	0.30	0.0 – 0.07	0.03	YES
Total Coliform Bacteria	Naturally present in the environment	Samples positive	0	1 positive per month	0	0	YES

Coliform bacteria are naturally present in the environment and are used as an indicator that other, potentially harmful bacteria may be present. Total coliform bacteria testing is used to monitor microbial quality in the water distribution system. The PUD collects two routine coliform samples every month. No unsatisfactory results were detected in 2024.

Haloacetic Acids <sup>1</sup>	By-product of drinking water chlorination	ppb	N/A	60	2	2	YES
Total Trihalomethanes <sup>1</sup>	By-product of drinking water chlorination	ppb	N/A	80	12	12	YES
Free Chlorine Residual	Measure of disinfectant added to water	ppm	4 (MRDLG)	4 (MRDL)	0.28 – 1.24	0.64	YES

<sup>1</sup>Haloacetic acids and Trihalomethanes form as by-products of the chlorination process that is used to kill or inactivate disease-causing microbes. Although goals have not been set for these compounds as a group, MCLGs for related individual compounds can be seen in the Unregulated Substances table below.

Substance	Major Source	Units	EPA Regulations		Your Water Testing Results			
			Maximum Goal (MCLG)	Action Level (AL)	90th % Level*	# Homes Sampled	Homes Exceeding the AL	Comply?
Copper	Plumbing; erosion of natural deposits	ppm	1.3	1.3	0.04	21	None	YES
Lead	Plumbing; erosion of natural deposits	ppb	0	15	2	21	None	YES

US Environmental Protection Agency (USEPA) regulations require monitoring for the presence of lead and copper at household taps every three years. The data above is from samples collected in August 2023. The next round of required sampling will be conducted in 2026.

\*The 90th percentile level is the highest result obtained in 90% of the samples collected when the results are ranked in order from lowest to highest. This value is used to compare to the AL.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Snohomish County PUD is responsible for providing high-quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at the US Environmental Protection Agency's website at [www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).

## UNREGULATED SUBSTANCES

Substance	Maximum Goal (MCLG)	Your Water Testing Results	
		Min./Max. Range	Average Value
Chloroform (trichloromethane) <sup>2</sup> (ppb)	70	3	3
Bromodichloromethane <sup>2</sup> (ppb)	0	4	4
Chlorodibromomethane <sup>2</sup> (ppb)	60	4	4
Bromoform <sup>2</sup> (ppb)	0	1	1
Dichloroacetic Acid <sup>2</sup> (ppb)	0	2	2

<sup>2</sup>Although these substances are not regulated individually, their results are added together to obtain the Total Trihalomethane and Haloacetic Acid results in the above table.

## VOLUNTARY REPORTING

The information below is voluntary and describes additional characteristics of the Kayak Water System drinking water.

	Min./Max. Range or Highest Value	Average Value
Alkalinity (ppm)	6 – 19	12
Total Hardness (ppm)	75 – 85	81
pH (standard unit)	7.4 – 8.3	8.0
Sodium (ppm)	8 – 9	8.6
Sulfate (ppm)	5 – 7	6
Chloride (ppm)	5 – 7	6

## Source Water Assessment and Protection Program (SWAP)

The SWAP program is designed to provide the community with information about the sources of their drinking water. An interactive map identifies protection areas and links to water quality sampling information.

The Washington State Department of Health SWAP website, including interactive maps, can be found at <https://fortress.wa.gov/doh/swap/>.



Water Utility  
PO Box 1107  
Everett, WA 98206-1107

## The PUD Water Utility Has Completed Its Lead Service Line Inventory

The PUD Water Utility recently completed an inventory of more than 23,000 water services (small pipes that deliver water from the water main to a home or building) as required by the Environmental Protection Agency's Lead and Copper Rule Revisions. The purpose of the inventory is to identify any water service lines that contain lead. The inventory showed no evidence of lead service lines in the PUD's community water systems.

You can find additional information regarding this project on the PUD website at [www.snopud.com/inventory](http://www.snopud.com/inventory)

## Customer Views Welcome

There are several ways you can get involved in water quality issues. You can call us at 425-397-3000 or communicate with elected officials, participate in public hearings and attend Snohomish County PUD Commission meetings. Check the local newspaper for information on public meetings regarding water quality, water policies and other issues.

The Snohomish County PUD Board of Commissioners meets at 9 a.m. on the first and third Tuesday of each month at Snohomish County PUD, 2320 California Street in Everett. Board sessions are open to the public. Please call 425-783-8611 in advance to confirm meeting dates and times, or check the meeting agenda on our website.

You can also find information for water customers at our website: [www.snopud.com/water](http://www.snopud.com/water)

## Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.

El PUD del Condado de Snohomish participa en el servicio de línea de idioma de AT&T. Si necesita ayuda con el idioma inglés o necesita un intérprete, comuníquese con un representante de servicio al cliente de PUD al 425-783-1000 (de lunes a viernes, de 8 a.m. a 5:30 p.m.) y se llamará a un intérprete.

## Safe Drinking Water & Water System Security

The PUD is committed to a strong security program to protect water quality. The PUD's facilities are secured; however, we could use your assistance. If you see suspicious activity in or around PUD pump stations, reservoirs or hydrants, please contact us at 425-397-3000 (after regular working hours, holidays or on weekends, please contact us at 425-783-8000).

## For More Information

- PUD website: [www.snopud.com/water](http://www.snopud.com/water)
- Safe Drinking Water Act (SDWA) hotline: 1-800-426-4791  
E-mail: [safewater@epa.gov](mailto:safewater@epa.gov)
- Washington State Department of Health Division of Drinking Water: 253-395-6750  
Website: [www.doh.wa.gov/community-and-environment/drinking-water](http://www.doh.wa.gov/community-and-environment/drinking-water)

## Contact Us

### Water Utility: 425-397-3000

Monday through Friday, 7:30 a.m. to 4 p.m.

*Toll-free in Western Washington and outside the Everett local calling area at 1-877-783-1000, extension 3000*

Prepared June 2025

*printed on recycled paper*