

Purpose of Checklist: The State Environmental Policy Act (SEPA), chapter 43.21C RCW, requires all governmental agencies to consider the environmental impacts of a proposal before making decisions. An environmental impact statement (EIS) must be prepared for all proposals with probable significant adverse impacts on the quality of the environment. The purpose of this checklist is to provide information to help the Responsible Official of the Snohomish County Public Utility District No. 1 and any other agencies with jurisdiction, to identify impacts from your proposal (and to reduce or avoid impacts from the proposal, if it can be done) and to help the agency decide whether an EIS is required.

A. BACKGROUND

1. Name of proposed project, if applicable:

Sultan River ELJ 9 and 10

2. Name of applicant:

Public Utility District No. 1 of Snohomish County.

3. Address and phone number of applicant and contact person:

**P.U.D. No. 1 of Snohomish County
P.O. Box 1107
Everett, WA 98206-1107**

**Project Lead: Kyle Legare, Aquatic Biologist
Generation Department – Natural Resources
425-783-8131; kjlegare@snopud.com**

4. Date checklist prepared:

6/1/2026

5. Agency requesting checklist:

Snohomish County

6. Proposed timing of schedule (including phasing, if applicable):

The proposed project is planned to be constructed in the summer 2027 within the applicable in-water work window. No phasing is proposed with this project.

7. Do you have any plans for future additions, expansion, or further activity related to or connected with this proposal? If yes, explain.

No other activity is expected related to this proposal. Snohomish PUD will continue to monitor the installed engineered log jams as required as part of the existing DNR Aquatic Lands Easement.

8. List any environmental information you know about that has been prepared, or will be prepared, directly related to this proposal.

Sultan River Restoration Plan – (Herrera, 2024)

Critical Areas Report and Mitigation Plan – (Herrera, June 2026)

Biological and Floodplain Habitat Assessment – (Herrera, June 2026)

Archaeological Survey Report – (Equinox, April 2026)

Permit Level Design Drawings – (Shannon & Wilson, April 2026)

9. Do you know whether applications are pending for governmental approvals of other proposals directly affecting the property covered by your proposal? If yes, explain.

No applications are pending.

10. List any government approvals or permits that will be needed for your proposal, if known.

SEPA Checklist and Determination

Land Disturbing Activity Permit – Snohomish County

Shoreline Permit – Snohomish County

Flood Hazard Permit – Snohomish County

Aquatic Lands Easement – Department of Natural Resources

Hydraulic Project Approval – WDFW

Nationwide Permit 27 – Army Corps of Engineers

Section 106 Cultural Resources Consultation – DAHP

ESA - Section 7 Consultation – NOAA

Construction Stormwater General Permit - Ecology

11. Give brief, complete description of your proposal, including the proposed uses and the size of the project and site. There are several questions later in this checklist that ask you to describe certain aspects of your proposal. You do not need to repeat those answers on this page. (Lead agencies may modify this form to include additional specific information on project description.)

The proposed project involves installation of two ELJs along the right bank (west side) of the Sultan River in Snohomish County, Washington. The purpose of the two proposed ELJs is to improve mainstem structural complexity and hydraulic diversity to support ESA-listed salmonids in the Sultan River watershed. These are further described in the Plan for Side Channel Enhancement and Large Woody Debris Placement (Snohomish County PUD No. 1 2011). This work represents the PUD's ongoing mitigation as a component of the Federal Energy Regulatory Commission License (Project No. 2157) for the Henry M. Jackson Hydroelectric Project and is intended to improve instream habitat for salmonids in the Sultan River watershed. The southern ELJ (9) will consist of improving and expanding a previously

constructed ELJ (7) at the south end of the study area while the northern ELJ (10) will be entirely new. The extension for ELJ 9 will expand the footprint waterward by approximately 11 feet, adding 36 pieces of large wood to the existing ELJ. ELJ 10 will be entirely new, encompassing approximately 1,200 square feet with 24 pieces of large wood. All temporary impacts will be fully restored by installing native vegetation.

12. Location of the proposal. Give sufficient information for a person to understand the precise location of your proposed project, including a street address, if any, and section, township, and range, if known. If a proposal would occur over a range of area, provide the range or boundaries of the site(s). Provide a legal description, site plan, vicinity map, and topographic map, if reasonably available. While you should submit any plans required by the agency, you are not required to duplicate maps or detailed plans submitted with any permit applications related to this checklist.

The project is located in the Lower Sultan River subbasin within the Snohomish Watershed, in Watershed Resource Inventory Area (WRIA) 7 –Snohomish, within the northeast portion of Section 31, Township 28 North, Range 08 East of the Willamette Meridian, in Snohomish County, Washington. The project is situated within seven Snohomish County parcels on the west side of the Sultan River as shown in Figure 1: 28083100100900, 28083100101100, 28083100101200, 28083100101300, 28083100100800, 28083100101600, and 00765600099900. The project area encompasses two construction areas associated with the Sultan River and riparian area for two proposed engineered log jams (ELJs); a temporary equipment access route and staging area; and a temporary bridge crossing over Side Channel 2.




Figure 1: Vicinity map of the project location.

B. ENVIRONMENTAL ELEMENTS

1. Earth

a. General description of the site:

The two engineered log jams are located on the right bank of the mainstem of the Sultan River between RM 1.3 and RM 1.4. The adjacent land is vegetated with a mix of young red alder, scattered conifers, Himalayan blackberry and salmonberry. The site is relatively flat floodplain with soils typical of river outwash.

Circle or underline one: Flat, rolling, hilly, steep slopes, mountainous, other:

b. What is the steepest slope on the site (approximate percent slope)?

5%

c. What general types of soils are found on the site (for example, clay, sand, gravel, peat, muck)? If you know the classification of agricultural soils, specify them, and note any agricultural land of long-term commercial significance and whether the proposal results in removing any of these soils.

The Natural Resources Conservation Service has identified two soil types in the project area; (50) Pilchuck loamy sand and (77) Tokul-Winston gravelly loams, 25 to 65 percent slopes. Soils observed on-site include sand, gravel and cobbles, consistent with river outwash. No prime farmland or agricultural soils are known to be located within the project boundary. Some soil within the ELJ footprint will be exported off-site to help meet the no rise criteria associated with the flood hazard permit.

- d. Are there surface indications or history of unstable soils in the immediate vicinity? If so, describe.

No evidence of unstable soils or landslides have been identified in the project area. The ELJ's are located in the floodplain, subject to flooding and scour during high water events.

- e. Describe the purpose, type, total area, and approximate quantities and total affected area of any filling, excavation, and grading proposed. Indicate source of fill.

Minimal clearing is proposed and is associated with the temporary construction access road and staging area. The access alignment and staging area have been sited to minimize impacts to existing native vegetation to the greatest extent practicable. Excavation will include approximately 1,029 cubic yards of material to be removed from the site. Approximately 10,150 square feet of river will be temporarily impacted during construction in addition to 28,460 square feet of riparian buffer.

- f. Could erosion occur because of clearing, construction, or use? If so, generally describe.

Minor amounts of erosion could occur during construction, including preparing the access route and isolating the in-water work area. Construction timing will be during the summer dry months and within the in-water work window.

- g. About what percent of the site will be covered with impervious surfaces after project construction (for example, asphalt or buildings)?

No new impervious surfaces are proposed.

- h. Proposed measures to reduce or control erosion, or other impacts to the earth, if any.

"Best Management Practices" will be followed to minimize soil disturbance and avoid sediment delivery to streams. Roadwork and log haul will meet or exceed Forest Practice rules. All ground-based operations will be limited to periods of dryer soil conditions. Straw may be applied to any areas with a perceived risk of soil erosion or sediment transport.

2. Air

- a. What types of emissions to the air would result from the proposal during construction, operation, and maintenance when the project is completed? If any, generally describe and give approximate quantities if known.

During construction, some increase in dust and vehicle exhaust is anticipated from construction activities. No effects on air quality are anticipated to be caused by the completed project.

Short term direct emissions from vehicles and construction equipment will occur during the construction phase of the project. Odors from construction materials may occur, engine exhaust will be present during construction, and dust may be generated during short term clearing and grading activities. A temporary increase in carbon dioxide, nitrous oxide and methane emissions from off road, on road and possibly stationary sources involved in the construction phase will occur during the period of active construction and discontinue when construction is complete.

- b. Are there any off-site sources of emissions or odor that may affect your proposal? If so, generally describe.

No.

- c. Proposed measures to reduce or control emissions or other impacts to air, if any:

None planned or deemed necessary.

3. Water

- a. Surface Water:

1. Is there any surface water body on or in the immediate vicinity of the site (including year-round and seasonal streams, saltwater, lakes, ponds, wetlands)? If yes, describe type and provide names. If appropriate, state what stream or river it flows into.

The main stem of the Sultan River and associated side channel area located within the project area. The Sultan River is a Type F water and shoreline of the State.

2. Will the project require any work over, in, or adjacent to (within 200 feet) the described waters? If yes, please describe and attach available plans.

Yes. The proposed project will install two engineered log jams designed to add habitat complexity and geomorphic diversity to the Sultan River. In-water work will include installing super sacks to create an isolation area. The area will then be excavated in accordance with the engineering design to allow for the installation of large wood, ballast material and a scour pool.

Additionally, a temporary access bridge will be installed over the Side Channel 2. This temporary bridge will be designed by the contractor and will span the wetted width (at a minimum) with a central pier (likely two ecology blocks) that will be placed near the center of the streambed. Due to the width of the

existing wetted channel (approximately 80 feet across the OHWM at the access location) and because site access is constrained by a steep driveway with a tight switchback, installation of a single, 80-foot-wide bridge may not be feasible.

3. Estimate the amount of fill and dredge material that would be placed in or removed from surface water or wetlands and indicate the area of the site that would be affected. Indicate the source of fill material.

A total of 1,580 cubic yards of native alluvium will be excavated (127 cubic yards from the floodway and 1,453 cubic yards from below OHWM) during construction. Permanent fill from large woody material and backfill of native alluvium is 458 cubic yards below the OHWM and 93 cubic yards in the buffer. Approximately 1,029 cubic yards of the excavated material will be exported from the floodway to create the scour pool and allow for zero rise.

The isolation dam and temporary bridge piers will result in a total of 226 cubic yards of temporary fill. Approximately 190 square feet of wetland area will be temporarily impacted from the placement of isolation dam and site access.

4. Will the proposal require surface water withdrawals or diversions? Give a general description, purpose, and approximate quantities if known.

No withdrawal or diversion of water is proposed. An exclusion area will be isolated during construction to allow for the excavation of the scour pools and installation of the engineered log jams. A fish salvage effort will occur in the exclusion area prior to installation of the engineered log jams.

5. Does the proposal lie within a 100-year floodplain? If so, note location on the site plan.

Yes, the entire project is located within the 100-year floodplain.

6. Does the proposal involve any discharges of waste materials to surface waters? If so, describe the type of waste and anticipated volume of discharge.

No.

b. Ground Water:

1. Will groundwater be withdrawn from a well for drinking water or other purposes? If so, give a general description of the well, proposed uses and approximate quantities withdrawn from the well. Will water be discharged to groundwater? Give a general description, purpose, and approximate quantities if known.

No.

2. Describe waste material that will be discharged into the ground from septic tanks or other sources, if any (domestic sewage; industrial, containing the following chemicals...; agricultural; etc.). Describe the general size of the system, the number

of such systems, the number of houses to be served (if applicable), or the number of animals or humans the system(s) are expected to serve.

Not applicable to this project.

c. Water Runoff (including stormwater):

1. Describe the source of runoff (including storm water) and method of collection and disposal, if any (include quantities, if known). Where will this water flow? Will this water flow into other waters? If so, describe.

Stormwater on constructed roadways will flow to vegetated areas, which will allow water to dissipate over the forest floor.

2. Could waste materials enter ground or surface waters? If so, generally describe.

There should be minimal impact on ground or surface water resources given the resource protection measures in the project area. Fueling and lubrication will take place away from surface waters to prevent contamination. A spill kit will always be onsite to contain waste materials should a spill occur.

3. Does the proposal alter or otherwise affect drainage patterns in the vicinity of the site? If so, describe.

Scour pools will be excavated around the proposed engineered log jams to create additional habitat diversity and to meet FEMA's zero rise requirements. Native alluvium fill will be incorporated into the backside of the engineered log jam. No other permanent alteration to drainage patterns or topography is proposed.

- d. Proposed measures to reduce or control surface, ground, and runoff water, and drainage pattern impacts, if any:

Best management practices, as outlined in Ecology's latest version of the *Stormwater Management Manual for Western Washington* or any additional guidance, as required by Snohomish County or Snohomish County PUD 1, will be implemented during the construction phase of the project to control any potential erosional stormwater runoff and prevent potential sedimentation of aquatic habitat adjacent to the project site.

4. Plants

- a. Check the types of vegetation found on the site:

☒ **deciduous tree: alder, maple, aspen, black cottonwood, other**

☒ **evergreen tree: Douglas fir, western red cedar, shore pine, other**

☒ **shrubs**

☒ **grass**

- ☐ **pasture**
- ☐ **crop or grain**
- ☐ **orchards, vineyards, or other permanent crops.**
- ☒ **wet soil plants: cattail, buttercup, bullrush, skunk cabbage, other**
- ☐ **water plants: water lily, eelgrass, milfoil, other**
- ☒ **other types of vegetation**

- b. What kind and amount of vegetation will be removed or altered?

Establishing a construction access route and staging area will require widening an existing 10-foot-wide dirt/grass path by approximately 4 feet to accommodate equipment access to ELJ 10, incurring approximately 14,690 square feet of disturbance to vegetation, including a total of 40 trees, which will be removed with a chainsaw. An additional 13,770-square-foot area of primarily low-quality invasive vegetation over a gravel bar will also be cleared for the staging area.

- c. List threatened and endangered species known to be on or near the site.

No federally threatened or endangered plant species are known to occur onsite.

- d. Proposed landscaping, use of native plants, or other measures to preserve or enhance vegetation on the site, if any.

Impacts to existing native vegetation will be minimized to the greatest extent practicable. Impacts, where unavoidable, are temporary in nature and will be restored by planting native vegetation.

- e. List all noxious weeds and invasive species known to be on or near the site.

Himalayan blackberry, scotch broom and butterfly bush are known to be on or near the site.

5. Animals

- a. List any birds and other animals that have been observed on or near the site or are known to be on or near the site.

- **Birds: hawk, heron, eagle, songbirds, other:** hawk, osprey, heron, eagle, songbirds, waterfowl.
- **Mammals: deer, bear, elk, beaver, other:** deer, bear, beaver, river otter, little brown bat, small mammals
- **Fish:** Chinook, coho, chum, pink, steelhead, coastal cutthroat, bull trout, rainbow trout, mountain whitefish, sculpin, dace, lamprey, stickleback, suckers

- b. List any threatened and endangered species known to be on or near the site.

- **Coastal-Puget Sound DPS Bull trout**
- **Coastal-Puget Sound DPS Bull trout designated critical habitat**
- **Puget Sound ESU Chinook**
- **Puget Sound ESU Chinook designated critical habitat**
- **Marbled murrelet**
- **Marbled murrelet designated critical habitat**
- **Steelhead trout**

c. Is the site part of a migration route? If so, explain.

Anadromous fish use the Sultan River to migrate to spawning grounds, and project lands are within the Pacific Flyway, attracting river and montane lake associated birds.

d. Proposed measures to preserve or enhance wildlife, if any.

The intent of the proposed project is to create habitat diversity for salmonids in the Sultan River. Temporary impacts to terrestrial and aquatic habitat where unavoidable, have been minimized to the greatest extent practicable to accomplish the installation of the two engineered log jams. Temporary impacts will be restored by installing native vegetation in disturbed upland and riparian areas.

e. List any invasive animal species known to be on or near the site.

None identified.

6. Energy and natural resources

a. What kinds of energy (electric, natural gas, oil, wood stove, solar) will be used to meet the completed project's energy needs? Describe whether it will be used for heating, manufacturing, etc.

Does not apply.

b. Would your project affect the potential use of solar energy by adjacent properties? If so, generally describe.

Does not apply.

c. What kinds of energy conservation features are included in the plans of this proposal? List other proposed measures to reduce or control energy impacts, if any.

None. All construction and hauling activities will be conducted in an efficient manner to minimize fuel use.

7. Environmental health

- a. Are there any environmental health hazards, including exposure to toxic chemicals, risk of fire and explosion, spill, or hazardous waste, that could occur because of this proposal? If so, describe.

Hazardous chemicals used in the project involve small amounts of diesel fuel, gasoline, and lubricants used in vehicles and chainsaws.

1. Describe any known or possible contamination at the site from present or past uses.

None known.

2. Describe existing hazardous chemicals/conditions that might affect project development and design. This includes underground hazardous liquid and gas transmission pipelines located within the project area and in the vicinity.

None known.

3. Describe any toxic or hazardous chemicals that might be stored, used, or produced during the project's development or construction, or at any time during the operating life of the project.

Petroleum products such as gasoline, diesel, grease, and hydraulic fluid may be used and safely stored during the operating life of this project.

4. Describe special emergency services that might be required.

Standard county emergency services (sheriff, fire) might be required, but not anticipated. The District maintains an annual contract with the Washington Department of Fish and Wildlife to patrol the Jackson Hydroelectric Project area for additional safety, security and to prevent vandalism. Contractors will follow WA DNR Industrial Fire Precaution Level (IFPL) guidelines to prevent wildfires. DNR firefighting resources are on-call in the event of a wildfire.

5. Proposed measures to reduce or control environmental health hazards, if any.

Spill kits will be used for any fuel or lubricant spills, should they occur. Environmentally acceptable lubricants composed of biodegradable base oils will be used in equipment operating in or near the water.

- b. Noise

1. What types of noise exist in the area which may affect your project (for example: traffic, equipment, operation, other)?

Existing noise in the project vicinity is limited to normal residential activities, which are not anticipated to affect the proposed project.

2. What types and levels of noise would be created by or associated with the project on a short-term or a long-term basis (for example: traffic, construction, operation, other)? Indicate what hours noise would come from the site)?

Noise from chainsaws, dump trucks, excavators and commuting vehicles will be created by the project on a short-term basis. Intermittent noise will be present onsite from approximately 7 am to 5 pm. No change to noise levels will occur as a result of the finished project.

3. Proposed measures to reduce or control noise impacts, if any:

Chainsaws and equipment will not be used during evening or nighttime hours, or on weekends.

8. Land and shoreline use

- a. What is the current use of the site and adjacent properties? Will the proposal affect current land uses on nearby or adjacent properties? If so, describe.

The current project area is zoned R-5 and developed with single family residential homes. The project area is located on a gravel bar within the Sultan River.

- b. Has the project site been used as working farmlands or working forest lands? If so, describe. How much agricultural or forest land of long-term commercial significance will be converted to other uses because of the proposal, if any? If resource lands have not been designated, how many acres in farmland or forest land tax status will be converted to nonfarm or nonforest use?

No agricultural land is located in the project area. The project site has historically been developed with single family homes. No forest lands will be converted under this proposal.

1. Will the proposal affect or be affected by surrounding working farm or forest land normal business operations, such as oversize equipment access, the application of pesticides, tilling, and harvesting? If so, how?

No.

- c. Describe any structures on the site.

No structures are located within the project area. Single family homes are located adjacent to the construction area. No infrastructure will not be affected or altered as part of the proposal.

- d. Will any structures be demolished? If so, what?

No.

- e. What is the current zoning classification of the site?

The surrounding lands are R-5 (Rural – 5 Acre)

- f. What is the current comprehensive plan designation of the site?

Rural Residential.

- g. If applicable, what is the current shoreline master program designation of the site?

The subject site is identified as Rural Conservancy Shoreline Environment and Aquatic Shoreline Environment. Sultan River is listed as Natural, Urban Conservancy, and Resource.

- h. Has any part of the site been classified as a critical area by the city or county? If so, specify.

Yes. The National Wetland Inventory (NWI) maps seasonally flooded, forest/shrub wetlands between the Sultan River and Side Channel 2. Snohomish County maps this area as a “potential wetland” associated with shoreline jurisdiction.

- i. Approximately how many people would reside or work in the completed project?

None.

- j. Approximately how many people would the completed project displace?

None.

- k. Proposed measures to avoid or reduce displacement impacts, if any.

N/A.

- l. Proposed measures to ensure the proposal is compatible with existing and projected land uses and plans, if any.

None.

- m. Proposed measures to reduce or control impacts to agricultural and forest lands of long-term commercial significance, if any:

None.

9. Housing

- a. Approximately how many units would be provided, if any? Indicate whether high, middle, or low-income housing.

None.

- b. Approximately how many units, if any, would be eliminated? Indicate whether high, middle, or low-income housing.

None.

- c. Proposed measures to reduce or control housing impacts, if any:

N/A.

10. Aesthetics

- a. What is the tallest height of any proposed structure(s), not including antennas; what is the principal exterior building material(s) proposed?

The vertical logs will be approximately 8 feet above the constructed depositional bar.

- b. What views in the immediate vicinity would be altered or obstructed?

No views will be obstructed as part of this proposal.

- c. Proposed measures to reduce or control aesthetic impacts, if any:

No specific measures proposed.

11. Light and glare

- a. What type of light or glare will the proposal produce? What time of day would it mainly occur?

Light or glare would not be increased from the activities in this project.

- b. Could light or glare from the finished project be a safety hazard or interfere with views?

No.

- c. What existing off-site sources of light or glare may affect your proposal?

None.

- d. Proposed measures to reduce or control light and glare impacts, if any:

Not applicable to this project.

12. Recreation

- a. What designated and informal recreational opportunities are in the immediate vicinity?

Recreational opportunities in the vicinity include rafting, whitewater rafting, fishing and use of city park trails.

- b. Would the proposed project displace any existing recreational uses? If so, describe.

No, existing recreational uses would remain the same.

- c. Proposed measures to reduce or control impacts on recreation, including recreation opportunities to be provided by the project or applicant, if any:

No measures are proposed. No impacts to recreation opportunities have been identified with the project proposal.

13. Historic and cultural preservation

- a. Are there any buildings, structures, or sites, located on or near the site that are over 45 years old listed in or eligible for listing in national, state, or local preservation registers? If so, specifically describe.

No eligible listing identified in the cultural resource study.

- b. Are there any landmarks, features, or other evidence of Indian or historic use or occupation? This may include human burials or old cemeteries. Are there any material evidence, artifacts, or areas of cultural importance on or near the site? Please list any professional studies conducted at the site to identify such resources.

None are known within the project boundaries. An Archaeological Survey Report was completed by ERCI in April 2026. No cultural landmarks or evidence of historic, archaeological, scientific or cultural importance were documented. Tribal representatives will be given the opportunity to offer input during the SEPA review process.

- c. Describe the methods used to assess the potential impacts to cultural and historic resources on or near the project site. Examples include consultation with tribes and the department of archeology and historic preservation, archaeological surveys, historic maps, GIS data, etc.

A cultural resource study was completed in April 2026 that included both a site reconnaissance with 30 subsurface shovel probes and a desktop review.

- d. Proposed measures to avoid, minimize, or compensate for loss, changes to, and disturbance to resources. Please include plans for the above and any permits that may be required.

Any cultural resources identified during operations will be protected. Snohomish PUD's has developed an Unanticipated Discovery Plan for the Henry M. Jackson Hydroelectric Project that will be on-site during construction. Should archaeological materials or cultural items be discovered during the course of construction, all work in the vicinity will be stopped and associated tribes and Department of Archaeological and Historic Preservation (DAHP) will be contacted.

14. Transportation

- a. Identify public streets and highways serving the site or affected geographic area and describe proposed access to the existing street system. Show on site plans, if any.

The site is accessed from Reiner Road. No permanent access is proposed for the site.

- b. Is the site or affected geographic area currently served by public transit? If so, generally describe. If not, what is the approximate distance to the nearest transit stop?

Reiner Road is not served by Public Transit. The nearest park and ride is in the City of Sultan, approximately 2.7 miles away.

- c. Will the proposal require any new or improvements to existing roads, streets, pedestrian, bicycle, or state transportation facilities, not including driveways? If so, generally describe (indicate whether public or private).

No improvements to public roads will be needed for this proposal. The temporary access route will be used for construction only and restored following project completion.

- d. Will the project or proposal use (or occur in the immediate vicinity of) water, rail, or air transportation? If so, generally describe.

No.

- e. How many vehicular trips per day would be generated by the completed project or proposal? If known, indicate when peak volumes would occur and what percentage of the volume would be trucks (such as commercial and nonpassenger vehicles). What data or transportation models were used to make these estimates?

Approximately ten to twelve vehicle trips per day are expected to occur between the hours of 7 am and 5 pm on weekdays.

- f. Will the proposal interfere with, affect, or be affected by the movement of agricultural and forest products on roads or streets in the area? If so, generally describe.

No.

- g. Proposed measures to reduce or control transportation impacts, if any:

This proposal will not significantly add to traffic volumes or traffic flow in the vicinity of the project.

15. Public services

- a. Would the project result in an increased need for public services (for example: fire protection, police protection, public transit, health care, schools, other)? If so, generally describe.

No.

- b. Proposed measures to reduce or control direct impacts on public services, if any.

None are necessary for this proposal.

16. Utilities

- a. Circle or underline utilities currently available at the site: electricity, natural gas, water, refuse service, telephone, sanitary sewer, septic system, other:
- b. Describe the utilities that are proposed for the project, the utility providing the service, and the general construction activities on the site or in the immediate vicinity which might be needed.

No utilities are proposed as part of this project.

A. SIGNATURE

The above answers are true and complete to the best of my knowledge. I understand that the lead agency is relying on them to make its decision.

Signature: _____

Kyle Legare

Name of Signee: _____

Kyle Legare

Position and Agency/Organization: Biologist / Snohomish County Public Utilities District No. 1

Date Submitted: _____

7/13/2026